

Deployed Theater Accountability Software (DTAS)

DTAS Mobile Application User Manual

CM No. DTAS-MAUM0-033-20080114

Version 3.3

Draft

January 14, 2008



Submitted to
LTC John Kilgallon
Product Manager, AHRS
PEO Enterprise Information Systems

Prepared by
Electronic Data Systems
13600 EDS Drive, Mailstop A4S-D52
Herndon, VA 20171
Contract Number: GS-35F-0323J
Order Number: W91QUZ-06-F-0133

Authorized by: _____
Date: _____

Approved by: _____
Date: _____

TABLE OF CONTENTS

1. INTRODUCTION	1-1
2. DTAS MENUS	2-1
2.1 File Menu	2-1
2.2 View Menu.....	2-1
2.3 Tools Menu	2-1
2.3.1 Mass Assign Wizard	2-2
2.3.2 Mass Attach Wizard.....	2-9
2.3.3 System Info	2-15
2.3.4 Deactivate System.....	2-15
2.3.5 View Synchronization Info	2-16
2.3.6 Comma Separated Values (CSV) File	2-17
2.3.7 WorkFlow	2-22
2.3.8 WorkFlow Notice Types.....	2-24
2.3.9 Attachment Physical Location	2-25
2.3.10 Unit Release	2-27
2.4 Help Menu	2-28
3. ATTACHMENTS	3-1
3.1.1 Individual Attachment	3-1
3.1.2 Unit Attachment.....	3-1
3.2 Assigned and Attached Unit Update Restrictions.....	3-2
3.2.1 Assigned Unit Update Restrictions.....	3-2
3.2.2 Attached Unit Update Restrictions	3-2
4. UNKNOWN LOCATION AND DATA MISMATCH LIST	4-1
4.1 Unknown Location.....	4-1
4.2 Data Mismatch	4-2
5. DTAS FUNCTION TABS	5-1
6. PEOPLE TAB	6-1
6.1 Overview.....	6-1
6.2 Navigating the People Tab.....	6-1
6.2.1 Unit Hierarchy	6-2
6.2.2 Include Sub Units.....	6-3
6.2.3 Display Grid.....	6-3
6.2.4 Strength View	6-6
6.2.5 Search By	6-9
6.2.6 Hyperlinked Functions.....	6-10
6.2.7 Displayed/Total.....	6-10
6.3 Assign Personnel.....	6-10
6.3.1 Assign Personnel Dialog Fields	6-15
6.4 Attach Personnel	6-17
6.4.1 Attach Personnel Dialog Fields	6-20

6.4.2	Business Rules: Attach Personnel.....	6-22
6.5	Update Personnel	6-22
6.5.1	Enabled Fields for Update Personnel.....	6-24
6.6	View Mini-Record	6-25
6.6.1	Deployment Tab.....	6-25
6.6.2	Service Tab	6-28
6.6.3	Basic Tab	6-29
6.6.4	Personal Tab.....	6-30
6.6.5	Patient Tracking Tab.....	6-31
6.7	Release Personnel	6-32
6.8	Update Location.....	6-33
6.9	Update Tour Status	6-36
6.9.1	Tour Status/Tour Status Subtype Combinations.....	6-38
6.10	Reassign Personnel	6-39
6.11	Update Duty Status	6-40
6.11.1	Revoke Duty Status.....	6-44
6.11.2	Business Rules: Update Duty Status Dialog.....	6-47
6.11.3	Business Rules: Update Duty Status, Update Location Dialog.....	6-52
6.12	Update Operation	6-53
6.13	Delete Person	6-55
6.14	Delete Attachment	6-57
6.15	Correct DASUIC.....	6-58
7.	LOCATIONS TAB.....	7-1
8.	REPORTS TAB.....	8-1
8.1	Generating a Report	8-2
8.2	Gains/Losses Report	8-2
8.2.1	Data Definitions (Army View)	8-3
8.2.2	Gains/Losses Report Sample (Army View).....	8-4
8.2.3	Data Definitions (Marine View).....	8-5
8.2.4	Gains/Losses Report Sample (Marine View)	8-7
8.3	In Transit Report	8-8
8.3.1	Data Definitions (Army View)	8-8
8.3.2	In-Transit Report Sample (Army View).....	8-10
8.3.3	Data Definitions (Marine View).....	8-10
8.3.4	In-Transit Report Sample (Marine View).....	8-12
8.4	PERSTAT Report	8-12
8.4.1	Part I: Personnel Daily Summary	8-13
8.4.2	Part II: Loss Summary	8-16
8.4.3	Part III: Gains Summary	8-25
8.4.4	Part IV: Remarks.....	8-32
8.4.5	Business Rules: PERSTAT Report.....	8-33
8.5	Unit Roster	8-35
8.5.1	Army View.....	8-35
8.5.2	Marine View	8-49

9. MANAGEMENT TAB..... 9-1

10. DCIPS-FORWARD EXPORT..... 10-1

APPENDIX A—GLOSSARY

LIST OF FIGURES

Figure 2–1: DTAS File Menu	2–1
Figure 2–2: DTAS View Menu.....	2–1
Figure 2–3: DTAS Tools Menu	2–2
Figure 2–4: Mass Assign Wizard—Select a Source File.....	2–3
Figure 2–5: Mass Assign Wizard—Source File Selected.....	2–3
Figure 2–6: Mass Assign Wizard—File Error Message	2–4
Figure 2–7: Mass Assign Wizard—CSV File Error Message	2–4
Figure 2–8: CSV File Error Log	2–5
Figure 2–9: Mass Assign Wizard—Select People to Load.....	2–5
Figure 2–10: Select Arrival Date/Time and Operation Data Dialog	2–6
Figure 2–11: Select Operation Data Dialog.....	2–6
Figure 2–12: Mass Assign Wizard—Select Assigned and Physical Location (XML and TRN Files)	2–7
Figure 2–13: Mass Assign Wizard—Select Assigned and Physical Location (CSV Files)	2–7
Figure 2–14: Mass Assign Wizard—Select Tour Status Data.....	2–8
Figure 2–15: Mass Attach Wizard—Select a Source File	2–9
Figure 2–16: Mass Attach Wizard—Source File Selected	2–10
Figure 2–17: Mass Attach Wizard—File Error Message	2–10
Figure 2–18: Mass Attach Wizard—CSV File Error Message.....	2–11
Figure 2–19: CSV File Error Log	2–11
Figure 2–20: Mass Attach Wizard—Select People to Load	2–12
Figure 2–21: Select Arrival Date/Time and Operation Data Dialog	2–12
Figure 2–22: Select Operation Data Dialog.....	2–13
Figure 2–23: Mass Attach Wizard—Select Physical Location (XML and TRN Files)	2–14
Figure 2–24: Mass Attach Wizard—Select Physical Location (CSV Files)	2–14
Figure 2–25: System Info Dialog.....	2–15
Figure 2–26: Deactivate System Message	2–15
Figure 2–27: Message Queue.....	2–16
Figure 2–28: Synchronization Log	2–17
Figure 2–29: Left Portion of the CSV Template	2–18
Figure 2–30: Right Portion of the CSV Template	2–18
Figure 2–31: CSV File Pop-Up	2–19
Figure 2–32: Save Prompt	2–21
Figure 2–33: Open Dialog	2–22
Figure 2–34: WorkFlow Inbox	2–23
Figure 2–35: WorkFlow Outbox.....	2–24
Figure 2–36: Unit Attachment Selection Dialog	2–25
Figure 2–37: Unit Attachment Action—People Selection Dialog.....	2–26
Figure 2–38: Unit Release from Attachment Dialog	2–27
Figure 2–39: Unit Release from Attachment Error Message.....	2–27
Figure 2–40: Help Menu.....	2–28
Figure 4–1: Unknown Location and Data Mismatch List Window.....	4–1
Figure 4–2: Unknown Location Close-Up.....	4–2
Figure 4–3: Data Mismatch Close-Up	4–3

Figure 5–1: Close-Up of DTAS Tabs	5–1
Figure 6–1: Unexpanded Tree	6–2
Figure 6–2: Expanded Tree.....	6–2
Figure 6–3: Hierarchy Showing Multiple Subordinate Units	6–3
Figure 6–4: Display Grid	6–4
Figure 6–5: Right-Click Menu.....	6–5
Figure 6–6: Strength View Area.....	6–6
Figure 6–7: Unit Strength Selection	6–7
Figure 6–8: Available Strength Selection	6–8
Figure 6–9: Non Available Selection.....	6–9
Figure 6–10: Search By Area.....	6–10
Figure 6–11: Hyperlinked Functions	6–10
Figure 6–12: Displayed/Total Area	6–10
Figure 6–13: Assign Personnel Dialog (Army View).....	6–11
Figure 6–14: Assign Personnel Dialog (Marine View)	6–12
Figure 6–15: Assign Personnel—Duty Status and Location Dialog (Army View).....	6–13
Figure 6–16: Assign Personnel—Duty Status and Location Dialog (Marine View).....	6–13
Figure 6–17: Assign Personnel—Associated Country Error Message	6–14
Figure 6–18: Attach Personnel Dialog (Army View).....	6–17
Figure 6–19: Attach Personnel Dialog (Marine View).....	6–18
Figure 6–20: Attach Personnel—Duty Status and Location Dialog (Army View)	6–19
Figure 6–21: Attach Personnel—Duty Status and Location Dialog (Marine View)	6–19
Figure 6–22: Update Personnel Dialog (Army View)	6–23
Figure 6–23: Update Personnel Dialog (Marine View).....	6–23
Figure 6–24: Deployment Tab (Army View)	6–27
Figure 6–25: Deployment Tab (Marine View)	6–27
Figure 6–26: Mini-Record—Service Tab (Army View)	6–28
Figure 6–27: Mini-Record—Service Tab (Marine View)	6–28
Figure 6–28: Mini-Record—Basic Tab (Army View).....	6–29
Figure 6–29: Mini-Record—Basic Tab (Marine View)	6–29
Figure 6–30: Mini-Record—Personal Tab (Army View).....	6–30
Figure 6–31: Mini-Record—Personal Tab (Marine View)	6–30
Figure 6–32: Mini-Record—Patient Tracking (Army View)	6–31
Figure 6–33: Mini-Record—Patient Tracking (Marine View).....	6–31
Figure 6–34: Select Personnel for Release Personnel Dialog.....	6–32
Figure 6–35: Release Personnel Dialog.....	6–33
Figure 6–36: Select Personnel for Update Location Dialog	6–34
Figure 6–37: Update Location Dialog	6–35
Figure 6–38: Select Personnel for Update Tour Status Dialog.....	6–36
Figure 6–39: Update Tour Status Dialog.....	6–37
Figure 6–40: Update Tour Status Message.....	6–38
Figure 6–41: Select Personnel for Reassign Personnel Dialog.....	6–39
Figure 6–42: Reassign Personnel Dialog.....	6–40
Figure 6–43: Select Personnel for Update Duty Status Dialog.....	6–41
Figure 6–44: Update Duty Status Dialog.....	6–42
Figure 6–45: Update Duty Status—Location Dialog.....	6–43

Figure 6–46: Display Grid Showing Individual With Revocable Duty Status	6–44
Figure 6–47: Select Personnel for Update Duty Status Dialog.....	6–45
Figure 6–48: Update Deployed Duty Status Dialog—Revoke Duty Status	6–46
Figure 6–49: Update Location—Revoke Duty Status	6–46
Figure 6–50: System Message—Casualty Status Warning	6–48
Figure 6–51: System Message—Redeployed-Convalescent Leave	6–49
Figure 6–52: System Message—Hospitalized (Battle Incurred)	6–49
Figure 6–53: System Message—Redeployed-Rest and Recuperation.....	6–49
Figure 6–54: System Message—Redeployed-Temporary Duty	6–50
Figure 6–55: System Message—Redeployed-Hospitalized (Battle Incurred).....	6–50
Figure 6–56: System Message—Redeployed-Dropped From Rolls.....	6–50
Figure 6–57: System Message—Temporary Duty	6–51
Figure 6–58: System Message—Erroneously Added	6–51
Figure 6–59: System Message—Cannot Enter Historical Data Message.....	6–51
Figure 6–60: Update Duty Status—Revoke Duty Status Message.....	6–52
Figure 6–61: Select Personnel for Update Operation Dialog	6–54
Figure 6–62: Update Operation Dialog.....	6–55
Figure 6–63: Select Personnel for Delete Person Dialog.....	6–56
Figure 6–64: Delete Person—Confirmation Message	6–56
Figure 6–65: Select Personnel for Delete Attachment Dialog.....	6–57
Figure 6–66: Delete Attachment—Confirmation Message	6–58
Figure 6–67: Select Personnel for Correct DASUIC Dialog	6–59
Figure 6–68: Correct DASUIC Dialog	6–60
Figure 7–1: Locations Tab	7–1
Figure 8–1: Reports Tab	8–2
Figure 8–2: Gains Worksheet (Army View).....	8–4
Figure 8–3: Losses Worksheet (Army View)	8–5
Figure 8–4: Gains Worksheet (Marine View)	8–7
Figure 8–5: Losses Worksheet (Marine View).....	8–8
Figure 8–6: In-Transit Report Sample (Army View)	8–10
Figure 8–7: In-Transit Report Sample (Marine View)	8–12
Figure 8–8: Part I: Personnel Daily Summary Sample (Army View)	8–15
Figure 8–9: Part I: Personnel Daily Summary Sample (Marine View)	8–16
Figure 8–10: Part II: Loss Summary Sample (Army View).....	8–18
Figure 8–11: Part II: Loss Summary Sample (Marine View).....	8–20
Figure 8–12: Part II: Loss Detail Sample (Army View).....	8–22
Figure 8–13: Part II: Loss Detail Sample (Marine View).....	8–24
Figure 8–14: Part III: Gains Summary Sample (Army View).....	8–26
Figure 8–15: Part III: Gains Summary Sample (Marine View).....	8–28
Figure 8–16: Part III: Gains Detail Sample (Army View).....	8–30
Figure 8–17: Part III: Gains Detail Sample (Marine View)	8–32
Figure 8–18: Part IV: Remarks Sample	8–33
Figure 8–19: Unit Roster—Page 1 (Army View)	8–38
Figure 8–20: Unit Roster—Page 2 (Army View)	8–39
Figure 8–21: Unit Roster—Page 3 (Army View)	8–40
Figure 8–22: Unit Roster—Page 4 (Army View)	8–41

Figure 8–23: Unit Roster—Page 5 (Army View)	8–42
Figure 8–24: Unit Roster—Page 6 (Army View)	8–43
Figure 8–25: Component Tab (Army View)	8–44
Figure 8–26: Reserve Tab (Army View)	8–45
Figure 8–27: Guard Tab (Army View)	8–45
Figure 8–28: Female Tab (Army View)	8–46
Figure 8–29: Operation Tab (Army View)	8–47
Figure 8–30: Permanent Party Tab (Army View).....	8–48
Figure 8–31: Blank Tab (Army View).....	8–48
Figure 8–32: Unit Roster—Page 1 (Marine View).....	8–51
Figure 8–33: Unit Roster—Page 2 (Marine View).....	8–52
Figure 8–34: Unit Roster—Page 3 (Marine View).....	8–53
Figure 8–35: Unit Roster—Page 4 (Marine View).....	8–54
Figure 8–36: Unit Roster—Page 5 (Marine View).....	8–55
Figure 8–37: Unit Roster—Page 6 (Marine View).....	8–55
Figure 8–38: Component Tab (Marine View)	8–56
Figure 8–39: Reserve Tab (Marine View).....	8–57
Figure 8–40: Guard Tab (Marine View).....	8–57
Figure 8–41: Female Tab (Marine View)	8–58
Figure 8–42: Operation Tab (Marine View).....	8–59
Figure 8–43: Permanent Party Tab (Marine View)	8–60
Figure 8–44: Blank Tab (Marine View)	8–60
Figure 9–1: Management Tab.....	9–1
Figure 9–2: Save Confirmation Message.....	9–2
Figure 9–3: No Updates Message	9–2

Amendment Record

Version	Date	Status	Comment
0.5	07/21/2004	Draft	First draft; working draft
1.0	09/07/2004	Draft	Second draft; working draft
1.1	09/21/2004	Draft	Third draft, working draft
1.2	09/28/2004	Draft	Fourth draft, working draft
1.3	10/03/2004	Draft	Fifth draft, working draft
1.4	10/08/2004	Draft	Sixth draft, working draft
1.5	12/06/2004	Draft	Seventh draft, draft
1.6	01/18/2005	Draft	Eighth draft, draft
1.7	01/28/2005	Draft	Ninth draft, draft
1.8	01/29/2005	Draft	Tenth draft, draft
1.9	11/14/2005	Draft	Twelfth draft, draft.
1.9	11/14/2005	Final	Twelfth draft, final.
2.0	11/14/2005	Draft	Thirteenth draft, draft.
2.1	09/11/2006	Final	<ul style="list-style-type: none"> • Fourteenth draft, final.
3.3	01/04/2008	Draft	<p>Fifteenth draft, draft. Revised to include the following changes:</p> <ul style="list-style-type: none"> • Updated the text of the manual to reflect changes associated with new functionality; multiple sections affected.

1. INTRODUCTION

The Deployed Theater Accountability Software (DTAS) application provides the U.S. Army and the U.S. Marine Corps with a reliable, timely, and efficient mechanism for tracking and providing reporting visibility into the location and duty status of deployed Soldiers at both the Enterprise level (top of the system) and the unit level (bottom of the system). This visibility is vital in determining war fighting capability.

In support of the DTAS vision, this project controls the work effort to meet the following objectives:

- Develop a standard Army system for deployed personnel accountability
- Improve data quality
- Establish a common picture
- Perpetuate deployed personnel accountability

DTAS enables commanders in deployed theaters to account for DoD personnel in their areas of operations by name (SSN), unit, location, and day. DTAS comprises three components: the Enterprise, Theater, and Mobile systems.

The DTAS Enterprise system houses the central database, which contains soldier data obtained from *eMILPO* as well as information on current soldier location and duty status as entered into the Mobile systems and passed to the Enterprise system. The Enterprise system also interfaces—through a secure cross domain solution (CDS)/trusted gateway—with *eMILPO* and receives data from the Defense Manpower Data Center (DMDC) and Operational Data Store Enterprise (ODSE). In addition, the Enterprise system includes an integration broker that manages the messaging among DTAS component systems. The Enterprise system also houses a data warehouse that contains historical data for each deployed soldier, such as a transaction history of those attributes for which DTAS is the authoritative source. Ad hoc reporting and the JPERSTAT are configured to run against the DTAS Enterprise data warehouse.

The Theater system consists of the Theater Manager application and a core database. The Theater database is a subset of the Enterprise system. The Theater system communicates with both the Enterprise and Mobile systems. Message Queuing is used for communications between the Theater and Enterprise systems. The Theater system uses Web Services to support data communications with occasionally connected DTAS Mobile systems. The Theater Manager application allows theater-level users to manage mobile systems and UIC structure. The Theater system also provides reporting capabilities, such as the JPERSTAT report and support for ad hoc queries.

The Mobile system provides the First Sergeant/Company (1SG/CO) level with a micro-database, reporting capabilities, and personnel accounting tools. The Mobile database contains information on the soldier's current location and duty status as well as a mini-record. The Mobile system allows the user to update location, duty status, personnel information, Deployed Assigned Unit Identification Code (DASUIC), and Deployed Attached Unit Identification Code (DATUIC), and tour status. In addition, the system provides several predefined, roster-based

reports. The Mobile system is deployed on laptop computers and uses Web Services because these systems may only occasionally be connected to the network. While a Mobile system is disconnected, any DTAS work performed is stored in a message in its micro-database. When the Mobile system is connected, the stored messages are sent to the Theater via Web Services.

Note: DTAS displays the SSN for an individual in several instances, such as on the People tab screen. The SSN has been removed from all screen captures contained in this document for privacy reasons. Therefore, some screens will appear differently in the document than they will on your system: For example, a table column that would be populated on your system will appear blank in the screen captures.

2. DTAS MENUS

DTAS includes the following menu choices: File, View, Tools, and Help. Each menu provides you with a set of functions that enable you to exit the system, view synchronization data, etc.

2.1 File Menu

You may exit the DTAS application from the File menu. To exit DTAS, select Exit from the File menu (or click the X in the upper right-hand corner of the window).



Figure 2–1: DTAS File Menu

2.2 View Menu

The View menu allows you to select the view for your branch of service. The default view for the application is whichever DoD component was identified when your Mobile system was activated. The menu provides you with the following options:

- Army—This option allows you to select the Army view of the DTAS Mobile application.
- Marine—This option allows you to select the Marine view of the DTAS Mobile application.



Figure 2–2: DTAS View Menu

2.3 Tools Menu

The Tools menu provides you with the following options:

- **Mass Assign Wizard...**—The Mass Assign Wizard allows you to add personnel from a TPS TRN file, an eMILPO Load, or a .CSV file.
- **Mass Attach Wizard...**—The Mass Attach Wizard allows you to attach personnel using a TPS TRN file, an eMILPO Load, or a .CSV file.
- **System Info...**—The System Info provides information related to the system configuration, such as System POC Name, System POC Phone Number, System DUIC, and System Activation Date.
- **Deactivate System...**—The Deactivate System function resets the theater system. This function will delete all personnel from the database and delete theater-specific information.
- **View Synchronization Info...**—This function allows you to view system messages and synchronization information.

- **CSV File**—This function allows you to create and edit an Excel spreadsheet that is saved as comma delimited file for upload via the Mass Assign Wizard.
- **WorkFlow...**—This function allows you to read or delete notices of unit attachments and release from attachment.
- **Attachment Physical Location...**—This functions allows you to update the physical location for those soldiers attached to your unit through a unit attachment.
- **Unit Release...**—This function allows you to release units from attachment to your unit.



Figure 2–3: DTAS Tools Menu

2.3.1 Mass Assign Wizard

The Mass Assign Wizard function allows you to load data to your DTAS database using an *eMILPO* XML load file, a TPS TRN file, or a CSV file. The XML and TRN files are created in *eMILPO* or TPS, respectively, and are saved to a floppy disk or other removable/transportable media. To load data from a file, perform the following steps:

1. Select Mass Assign Wizard... from the Tools menu. DTAS displays the Mass Assign Wizard dialog.




Figure 2–4: Mass Assign Wizard—Select a Source File

2. Click the Select File button to select the file. DTAS displays the Open dialog box. Navigate to the folder location of the file you wish to upload. Highlight the file and then click Open or double click on the file to select it. DTAS displays the file name and path on the dialog and activates the Next button. Click Next to proceed.




Figure 2–5: Mass Assign Wizard—Source File Selected

Note: If the file you select is not of the appropriate type (either an XML, a TRN, or a CSV file), DTAS displays a message informing you that the file is not in the proper format. Click OK to return to the Mass Assign Wizard dialog.



Figure 2–6: Mass Assign Wizard—File Error Message

Note: When adding personnel from a CSV file, the Mass Assign Wizard will not load records that are missing data or contain errors. The Mass Assign Wizard will only load complete/accurate records; any records containing errors will not be loaded. You will be unable to load information for these persons until you correct the errors. If your CSV file contains errors, the system displays an error message (shown below) informing you that the file contains errors as well as the location of the error log file.



Figure 2–7: Mass Assign Wizard—CSV File Error Message

The error log file provides information on what values are missing and in which record (corresponds to the rows of the spreadsheet). To correct the CSV file: From the Tools menu, select CSV File and then Edit (see Section 2.2.5, CSV File, for additional information).




Figure 2–8: CSV File Error Log

- DTAS displays the Select People to Load dialog box.
- By default, all records are selected. Click Select All to select all records or you can select individual records by clicking the check box to the left of each record to select individual records you wish to load. You can also click Deselect All to deselect all the records or you can deselect individual records by clicking the checkbox to the left of the record.






Figure 2–9: Mass Assign Wizard—Select People to Load

- Click Next to proceed. The application displays the Select Arrival Date/Time and Operation data (or if adding personnel from a CSV file, the Select Operation Data) dialog.



The screenshot shows a Windows-style dialog box titled "Mass Assign Wizard". At the top left is a "Help" button. Below it is a yellow header area with the text "Select Arrival Date/Time and Operation data." The main area contains three dropdown menus: "*Operation:" with "Select One" selected, "*Arrival Date/Time:" with "20070703 18:02:08 GMT-5:00" selected, and "Re-enter Arrival Date/Time:" with "20070703 18:02:08 GMT-5:00" selected. At the bottom are three buttons: "< Back", "Next >", and "Cancel".

Figure 2–10: Select Arrival Date/Time and Operation Data Dialog



The screenshot shows the same "Mass Assign Wizard" dialog box, but now the yellow header area says "Select Operation data." The main area contains only one dropdown menu: "*Operation:" with "Select One" selected. The "Re-enter Arrival Date/Time" field is no longer visible. The bottom buttons remain: "< Back", "Next >", and "Cancel".

Figure 2–11: Select Operation Data Dialog

6. Select the name of the operation to which the personnel are being added from the Operation picklist. This is a required field.
7. The Arrival Date/Time picklist defaults to what has previously been entered for the arrival date and time (the Arrival Date/Time field is not displayed for CSV files). If you enter an Arrival Date/Time that is 30 or more days old, DTAS enables the Re-enter Arrival Date/Time field and you must re-enter the arrival date and time. **Note:** The arrival date and time cannot be a date greater than 4 years old.

For CSV files, if the Arrival Date/Time in the file is not a valid arrival date and time, the Arrival Date/Time field defaults to the current system date and time.


8. Click Next to proceed with the load process. DTAS displays the Select Assigned and Physical Location dialog.

Figure 2–12: Mass Assign Wizard—Select Assigned and Physical Location (XML and TRN Files)

Figure 2–13: Mass Assign Wizard—Select Assigned and Physical Location (CSV Files)

9. In the Assigned area, select an Assigned location from the Location picklist. DTAS defaults the Date/Time field to the current date and time. **Note:** There is no Date/Time field on the Select Assigned and Physical Location dialog when loading CSV data.

10. In the Physical section, select the type of location from the Type picklist.
11. Select a location from the Location picklist. DTAS defaults this to the Assigned location you selected in the Assigned data entry area. The Assigned and Physical locations can be different.
12. Enter the Grid Zone Designator (this is two numbers and one letter); this is a required field. The Grid Square Identifier and Grid Zone Coordinates (this must consist of six or eight numbers) fields are populated with the identifier and coordinates associated with the Physical location selected.
13. Click Next to proceed with the load process. DTAS displays the Select Tour Status Data dialog, if the person or persons you have selected are a U.S. Army soldier. (**Note:** The Select Tour Status Data dialog is not displayed if the persons selected are other person types.)



The screenshot shows a Windows-style dialog box titled "Mass Assign Wizard" with a blue header bar. Below the title bar is a "Help" button. The main content area has a yellow background with the text "Select Tour Status data." Below this is a form with four fields: "*Tour Status:" with a dropdown menu showing "Temporary Change of Station"; "*Tour Status Subtype:" with a dropdown menu showing "Select One"; "*Date/Time:" with a dropdown menu showing "20070703 18:02:08 GMT-5:00"; and "*Number of Days:" with a text input field containing "365". At the bottom of the dialog are three buttons: "< Back", "Finish", and "Cancel".

Figure 2–14: Mass Assign Wizard—Select Tour Status Data

14. Select the soldier's tour status from the Tour Status picklist. The picklist defaults to Temporary Change of Station.
15. Select an appropriate value from the Tour Status Subtype picklist. This is a required field.
16. Select the appropriate date in the Date/Time field. For XML and TRN files, the Date/Time field defaults to the Arrival Date/Time; for CSV files, the field defaults to the current system date/time. You may enter the date by either using the calendar function or manually typing the date. This is a required field.
17. Enter the length of the tour in the Number of Days field. The field defaults to 365. Type the appropriate number of days for tour duration. This is a required field.
18. Click Finish to load the data into the database.
19. Click Back to return to the previous step in the process.
20. Click Cancel to exit the process without adding data.

2.3.2 Mass Attach Wizard

The Mass Attach Wizard function allows you to load data to your DTAS database using an eMILPO XML load file, a TPS TRN file, or a CSV file. The XML and TRN files are created in eMILPO or TPS, respectively, and are saved to a floppy disk or other removable/transportable media. To load data from a file, perform the following steps:

1. Select Mass Attach Wizard... from the Tools menu. DTAS displays the Mass Attach Wizard dialog.




Figure 2–15: Mass Attach Wizard—Select a Source File

2. Click the Select File button to select the file. DTAS displays the Open dialog box. Navigate to the folder location of the file you wish to upload. Highlight the file and then click Open or double click on the file to select it. DTAS displays the file name and path on the dialog and activates the Next button. Click Next to proceed.




Figure 2–16: Mass Attach Wizard—Source File Selected

Note: If the file you select is not of the appropriate type (either an XML, a TRN, or a CSV file), DTAS displays a message informing you that the file is not in the proper format. Click OK to return to the Mass Attach Wizard dialog.




Figure 2–17: Mass Attach Wizard—File Error Message

Note: When adding personnel from a CSV file, the Mass Attach Wizard will not load records that are missing data or contain errors. The Mass Attach Wizard will only load complete/accurate records; any records containing errors will not be loaded. You will be unable to load information for these persons until you correct the errors. If your CSV file contains errors, the system displays an error message (shown below) informing you that the file contains errors as well as the location of the error log file.



Figure 2–18: Mass Attach Wizard—CSV File Error Message

The error log file provides information on what values are missing and in which record (corresponds to the rows of the spreadsheet). To correct the CSV file: From the Tools menu, select CSV File and then Edit (see Section 2.2.5, CSV File, for additional information).




Figure 2–19: CSV File Error Log

3. DTAS displays the Select People to Load dialog box.
4. By default, all records are selected. Click Select All to select all records or you can select individual records by clicking the check box to the left of each record to select individual records you wish to load. You can also click Deselect All to deselect all the records or you can deselect individual records by clicking the checkbox to the left of the record.




Figure 2–20: Mass Attach Wizard—Select People to Load

5. Click Next to proceed. The application displays the Select Arrival Date/Time and Operation data (or if adding personnel from a CSV file, the Select Operation Data) dialog.




Figure 2–21: Select Arrival Date/Time and Operation Data Dialog




Figure 2–22: Select Operation Data Dialog

6. Select the name of the operation to which the personnel are being added from the Operation picklist. This is a required field.
7. The Arrival Date/Time picklist defaults to what has previously been entered for the arrival date and time (the Arrival Date/Time field is not displayed for CSV files). If you enter an Arrival Date/Time that is 30 or more days old, DTAS enables the Re-enter Arrival Date/Time field and you must re-enter the arrival date and time. **Note:** The arrival date and time cannot be a date greater than 4 years old.

For CSV files, if the Arrival Date/Time in the file is not a valid arrival date and time, the Arrival Date/Time field defaults to the current system date and time.

8. Click Next to proceed with the load process. DTAS displays the Physical Location dialog.

Figure 2–23: Mass Attach Wizard—Select Physical Location (XML and TRN Files)

Figure 2–24: Mass Attach Wizard—Select Physical Location (CSV Files)

9. In the Physical section, select the type of location from the Type picklist.
10. Select a location from the Location picklist.
11. You may edit the Grid Zone Designator (this three alphanumeric characters with the first two characters numerals and the last an alphabetic character), the Grid Square Identifier (this is two letters) and the Grid Zone Coordinates (this must consist of six or eight numbers).
12. For XML and TRN files, DTAS defaults the Date/Time field to the date and time previously entered, and displays it as read-only.

13. Click Finish to load the data into the database.
14. Click Back to return to the previous step in the process.
15. Click Cancel to exit the process without adding data.

2.3.3 System Info

The System Info function provides you with contact and activation date information related to your DTAS system. To view information related to your system, perform the following steps: Select System Info from the Tools menu. DTAS displays the System Info dialog box. Click Close when you are finished. DTAS closes the dialog box and returns you to your previous screen location.




Figure 2–25: System Info Dialog

2.3.4 Deactivate System

The Deactivate System functions allows you to reset your system. The function removes the existing database. To deactivate a system, select Deactivate System from the Tools menu. DTAS displays the Deactivate System confirmation message. Click OK to proceed with the process. **Note:** This will remove the existing database, deleting all your data. Click Cancel to cancel the deactivation without making any changes.




Figure 2–26: Deactivate System Message

2.3.5 View Synchronization Info

The View Synchronization Info function allows you to view system-generated messages awaiting upload to the Theater system and a synchronization log that details the synchronizations sent between the Mobile and Theater systems. To view synchronization information, select View Synchronization Info from the Tools menu. DTAS displays the Synchronization Info window. The window contains two tabs, Message Queue and Synchronization Log. DTAS defaults the display to the Message Queue. To change the display, click the Synchronization Log tab, and DTAS displays the log. The information displayed is read-only. Click Refresh to update the display to show the most recent data. In addition, on the Synchronization Log tab you can specify how many rows are displayed in the window by selecting from the Row Height picklist. When you are finished viewing the information, click Close. DTAS returns you to your previous screen location.




Figure 2–27: Message Queue




Figure 2–28: Synchronization Log

2.3.6 Comma Separated Values (CSV) File

The CSV File function allows you to create or edit an Excel spreadsheet that can be used for data entry and upload to DTAS. The Excel spreadsheet is saved in a comma delimited format (.CSV file) that you can use to upload data using the Mass Assign Wizard or Mass Attach Wizard functions. The CSV File function consists of submenu with two options: New and Edit. An example of the file format is provided below. **Note:** Required fields are denoted by an asterisk.

	A	B	C	D	E	F	G	H	I	J	K	L
1	Carrier	*SSN	*Last Name	*First Name	MI	*Sex	*Service	DOD Component	Service Component	Foreign Military Indicator	RUC	ULN
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												

Figure 2–29: Left Portion of the CSV Template

	M	N	O	P	Q	R	S	T	U	V	W	X	Y
1	MOS	Rank	TRUC	APOE	APOD	Depart Date	Depart Time	Arrive Date (YYYYMMDD)	Arrive Time (hh:mm:ss)	Birth Date (YYYYMMDD)	Duty Status	Blood	Marital Status
2													
3													
4													
5													
6													
7													
8													
9													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													

Figure 2–30: Right Portion of the CSV Template

For information on the business rules associated with the CSV File function, refer to Section 2.2.5.3, Business Rules: CSV File.

2.3.6.1 NEW

To create a new CSV file, perform the following steps:

1. Select CSV File from the Tools menu and then select New from the submenu.
2. DTAS launches the Excel CSV file template.
3. Enter data directly into the spreadsheet cells. Required fields are denoted with a red flag in the upper right corner of the column header, as shown in the close-up below. If you hover the cursor over the red flag, additional information about the data column is provided.

	A	B	C	D	E
1	Carrier	*SSN			MI
2					
3					
4					
5					

Required field for all Service (Person Types) except for Foreign National/Military.

Figure 2–31: CSV File Pop-Up

4. The following fields are available for data entry:

- **Carrier**—This is the organization that provided transportation for the individual.
- **SSN (Social Security Number)**—This is the individual’s Social Security number. The field requires nine numeric characters.
- **Last Name**—Data entry is not limited in Excel; however, the database field is limited to 30 alpha characters.
- **First Name**—Data entry is not limited in Excel; however, the database field is limited to 30 alpha characters.
- **MI (Middle Initial)**—Data entry is limited to one alpha character.
- **Sex**—Enter M for male and F for female.
- **Service**—This field corresponds to the People Type field in the DTAS database and denotes the organization with which the individual is associated. Data entry is made through a picklist.
- **DOD Component**—This field is for designating the branch of the Department of Defense for whom the soldier or DoD civilian works. Data entry is made through a picklist.
- **Service Component**—This field is for designating whether the soldier is Active, Reserve, or Guard. A fourth data entry option of Unknown is available to the user. Data entry is made through a picklist.
- **Foreign Military Indicator**—This is a yes/no indicator of whether the individual is with a foreign military or is a foreign national. Selection is made through a picklist.
- **RUC (Reporting Unit Code)**—The RUC is the Marine Corps code for the soldier's deployed unit. This code is analogous to the DASUIC in DTAS. The code consists of five alphanumeric characters.
- **ULN (Unit Line Number)**—The ULN is a line item number that corresponds to the MOS. Each unit has a table of organization that lists each soldier by unit line number.
- **MOS (Military Occupational Specialty)**—This identifies the soldier’s MOS, which is a group of duty positions of close occupational or functional relationships that facilitate interchangeability among persons of various skill levels. Data entry consists of three alphanumeric characters for the Army, and four numeric characters for the Marine Corps.

- **Rank**—This field indicates the soldier’s current rank. The rank should be entered as an abbreviation, such as SSG for Staff Sergeant.
- **TRUC (Temporary RUC)**—The TRUC is a temporary unit to which a Marine is attached; it is used for temporary duty assignments.
- **APOE (Air Port of Embarkation)**—This is the part from which the individual last departed en route to theater.
- **APOD (Air Port of Debarkation)**—This is the individual’s point of arrival in theater.
- **Depart Date**—This is the date the individual departs the APOE. Data entry must be numeric characters. Data entry should be eight numeric characters, including four-digit year, two-digit month, and two-digit day.
- **Depart Time**—This is the time the individual departs the APOE. Data entry must be numeric characters. Data entry should be six numeric characters, including two-digit hour, two-digit minutes, and two-digit seconds.
- **Arrive Date (YYYYMMDD)**—This is the date the individual arrives at the unit. DTAS defaults this to the system date. Data entry should be eight numeric characters, including four-digit year, two-digit month, and two-digit day.
- **Arrive Time (hh:mm:ss)**—This is the time the individual arrives at the unit. DTAS defaults this to the system date. Data entry should be six numeric characters, including two-digit hour, two-digit minutes, and two-digit seconds.
- **Birth Date (YYYYMMDD)**—This is the individual’s date of birth. Data entry must be eight numeric characters, including four-digit year, two-digit month, and two-digit day.
- **Duty Status**—This is the current duty status for the individual. DTAS defaults the status to PDY, Present for Duty, during the Mass Assign Wizard process.
- **Blood**—Enter the individual’s blood type by selecting the code that corresponds to the blood type. Selection is made from a picklist which includes the following options:
 - A denotes A+ blood type
 - B denotes A- blood type
 - C denotes B+ blood type
 - D denotes B- blood type
 - E denotes O+ blood type
 - F denotes O- blood type
 - G denotes AB+ blood type
 - H denotes AB- blood type
- **Marital Status**—Enter the current marital status for the individual. Selection is made from a picklist, which includes the following options:
 - A: Annulled
 - D: Divorced
 - I: Interlocutory Decree
 - L: Legally Separated
 - M: Married
 - S: Single
 - W: Widowed
 - Z: Unknown

5. The following fields have pull-down menus associated with them to expedite data entry:
 - Service
 - DoD Component
 - Service Component
 - Foreign Military Indicator
 - Blood
 - Marital Status
6. After completing data entry, select Save from the File menu to save the file. Excel displays a message prompting you to confirm that you would like to save the file. You may perform one of the following:
 - Click Yes to save the file. **Note:** Ensure you save the file and that you maintain the file in CSV format. If you do not click Yes to save your file, you will lose the data you have entered.
 - Click No to proceed without saving your changes.
 - Click Cancel to return to the spreadsheet and make further changes.




Figure 2–32: Save Prompt

2.3.6.2 EDIT

To edit an existing CSV file, perform the following steps:

1. Select CSV File from the Tools menu and then select Edit from the submenu.
2. DTAS displays the Open dialog box.




Figure 2–33: Open Dialog

3. Enter the changes you want and save the file. Select Save from the File menu to save the file. Excel displays a message prompting you to confirm that you would like to save the file. Click Yes to save the file. Click No to proceed without saving your changes or click Cancel to return to the spreadsheet and make further changes.

2.3.6.3 BUSINESS RULES: CSV FILE

The following business rules apply to the CSV File function:

- If Other US Service Member or DoD Federal Civilian is selected, the DoD Component column must be populated.
- If US Army Soldier or Other US Service Member is selected, the Service Component column must be populated.
- If Foreign National/Military is selected, the Foreign Military Indicator must be populated.
- If the person being added through the CSV file already exists on the local database, no add or update will be performed for that person.
- If you enter data in an invalid format (for example, E1 in the Rank field rather than the acronym), DTAS leaves that field null on the database. This applies to all fields, except the following: SSN, Last Name, First Name, Sex, Service, DoD Component, Service Component, Foreign Military Indicator, and Duty Status.

2.3.7 Workflow

The Workflow function allows you to perform the following actions on Workflow notices: Acknowledge, Delete, or Mark as Read. The Workflow functionality may be accessed through the Workflow... option on the Tools menu or by clicking the Workflow Inbox hyperlink, when enabled, on the People tab.

2.3.7.1 WORKFLOW INBOX

The WorkFlow Inbox provides the ability to Acknowledge, Delete, or Mark as Read WorkFlow notices that have been received. The action taken on a WorkFlow notice depends on the notice type. WorkFlow notices can remain in the Inbox indefinitely until you take appropriate action. To take action on a WorkFlow notice, perform the following steps:

1. From the Tools menu, select WorkFlow....
2. DTAS displays the WorkFlow dialog. The Inbox tab is the default.
3. Select one or more items in your Inbox to review. You can select items individually or can select multiple items. Alternately, you can select all the items by clicking the Select All button. To deselect, all the selected items, click the Deselect All button.
4. Select an action from the Action picklist. **Note:** The Acknowledge option is only enabled for Unit Attachment WorkFlow notices.
5. Click OK.
6. Click Close to close the WorkFlow window.




Figure 2–34: WorkFlow Inbox

2.3.7.2 WORKFLOW OUTBOX

The WorkFlow Outbox provides the ability to review and delete WorkFlow notices that have been sent. WorkFlow notices can remain in the Outbox indefinitely until you delete them. To delete a WorkFlow notice, perform the following steps:

1. From the Tools menu, select WorkFlow....
2. DTAS displays the WorkFlow dialog. The Inbox tab is the default.
3. Click the Outbox tab to access your Outbox.
4. Select one or more items to delete. You can select items individually or can select multiple items. Alternately, you can select all the items by clicking the Select All button. To deselect, all the selected items, click the Deselect All button.

5. Click the Delete button to delete selected notices.
6. Click Close to close the dialog.




Figure 2–35: WorkFlow Outbox

2.3.8 WorkFlow Notice Types

Currently, there are seven types of WorkFlow notices available to the Mobile user. Each WorkFlow notice type serves a different purpose. You may submit the following actions for WorkFlow notices:

- **Acknowledge—Note:** This action is only available for the Unit Attachment WorkFlow notice type. If you Acknowledge the WorkFlow notice, it moves from the Inbox to the Outbox. The WorkFlow notice acknowledging the unit attachment is sent to the Theater Manager during the next synchronization, but visibility of the WorkFlow notice is retained in the Outbox until you delete the notice.
- **Mark As Read**—The status of the WorkFlow notice changes from Unread to Read.
- **Delete**—The WorkFlow notice is deleted from the Inbox or Outbox.

The following seven notice types are available on the Mobile system are as follows:

- **Individual Person Attachment**—This notifies you when a unit has attached one of your assigned personnel.
- **Individual Person Attachment Delete**—This notifies you when a unit has deleted an individual attachment of one of your assigned personnel.
- **Individual Person Attachment Release**—This notifies you when a unit has released an individual attachment of one of your assigned personnel.
- **Invalid Individual Person Attachment**—This notifies you that an invalid attachment was submitted by this Mobile system via the Attach Personnel or Mass Attach Wizard function. The erroneously attached person was removed from your Mobile system

because the record does not exist on another Mobile system in this Theater. You must contact the person's assigned unit to get this person assigned to a Mobile system. After the person has been assigned to a Mobile system, you may resubmit the Attach Personnel action.

- **Unit Person Attachment Delete**—This notifies you when a unit has deleted a unit attachment of one of your assigned personnel.
- **Unit Person Attachment Release**—This notifies you when a unit has released a unit attachment of one of your assigned personnel.
- **Unit Attachment**—This notifies you when one or more units are attached to a unit on your Mobile system.

2.3.9 Attachment Physical Location

To update the physical location of persons who are part of a unit attachment, perform the following steps:

1. Select Attachment Physical Location from the Tools menu. Alternatively, you may also select Attachment Physical Location by clicking the enabled hyperlink in the Hyperlinked Functions area of the People tab (see Section 6.2.6, Hyperlinked Functions, for more information).
2. DTAS displays the Unit Attachment Selection dialog. Select a unit attachment to process from the Attachment picklist.



Figure 2–36: Unit Attachment Selection Dialog

3. Click Update to proceed.
4. Click Delete to permanently delete the Attachment Physical Location action.
5. Click Cancel to cancel the action and return to the People tab.
6. DTAS displays the Unit Attachment Action–People Selection dialog.

	Last Name	First Name	SSN	DASUIC	DATUIC	Duty Status	Reason	Person Type
▶	CAYER	LAURA		N2TMSG	TESTCE	TRA	LOR	US ARMY SOLDIER
	FREDETTE	DIANE		F2TMSG	TESTCE	TRA	LOR	US ARMY SOLDIER
	GALLAGHER	JUDY		M2TMSG	TESTCE	TRA	CLV	US ARMY SOLDIER
	JONES	JESSICA		I2TMSG	TESTCE	TRA	LOR	US ARMY SOLDIER
	MARTEL	GARY		C2TMSG2	TESTCE	TRA	LOR	US ARMY SOLDIER
	OBRIEN	ERIN		F2TMSG	TESTCE	TRA	LOR	US ARMY SOLDIER
	ORTOLANI	KAREN		J2TMSG	TESTCE	TRA	LOR	US ARMY SOLDIER
	OSGOOD	FRED		J2TMSG	TESTCE	TRA	LOR	US ARMY SOLDIER
	RODEBUSH	BETH		C2TMSG2	TESTCE	TRA	LOR	US ARMY SOLDIER
	SATTLER	IRENE		M2TMSG	TESTCE	TRA	LOR	US ARMY SOLDIER

Figure 2–37: Unit Attachment Action–People Selection Dialog

7. Select a person or persons to update. You may select all persons listed by clicking Select All. To deselect all persons you have selected, click Deselect All. If you would like to update the physical location for more than one person, check the Continue to Update Physical Location checkbox. This allows you to add more than one person without having to return to the Unit Attachment Selection dialog.

Note: After a person’s physical location is updated, the person’s record is removed from the unit attachment listing of the Attachment Physical Location function.

8. Select a location from the Location picklist. The default is Physical Locations.
9. Enter the Grid Zone Designator (this must be two numbers and one letter) in the data entry field. This is a required field.
10. Enter the Grid Square Identifier (this must be two letters) in the data entry field. This is a required field.
11. Enter the grid coordinates (this must consist of six or eight numbers) in the Grid Coordinates field. This is a required field.
12. Click OK to save your changes and change the physical location of the attached person. DTAS returns you to the Unit Attachment Selection dialog if there are additional unit attachments.
13. Click Cancel to return to the Unit Attachment Selection dialog without saving your changes.
14. Click Cancel at the Unit Attachment Selection dialog to return to the People tab.

2.3.10 Unit Release

The Unit Release menu option is enabled when there are units that you can release from attachment. The Theater Manager, using the Theater Manager application, releases a unit from attachment. DTAS Theater Manager sends a notice to the Mobile system associated with that unit indicating that the unit has been released from attachment. To process a unit release from attachment, perform the following steps:

1. Select Unit Release from the Tools menu. Alternatively, you may also select Unit Release by clicking the enabled hyperlink in the Hyperlinked Functions area of the People tab (see Section 6.2.6, Hyperlinked Functions, for more information).
2. DTAS displays the Unit Release from Attachment dialog. Select an attachment to process from the Attachment picklist.




Figure 2–38: Unit Release from Attachment Dialog

3. Enter the release date and time. The Release Date/Time picklist defaults to the current system date and time. You can manually enter the date and time in the picklist, or you can select the date from the pop-up calendar or you can highlight the components of the date and time to change those manually (for example, clicking on the 2007 in 20070223 allows you to enter the year). This is a required field. **Note:** The release date and time cannot be a future date/time. DTAS displays an error message informing you that the date and time cannot be in the future.




Figure 2–39: Unit Release from Attachment Error Message

4. Click OK to process the unit release attachment. **Note:** For each released person who has a deployed duty status of Present for Duty, the Unit Release action also updates the person's

duty status to In-Transit – Local Reassignment. Upon the return of the person to the assigned unit, the Mobile System manager of the assigned unit must update the person’s deployed duty status to Present for Duty.

5. Click Cancel to return to the People tab without processing the unit release from attachment.

2.4 Help Menu

The Help menu contains the following options: About; Contents, Index, and Search for the help; and Email Theater Manager. The About function provides information about the DTAS application, such as the version number. You can access help by either browsing the Contents or Index, or you can search the help file. The Email Theater Manager allows you to email the Theater Manager if you have issues with your system; when you select the option, DTAS launches a blank email using your default email application.




Figure 2–40: Help Menu

3. ATTACHMENTS

There are two types of attachments available to the user in DTAS, Individual Attachments and Unit Attachments. The purpose for both is to provide the ability to view and update the DTAS record to the attached unit without removing certain update capabilities from the assigned unit. Although both the Individual Attachment and the Unit Attachment have the same purpose, each is implemented in DTAS differently.

Note: Do not use attachments to account for a person who is reassigned to your unit. Instead, use the Assign Personnel function to add this person to your database.

Please refer to Section 3.2, Assigned and Attached Unit Update Restrictions, for more information.

3.1.1 Individual Attachment

Use the Attach Personnel function if the person is supposed to be attached to your unit as an individual attachment. (See Section 6.4, Attach Personnel, for more information on initiating an Individual Attachment.) If the person is supposed to be attached to your unit as part of a unit attachment, contact the Theater Manager to coordinate the unit attachment action.

3.1.2 Unit Attachment

The DTAS Theater Manager, using the Theater Manager application, creates a unit attachment by attaching a unit or units to another unit. Unit attachments are established by the Theater Manager. Contact the Theater Manager to coordinate the unit attachment action. The Theater Manager sends a WorkFlow notice and an Attachment Physical Location action to the Mobile system associated with that unit attachment indicating that the unit has been attached.

All available personnel are included in the unit attachment. If the physical location of the personnel of the attached units has changed, you can use the Attachment Physical Location function to update the physical location of each person as required. The following is an overview of the Unit Attachment process:

- Theater Manager submits the action that attaches the units to one of your units in a Unit Attachment.
- Theater sends the attached personnel to your Mobile system.
- Theater sends a WorkFlow message and an Attachment Physical Location action to your Mobile system. Both appear as hyperlinks in the upper right-hand corner of the main People tab.
- You may Acknowledge, Mark As Read, or Delete the WorkFlow notice.
- You may Update or Delete the Attachment Physical Location action.

3.2 Assigned and Attached Unit Update Restrictions

If a person is not attached, the Mobile systems with visibility of the person's assigned unit have the capability to submit any applicable update in DTAS. However, if a person is attached to another unit, there are update restrictions in DTAS that depend on the Mobile system's relationship to the unit.

Note: These update restrictions for attached personnel do not apply when the attached personnel are participating in a unit attachment that includes the Mobile system's UIC.

3.2.1 Assigned Unit Update Restrictions

If a person is attached and your Mobile system has visibility of the assigned unit only, you cannot submit the following updates for the attached person: Terminate Deployment.

3.2.2 Attached Unit Update Restrictions

If a person is attached and your Mobile system has visibility of the attached unit only, you cannot submit the following updates for the attached person:

- Change any of the following using the Update Personnel function: Person Type, DoD Component, Military Service Component, or Initial Arrival Date/Time
- Terminate Deployment using the Update Duty Status function
- Correct DASUIC
- Reassign Personnel
- Update Tour Status
- Delete Person

4. UNKNOWN LOCATION AND DATA MISMATCH LIST

The Unknown Location and Data Mismatch List window informs you of action you must take when persons contained within your mobile database either have an unknown location for their Assigned Location or have a mismatch between their Person Type and their DoD Component.

DTAS checks the database every 10 minutes for persons who meet these criteria and displays the SSNs of affected persons in list form on the Unknown Location and Data Mismatch List window, as shown in Figure 4–1, Unknown Location and Data Mismatch List Window. If no persons exist in your mobile database who match the criteria, DTAS does not display the Unknown Location and Data Mismatch List window. DTAS displays the person's information on the Unknown Location and Data Mismatch List window until the information is corrected. Click Close to close the window and return to the People tab screen. **Note:** You must close this window before updating the information for the persons listed.




Figure 4–1: Unknown Location and Data Mismatch List Window

For information and procedures related to an unknown location, please see Section 4.1, Unknown Location. For information and procedures related to a Person Type/DoD Component data mismatch, please see Section 4.2, Data Mismatch.

4.1 Unknown Location

On the left side (shown in Figure 4–2, Unknown Location Close-Up) of the Unknown Location and Data Mismatch List window, DTAS displays the SSNs of the persons who have an unknown location as their Assigned Location. To be flagged for an unknown location, the person must have an unknown country code in the database.




Figure 4–2: Unknown Location Close-Up

To correct the person’s location, perform the following steps:

1. Highlight the SSN and press **Ctrl+C** to copy the SSN to the clipboard.
2. Close the Unknown Location and Data Mismatch List window.
3. Copy the SSN into the SSN lookup field.
4. Highlight the person and click Update Location.
5. DTAS defaults the Location picklist in the Assigned Location area to Select One.
6. Select the applicable assigned location from the picklist.
7. Click OK to save the changes. If you do not correct the Assigned Location, DTAS displays a message notifying you that you must enter all required fields. **Note:** If you select Cancel without correcting the Assigned Location, DTAS continues to display the person on the Unknown Location and Data Mismatch List until you take corrective action.

4.2 Data Mismatch

On the right side (shown in Figure 4–3, Data Mismatch Close-Up) of the Unknown Location and Data Mismatch List window, DTAS displays the SSNs of the persons who have a mismatch between their Person Type and their DoD Component. A person is flagged for a data mismatch if they meet the following criteria:

- If the Person Type is US Army Soldier and the DoD Component is either null or a code other than Army
- If the Person Type is United States Marine, US Air Force, US Coast Guard, or US Navy and the DoD Component code is either null, Army, or OSD




Figure 4–3: Data Mismatch Close-Up

To correct the person's data mismatch, perform the following steps:

1. Highlight the SSN and press **Ctrl+C** to copy the SSN to the clipboard.
2. Close the Unknown Location and Data Mismatch List window.
3. Copy the SSN into the SSN lookup field.
4. Highlight the person and click Update Personnel.
5. DTAS defaults the values on the screen to those stored in the database for the person.
6. Select the applicable DoD Component from the picklist. Alternatively, you may also change the Person Type by selecting the appropriate one from the picklist. If you do not correct the Person Type or DoD Component code, DTAS displays a message informing you that the component selected does not match the Person Type selected.
7. Click OK to save the changes. **Note:** If you select Cancel without correcting the DoD Component mismatch, DTAS continues to display the person on the Unknown Location and Data Mismatch List until you take corrective action.

5. DTAS FUNCTION TABS

The DTAS application provides a streamlined interface from which you can quickly access the tasks you need to perform. The interface presents information in a tab format (shown below), grouping functions and tasks according to the information they serve (that is People, Location, Reports, and Management tabs, which are discussed in Sections 6 through 9). The default display is the People tab. To access data on other tabs, click the tab and DTAS displays that tab in the foreground.



Figure 5–1: Close-Up of DTAS Tabs

6. PEOPLE TAB

6.1 Overview

The People tab displays the personnel in your UIC. You may also update personnel data, tour status data, location data, and duty status from this tab. The People tab provides the functionality to manage personnel records. The tab displays the personnel assigned to your UIC and their associated information. The People tab provides the following functions:

- Assign Personnel
- Attach Personnel
- Update Personnel
- View Mini-Record
- Release Personnel
- Update Location
- Update Tour Status
- Reassign Personnel
- Update Duty Status
- Update Operation
- Delete Person
- Delete Attachment
- Correct DASUIC

For information about the components of the People tab and how to navigate the tab, refer to Section 6.2, Navigating the People Tab.

6.2 Navigating the People Tab

The People tab is divided into two panes: the unit hierarchy and the display grid. In addition, there are several search and information display areas on the tab, such as the Strength View, Search By, and Hyperlinked Functions areas. The subsequent topics detail the various components of the People tab.

- Unit Hierarchy
- Display Grid
- Strength View
- Search By
- Hyperlinked Functions
- Displayed/Total

The number of people displayed on the People tab can be changed through the selection of a unit in the unit hierarchy, checking Include Sub Units checkbox, or selecting the radio buttons in the Strength View area. You can choose to display as many or a few people as needed. The default

display is of the people assigned and attached to the unit displayed at the top of the Mobile system’s hierarchy tree. For example, to display all people in the Mobile system’s database, select the unit displayed at the top of the hierarchy tree and check the Include Sub Units checkbox.

The following topics detail how to change how people are displayed on the People tab.

- Include Sub Units
- Strength View
- Display Grid

6.2.1 Unit Hierarchy

The left side of the People tab screen displays the unit hierarchy for this Mobile system. The units are displayed in a tree format.

The Unit Hierarchy provides a visual indication of which units are assigned to this Mobile system, which are attached to this Mobile system, and which are assigned to this Mobile but attached elsewhere.

Relationship to Mobile	Sample	Visual Cue Used
Assigned Unit (Not Attached Elsewhere)	WAP2A0 010087INBN CO A	The text is a plain font.
Assigned Unit (Attached Elsewhere)	WAB8S1 0101 CS SPT CMD	The text is a bold font.
Attached Unit	<i>T02IRA TITAN IRAQ</i>	The text is italicized and shaded.

6.2.1.1 EXPANDING THE HIERARCHY

Click the plus sign to display the organization below a unit that has subordinate units. You can repeat this as needed to get to the level of detail desired. Clicking the minus sign will collapse the level of the hierarchy selected, or you may collapse the entire hierarchy by clicking the minus sign for the unit at the top of the unit hierarchy tree.

⊖ TESTCE TEST COLLEEN ROSS

Figure 6–1: Unexpanded Tree

⊕ TESTCE TEST COLLEEN ROSS
 T02IRA TITAN IRAQ
 WAB8S1 0101 CS SPT CMD
 WAP2A0 010087INBN CO A

Figure 6–2: Expanded Tree

6.2.1.2 SUBORDINATE UNITS

Units within the unit hierarchy are displayed in a tree format. A plus sign to the left of a unit's name indicates that it has at least one subordinate unit. A unit subordinate to another unit may have its own subordinate units. In the example, units PK00A, PK00M, WAB8S1, and WAP2A0 are subordinate units to TESTCE. Unit WAP2A0 has one subordinate unit, WAB8HD. In turn, WAB8HD has a subordinate unit, WABAAB.




Figure 6–3: Hierarchy Showing Multiple Subordinate Units

6.2.1.3 SELECTING A UNIT

To select a unit, click on the unit in the hierarchy. The Mobile system displays the persons assigned and attached to the selected unit and any subordinate units. Selecting a unit changes the people displayed on the right side of the screen.

6.2.2 Include Sub Units

Clicking the Include Sub Units checkbox displays all personnel within the unit you have selected and any subordinate unit of the selected unit. If this checkbox is not checked, DTAS displays only those persons in the top branch or those persons of the unit you selected.

6.2.3 Display Grid

The right side of the screen displays the people for the selected unit and its subordinate units and their associated data. The persons displayed in the table vary depending on several factors, such as whether you selected Include Sub Units, selected a unit within the hierarchy, or selected one of the Strength view radio buttons.

Deployed Theater Accountability System (DTAS)

File View Tools Help

People | Locations | Reports | Management

Strength View
 Unit Strength 84
 Available Strength 9
 Non Available 75

Search By
 Last Name:
 SSN:

Workflow Inbox: 0
[Attachment Physical Location](#): 1
 Unit Release: 0
 Displayed: 84
 Total: 84

#	Last Name	First Name	SSN	DASUIC	DATUIC	PUIC	Rank	Duty Status	Reason
TESTCE TEST C	ADAMS	JOHN		WAP2A0		TESTCE		TRA	LOR
	ANTIONETTE	MARIE		WAB8HD	SEUTH1	WAP2A0	GEN	TRA	LOR
	ARNOLD	MATTHEW		PK00I	TESTCE	PK00F	COL	TRA	MIC
	ATKINSON	MICHAEL		G2TMSG	B2TMSG	D2TMSG	SFC	PDY	
	BAKER	GWENDOL		WAB8HD	SEUTH1	WAP2A0		TRA	LOR
	BARNES	CHRISTOP		WAB8HD	TESTCE	WAP2A0		PDY	
	BASHAW	SUSAN		B2TMSG	C2TMSG2	Z2TMSG	CPT	RED	RNR
	BELL	MICHAEL		WAB8HD	TESTCE	WAP2A0		PDY	
	BENNINGTO	CHESTER		TESTCE		SEUTH1	COL	PDY	
	BRAZZLE	QUIANA		WAB8HD	SEUTH1	WAP2A0		TRA	LOR
	BYRUM	MARVIN		WAB8HD	SEUTH1	WAP2A0		TRA	LOR
	CAMERON	THOMAS		WAB8HD	TESTCE	WAP2A0		PDY	
	CAYER	LAURA		N2TMSG	TESTCE	J2TMSG	PFC	TRA	LOR
	COOK	ANNE		WAB8HD	SEUTH1	WAP2A0		TRA	LOR
	DICKINSON	EMILY		PK00I	TESTCE	PK00F	Col	PDY	

Assign Personnel | Update Personnel | Release Personnel | Update Tour Status | Update Duty Status | Delete Person

Attach Personnel | View Mini-Record | Update Location | Reassign Personnel | Update Operation | Delete Attachment | Correct DASUIC

AMER\vrz9fnd | Queued Messages: 0

Figure 6–4: Display Grid

To perform a function, click on the button associated with the function you wish to perform. (Alternately, you can right click from within the display grid to access a pop-up menu—shown in Figure 6–5—of available functions.) Depending on the function selected, DTAS then displays a selection window with a list of qualified personnel from which you can select a person for whom to perform the action. The following functions pre-qualify a list of personnel available for selection:

- Release Personnel
- Update Location
- Update Tour Status
- Reassign Personnel
- Update Duty Status
- Update Operation
- Delete Person
- Delete Attachment
- Correct DASUIC



Figure 6–5: Right-Click Menu

6.2.3.1 DISPLAY GRID COLUMN DEFINITIONS

The display grid on the People tab displays the following data in columnar format:

- **Last Name**—This is the last name of the person.
- **First Name**—This is the first name of the person.
- **SSN**—This is the person’s Social Security number.
- **DASUIC**—The Deployed Assigned Unit Identification Code (DASUIC) is unit identification code (UIC) for the unit to which the person is assigned.
- **DATUIC**—The Deployed Attached Unit Identification Code (DATUIC) is the UIC for the unit to which the person is attached as either an individual or unit attachment.
- **PUIC**—The Parent Unit Identification Code is the assigned parent unit.
- **Rank**—This is the person’s rank, if applicable.
- **Duty Status**—This column lists the person’s duty status.
- **Reason**—If applicable, this column displays the reason associated with the duty status.
- **Assigned Location**—This the location of the person’s assigned unit.
- **MOS or PMOS**—This column is either MOS for the Army view or PMOS for the Marine view.
 - **MOS (Army)**—This is the code for the person’s Military Occupational Specialty.
 - **PMOS (Marine Corps)**—This is the code for the person’s Primary Military Occupational Specialty.
- **Mini Rec**—This column lists the status code (such as D for downloaded) for the Mini Record.
- **Person Type**—This is the Person Type of the individual. Person Types can be one of the following: DOD Contractor, DOD Federal Civilian, Foreign National/Military, NAF

Employee(AAFES), Non-DOD Federal Civilian, Other Civilian, Red Cross Worker, or United States Marine, US Air Force, US Army Soldier, US Coast Guard, or US Navy.

6.2.3.2 DASUIC and DATUIC Overview

The Deployed Assigned Unit Identification Code (DASUIC) is the unit to which the deployed person is assigned. The DASUIC for the person does not change if they are attached to another unit—either through an individual or unit attachment.

The Deployed Attached Unit Identification Code (DATUIC) is the unit to which the deployed person is attached. The unit displayed in the DATUIC column will vary depending on the following factors:

- If the person is part of a unit attachment, the DATUIC displayed is that of the attached unit.
- If the person is part of an individual attachment, the DATUIC displayed is that of the unit to which the person is attached.
- If the person is part of both an individual and a unit attachment, the DATUIC displayed is that of the unit associated with the person's individual attachment.

6.2.4 Strength View

The Strength View area displays the count of Unit Strength, Available Strength, and Non Available personnel for the selected unit and its subordinate units. Selecting the radio button for each option displays the associated people. For example, selecting the Available Strength radio button displays those people who are assigned or attached to the unit you selected in the hierarchy (for additional information on the hierarchy, see Section 6.2.1, Unit Hierarchy) and who have an available duty status (either Present for Duty or Temporary Duty).




Figure 6–6: Strength View Area

6.2.4.1 UNIT STRENGTH

Unit Strength reflects the number of personnel assigned—including those attached elsewhere—and attached to the selected unit. The Unit Strength count includes all available and non-available personnel. Selecting the Unit Strength radio button changes the people displayed on the People tab; it displays all people either assigned or attached to the selected unit and its subordinates.




Figure 6–7: Unit Strength Selection

6.2.4.2 AVAILABLE STRENGTH

The Available Strength count reflects the number of people listed under Unit Strength minus those persons who are non-available personnel. The Available Strength count includes people with a duty status of Present for Duty and Temporary Duty. Selecting the Available Strength radio button displays people in the selected unit and its subordinates who have an available duty status.

Deployed Theater Accountability System (DTAS)

File View Tools Help

People | Locations | Reports | Management

Strength View

Unit Strength 84

Available Strength 9

Non Available 75

Include Sub Units

Search By

Last Name:

SSN:

Workflow Inbox: 0

[Attachment Physical Location:](#) 1

Unit Release: 0

Displayed: 9

Total: 84

#	Last Name	First Name	SSN	DASUIC	DATUIC	PUIC	Rank	Duty Status	Reason
	ATKINSON	MICHAEL		G2TMSG	B2TMSG	D2TMSG	SFC	PDY	
	BARNES	CHRISTOP		WAB8HD	TESTCE	WAP2A0		PDY	
	BELL	MICHAEL		WAB8HD	TESTCE	WAP2A0		PDY	
	BENNINGTO	CHESTER		TESTCE		SEUTH1	COL	PDY	
	CAMERON	THOMAS		WAB8HD	TESTCE	WAP2A0		PDY	
	DICKINSON	EMILY		PK00I	TESTCE	PK00F	Col	PDY	
	DOLD	ANNA		D2TMSG	B2TMSG	A2TMSG	SPC	PDY	
	GENDRON	MARK		G2TMSG	B2TMSG	D2TMSG	MSG	PDY	
	LESMERISES	JOHN		K2TMSG	B2TMSG	G2TMSG	SGT	PDY	

Assign Personnel | Update Personnel | Release Personnel | Update Tour Status | Update Duty Status | Delete Person

Attach Personnel | View Mini-Record | Update Location | Reassign Personnel | Update Operation | Delete Attachment | Correct DASUIC

AMER\rz9fnd | Synchronization Complete - 11/29/2007 4:59:40 PM | Queued Messages: 0

Figure 6–8: Available Strength Selection

6.2.4.3 NON AVAILABLE

The Non Available count reflects all personnel attached from the selected unit and its subordinate units. The count also reflects personnel assigned or attached in who have the following duty statuses:

- Confined by Military Authorities
- Convalescent Leave
- Death Other
- Duty Status Where Abouts Unknown
- Hospitalized—Non Battle Incurred
- Hospitalized—Battle Incurred
- Killed in Action
- Missing
- Redeployed

- Rest and Recuperation
- In Transit
- Wounded in Action

Selecting the Non Available radio button displays only those people who are attached elsewhere or who have a non-available duty status for the selected unit and its subordinate units.




Figure 6–9: Non Available Selection

6.2.5 Search By

The Search By fields allow you to search the listed data by SSN and Last Name. To search by SSN, enter the soldier’s SSN or a partial SSN in the SSN field. DTAS displays the soldier’s information or, in the case of a partial SSN, a list of SSNs that match the search criteria, as shown below. To search by the soldier’s last name, enter the name or part of the name in the Last Name field. DTAS displays only that soldier’s information if the full name was entered or displays those names that match the criteria entered. To return to a full listing display, you must clear the SSN and Last Name data-entry fields.




A search form titled "Search By" with two input fields. The first field is labeled "Last Name:" and the second is labeled "SSN:". Both fields are empty text boxes.

Figure 6–10: Search By Area

6.2.6 *Hyperlinked Functions*

The following functions are available as hyperlinks: WorkFlow Inbox, Attachment Physical Location, and Unit Release. Each function displays the number of items available for action. The hyperlink for each function is only enabled when there are items available for action.



A list of three hyperlinks with their corresponding counts:

- [WorkFlow Inbox:](#) 12
- [Attachment Physical Location:](#) 1
- [Unit Release:](#) 1

Figure 6–11: Hyperlinked Functions

6.2.7 *Displayed/Total*

This area of the People tab lists the number of records displayed in the grid in the Displayed field. The total number of records on the Mobile database is listed in the Total field.



Two fields showing record counts:

- Displayed: 6
- Total: 55

Figure 6–12: Displayed/Total Area

6.3 **Assign Personnel**

The Assign Personnel function allows you to add personnel as they are assigned to your UIC. This function is set up using a wizard process that will guide you through the steps needed to assign personnel. To add an individual, perform the following steps:

1. Click Assign Personnel. DTAS displays the Assign Personnel dialog box. If you would like to add more than one person, check the Continue to Assign People checkbox. This will allow you to add more than one person without having to return to the People tab.

Assign Personnel

Help

*Person Type: **US ARMY SOLDIER**

*SSN/GUID: Birth Date: **20070326** *Sex: **Select One**

*Last Name: *First Name: Middle Name:

*Deployed Assigned UIC: **TESTCE TEST COLLEEN RD** *Arrival Date/Time: **20070326 16:31:23 GMT-5:00**

Re-enter Arrival Date/Time: **20070326 16:31:23 GMT-5:00**

*DoD Component: **ARMY** *Military Service Component: **REGULAR** MOS/AOC:

Rank: **Select One** *Operation: **Select One**

Pay Plan: **Select One**

Series: **Select One**

Pay Grade: **Select One** Employer: **Select One**

Foreign Country: **Select One** Foreign Military

Continue to Assign People

Figure 6–13: Assign Personnel Dialog (Army View)

Figure 6–14: Assign Personnel Dialog (Marine View)

2. Select the type of person you wish to add from the Person Type picklist. DTAS defaults the picklist to US Army Soldier if the Army view was selected and defaults to United States Marine if the Marine view was selected. The options are DOD Contractor, DOD Federal Civilian, Foreign National/Military, NAF Employee(AAFES), Non-DOD Federal Civilian, Other Civilian, Red Cross Worker, United States Marine, US Air Force, US Army Soldier, US Coast Guard, or US Navy. The fields available for data entry will vary depending on the type of person selected. **Note:** Required fields are marked with an asterisk.
3. You may change the arrival date and time if the person’s arrival date and time differs from the default of the system date. If you enter a date 30 days or more in the past, DTAS enables the Re-enter Arrival Date/Time field to confirm the new arrival date and time. The date you enter may not exceed 4 years in the past.
4. Enter the required information using the provided text-entry fields and picklists. Click Next to continue with the process. DTAS displays a second Assign Personnel dialog. Click Cancel to cancel the process without saving any data.

Figure 6–15: Assign Personnel—Duty Status and Location Dialog (Army View)

Figure 6–16: Assign Personnel—Duty Status and Location Dialog (Marine View)

5. In the Duty Status section, select the duty status that applies to the individual from the Duty Status picklist. The default is Present for Duty. Depending on the duty status selected, you may need to select a reason from the Reason picklist.
6. The date and time in the Date/Time field within the Duty Status, Assigned, and Physical, sections will be the date previously entered into DTAS; the field will be read-only in these data entry sections. This field will be modifiable in the Tour Status section. You may enter the date by either using the calendar function or manually typing the date.
7. In the Assigned section, select a location from the Location picklist. **Note:** The location selected cannot be Unknown. DTAS populates the Grid Zone Designator, Grid Square Identifier, and Grid Coordinates based on the location selected. If the Assigned Location selected is not the same as the country for the person's Operation location, the system displays a message informing you of the discrepancy. Click OK to return to the Assign Personnel screen.



Figure 6–17: Assign Personnel—Associated Country Error Message

8. In the Tour Status section, entry of the following information is mandatory:
 - The Tour Status picklist defaults to Temporary Change of Station. Select a tour status from the picklist.
 - Select an appropriate value from the Tour Status Subtype picklist. The values available in this picklist are filtered depending on the Tour Status selection.
 - The Tour Status Start Date defaults to the date/time you entered on the first Assign Personnel screen. The field is modifiable.
 - Enter the length of the tour in the Number of Days field. **Note:** The value entered must be at least 1 and cannot be zero.
9. Enter the length of the tour in the Number of Days field. **Note:** The value entered must be at least 1 and cannot be zero.
10. In the Physical section, select the type of location from the Type picklist.
11. Select a location from the Location picklist. DTAS defaults this to the Assigned location you selected in the Assigned data entry area. The Assigned and Physical locations can be different.
12. You may edit the Grid Zone Designator (this must be two numbers and one letter), the Grid Square Identifier (this must be two letters), and the Grid Coordinates (this must consist of six or eight numbers). These fields are populated with the data for the Assigned location value if the Assigned and Physical locations are the same. If the Assigned and Physical location

differ, DTAS populates the Grid Zone Designator, Grid Square Identifier, and Grid Zone Coordinates with the values associated with the Physical location.

13. Click Finish to save the record. DTAS returns you to the People tab. If you checked the Continue to Assign People checkbox, DTAS returns you the first page of the Assign Personnel wizard. When you have finished adding all the individuals you want, uncheck the Continue to Assign People checkbox. DTAS returns you to the People tab.
14. In addition, you may either click Back to return to the previous dialog or click Cancel to cancel the process without saving data.

6.3.1 Assign Personnel Dialog Fields

The Assign Personnel dialog contains the following fields:

- **Person Type**—This defaults to US Army Soldier if the view selected is Army. If the view selected was Marine, the field defaults to United States Marine.
- **SSN/GUID (Social Security Number/Global Unique Identifier)**—When entering a Social Security number, you must enter a nine digit number or an alphanumeric character string for a Foreign National/Military person type.
- **Birth Date**—This defaults to the current date. You may enter the correct date by either using the calendar function or manually typing the date.
- **Sex**—The default is Select One; choose either Male or Female from the picklist.
- Last Name
- First Name
- Middle Name
- **DASUIC (Deployed Assigned UIC)**—This is the UIC to which this individual is assigned.
- **Arrival Date/Time**—This is the date and time at which the individual arrived to the unit. You may enter the correct date by either using the calendar function or manually typing the date.
- **Re-enter Arrival Date/Time**—This field is enabled if you enter an arrival date and time that is 30 days or more in the past. You will be required to re-enter the date and time to confirm that it is a valid entry. **Note:** You cannot enter a date that is more than 4 years in the past.
- **DoD Component**—The defaults for this field are as follows:
 - To Army for the US Army Soldier Person Type
 - To Marine Corps for the United States Marine Person Type
 - To Air Force for the US Air Force Person Type
 - To Coast Guard for the US Coast Guard Person Type
 - To Navy for the US Navy Person Type
- **Military Service Component**—This defaults to Regular.
- MOS/AOC (Army view) or PMOS (Marine view)
- **Rank**—This defaults to Select One.
- **Operation**—This is a required field. The available selections are managed and sent down from Theater Manager.
- **Pay Plan**—This defaults to Select One.

- **Series**—This defaults to Select One.
- **Pay Grade**—This defaults to Select One.
- **Employer**—This defaults to Select One.
- **Foreign Country**—This defaults to Select One.

Note: Some of these fields are disabled (grayed out) depending on the Person Type selected.

The following fields are located on the second page of the Assign Personnel dialog:

- **Duty Status Section**
 - **Duty Status**—The default is Present for Duty. Depending on the duty status selected, you may need to select a reason from the Reason picklist.
 - **Date/Time**—The date and time in the Date/Time field within the Duty Status, Assigned, and Physical, sections will be the date previously entered into DTAS; the field will be read-only in these data entry sections. This field will be modifiable in the Tour Status section. You may enter the date by either using the calendar function or manually typing the date.
- **Assigned Section**
 - **Location**—This defaults to Select One. **Note:** The location selected cannot be Unknown.
 - **Date/Time**—The date and time will be the date previously entered into DTAS; the field will be read-only.
- **Tour Status Section**
 - **Tour Status**—This defaults to Temporary Change of Station.
 - **Tour Status Subtype**—The values available in this picklist are filtered depending on the Tour Status selection.
 - **Tour Status Start Date**—This defaults to the date/time you entered on the first Assign Personnel screen. The field is modifiable.
 - **Number of Days**—This is the length of the tour. **Note:** The value entered must be at least 1 and cannot be zero.
 - **Date/Time**—The date and time in the Date/Time field within the Duty Status, Assigned, and Physical, sections will be the date previously entered into DTAS; the field will be read-only in these data entry sections. This field will be modifiable in the Tour Status section. You may enter the date by either using the calendar function or manually typing the date.
- **Physical Section**
 - **Type**—This defaults to Specific. This is a required field.
 - **Location**—DTAS defaults this to the Assigned location you selected in the Assigned data entry area. The Assigned and Physical locations can be different.
 - **Grid Zone Designator**—This must be two numbers and one letter. This is a required field.
 - **Grid Square Identifier**—This must be two letters. This is a required field.
 - **Grid Zone Coordinates**—This must consist of six or eight numbers. This is a required field.

- Date/Time—The date and time will be the date previously entered into DTAS; the field will be read-only.

6.4 Attach Personnel

The Attach Personnel function allows you to attach personnel as they arrive to your unit, if they meet the following criteria:

- The person remains assigned to another unit in this deployed theater.
- You must account for this person on your Mobile system.

This function is set up using a wizard process that will guide you through the steps needed to attach personnel. To attach an individual, perform the following steps:

1. Click Attach Personnel. DTAS displays the Attach Personnel dialog box. If you would like to add more than one person, check the Continue to Attach People checkbox. This will allow you to attach more than one person without having to return to the People tab.

The screenshot shows the "Attach Personnel" dialog box with the following fields and values:

- *Person Type:** US ARMY SOLDIER
- *SSN/GUID:** (empty)
- Birth Date:** 20070221
- *Sex:** Select One
- *Last Name:** (empty)
- *First Name:** (empty)
- Middle Name:** (empty)
- *Deployed Attached UIC:** TESTCE TEST COLLEEN RD
- *Attachment Date/Time:** 20070221 08:12:35 GMT-5:00
- Re-enter Attachment Date:** 20070221 08:12:35 GMT-5:00
- *DoD Component:** ARMY
- *Military Service Component:** REGULAR
- MOS/AOC:** (empty)
- Rank:** Select One
- *Operation:** Select One
- Pay Plan:** Select One
- Series:** Select One
- Pay Grade:** Select One
- Employer:** Select One
- Foreign Country:** Select One
- Foreign Military
- Continue to Attach People
-
-
-

Figure 6–18: Attach Personnel Dialog (Army View)

Figure 6–19: Attach Personnel Dialog (Marine View)

2. Select the type of person you wish to add from the Person Type picklist. DTAS defaults the picklist to US Army Soldier if the Army view was selected and defaults to United States Marine if the Marine view was selected. The options are DOD Contractor, DOD Federal Civilian, Foreign National/Military, NAF Employee(AAFES), Non-DOD Federal Civilian, Other Civilian, Red Cross Worker, United States Marine, US Air Force, US Army Soldier, US Coast Guard, or US Navy. The fields available for data entry will vary depending on the type of person selected. **Note:** Required fields are marked with an asterisk.
3. You may change the arrival date and time if the person’s arrival date and time differs from the default of the system date. If you enter a date 30 days or more in the past, DTAS enables the Re-enter Arrival Date/Time field to confirm the new arrival date and time. The date you enter may not exceed 4 years in the past.
4. Enter the required information using the provided text-entry fields and picklists. Click Next to continue with the process. DTAS displays a second Attach Personnel dialog. Click Cancel to cancel the process without saving any data.

Attach Personnel

Help

Duty Status

*Duty Status: PRESENT FOR DUTY

Reason: Select One

*Date/Time: 20070628 19:32:40 GMT-5:00

Assigned

*Location: Select One

*Date/Time: 20070628 19:32:40 GMT-5:00

Tour Status

Tour Status: Select One

Tour Status Subtype: Select One

Tour Status Start Date: 20070628 19:32:40 GMT-5:00

Number of Days:

Physical

*Type: SPECIFIC

Location: Physical Locations

*Grid Zone Designator: *Grid Square Identifier: CB *Grid Coordinates: 958616

*Date/Time: 20070628 19:32:40 GMT-5:00

Continue to Attach People

< Back Finish Cancel

Figure 6–20: Attach Personnel—Duty Status and Location Dialog (Army View)

Attach Personnel

Help

Duty Status

*Duty Status: PRESENT FOR DUTY

Reason: Select One

*Date/Time: 20070709 19:15:40 GMT-5:00

Assigned

*Location: Select One

*Date/Time: 20070709 19:15:40 GMT-5:00

Tour Status

Tour Status: Select One

Tour Status Subtype: Select One

Tour Status Start Date: 20070709 19:15:40 GMT-5:00

Number of Days:

Physical

*Type: SPECIFIC

Location: Physical Locations

*Grid Zone Designator: *Grid Square Identifier: *Grid Coordinates:

*Date/Time: 20070709 19:15:40 GMT-5:00

Continue to Attach People

< Back Finish Cancel

Figure 6–21: Attach Personnel—Duty Status and Location Dialog (Marine View)

5. In the Duty Status section, select the duty status that applies to the individual from the Duty Status picklist. The default is Present for Duty. Depending on the duty status selected, you may need to select a reason from the Reason picklist.
6. The date and time in the Date/Time field within the Duty Status, Assigned, and Physical, sections will be the date previously entered into DTAS; the field will be read-only in these data entry sections.
7. The Assigned section is not available for data entry for Attach Personnel.
8. The Tour Status section is not available for data entry for Attach Personnel. This information is sent from Theater Manager.
9. In the Physical section, select the type of location from the Type picklist. This is a required field.
10. Select a location from the Location picklist. DTAS defaults this to the Physical Locations.
11. Enter the Grid Zone Designator (this must be two numbers and one letter), the Grid Square Identifier (this must be two letters), and the Grid Coordinates (this must consist of six or eight numbers). These fields are required.
12. Click Finish to save the record. DTAS returns you to the People tab. If you checked the Continue to Attach People checkbox, DTAS returns you the first page of the Attach Personnel wizard. When you have finished attaching all the individuals you want, uncheck the Continue to Attach People checkbox. DTAS returns you to the People tab.
13. In addition, you may either click Back to return to the previous dialog or click Cancel to cancel the process without saving data.

6.4.1 Attach Personnel Dialog Fields

The Attach Personnel dialog contains the following fields:

- **Person Type**—This defaults to US Army Soldier if the view selected is Army. If the view selected was Marine, the field defaults to United States Marine.
- **SSN/GUID (Social Security Number/Global Unique Identifier)**—When entering a Social Security number, you must enter a nine digit number or an alphanumeric character string for a Foreign National/Military person type.
- **Birth Date**—This defaults to the current date. You may enter the correct date by either using the calendar function or manually typing the date.
- **Sex**—The default is Select One; choose either Male or Female from the picklist.
- Last Name
- First Name
- Middle Name
- **Deployed Attached UIC**—This is the UIC to which this individual is attached.
- **Arrival Date/Time**—This is the date and time at which the individual arrived to the unit. You may enter the correct date by either using the calendar function or manually typing the date.
- **Re-enter Arrival Date/Time**—This field is enabled if you enter an arrival date and time that is 30 days or more in the past. You will be required to re-enter the date and time to confirm that it is a valid entry. **Note:** You cannot enter a date that is more than 4 years in the past.

- **DoD Component**—The defaults for this field are as follows:
 - To Army for the US Army Soldier Person Type
 - To Marine Corps for the United States Marine Person Type
 - To Air Force for the US Air Force Person Type
 - To Coast Guard for the US Coast Guard Person Type
 - To Navy for the US Navy Person Type
- **Military Service Component**—This defaults to Regular.
- **MOS/AOC (Army view) or PMOS (Marine view)**
- **Rank**—This defaults to Select One.
- **Operation**—This is a required field. The available selections are managed and sent down from Theater Manager.
- **Pay Plan**—This defaults to Select One.
- **Series**—This defaults to Select One.
- **Pay Grade**—This defaults to Select One.
- **Employer**—This defaults to Select One.
- **Foreign Country**—This defaults to Select One.

Note: Some of these fields are disabled (grayed out) depending on the Person Type selected.

The following fields are located on the second page of the Attach Personnel dialog:

- **Duty Status Section**
 - **Duty Status**—The default is Present for Duty. Depending on the duty status selected, you may need to select a reason from the Reason picklist.
 - **Date/Time**—The date and time in the Date/Time field within the Duty Status, Assigned, and Physical, sections will be the date previously entered into DTAS; the field will be read-only in these data entry sections.
- **Assigned Section**
 - The Assigned section is not available for data entry for Attach Personnel.
- **Tour Status Section**
 - The Tour Status section is not available for data entry for Attach Personnel. This information is sent from Theater Manager.
- **Physical Section**
 - **Type**—This defaults to Specific. This is a required field.
 - **Location**—DTAS defaults this to the Physical Locations.
 - **Grid Zone Designator**—This must be two numbers and one letter. This is a required field.
 - **Grid Square Identifier**—This must be two letters. This is a required field.
 - **Grid Zone Coordinates**—This must consist of six or eight numbers. This is a required field.

6.4.2 Business Rules: Attach Personnel

The following business rules apply to the Attach Personnel function:

- A person must be assigned in the deployed theater and exist on a Mobile system before the Attach Personnel function can be used successfully. If you use the Attach Personnel function to attach a person who does not meet this requirement, the Theater system sends a message to delete the attached person's record and a WorkFlow notice to alert you to the problem. If this happens, contact the person's assigned unit and inform them to use the Assign Personnel function to assign the person to a unit on their Mobile system. After the assigned unit submits the Assign Personnel action, you can use the Attach Personnel function to attach the person again.
- The effective date/time of the attachment cannot be before the initial arrival date/time to the deployed theater. If you back-date the attachment before the initial arrival date/time to theater, the Theater system sends a message to delete the attached person. If this happens, contact the Theater Manager to determine the initial arrival date/time of the person. Then you may use the Attach Personnel function, to attach the person again with an effective date/time that is after the initial arrival date/time to theater.

6.5 Update Personnel

The Update Personnel function allows you to change information on DTAS for a selected individual. This function allows you to update the person's DoD Component, gender, the spelling of his or her name, etc. To update personnel information for an individual, perform the following steps:

1. Highlight the name of the individual for whom you wish to update information.
2. Click the Update Personnel button. DTAS displays the Update Personnel dialog box. **Note:** The title bar of the dialog box will display the function, Update Personnel, and the name of the person whose information you are updating.

Update Personnel - DICKINSON, EMILY

Help

*Person Type: US ARMY SOLDIER

*SSN/GUID: 100000000 Birth Date: 19800226 *Sex: FEMALE

*Last Name: DICKINSON *First Name: EMILY Middle Name:

DASUIC: TESTCE TEST COLLEEN ROSS *Arrival Date/Time: 20070226 15:18:10 GMT-5:00

Initial Arrival Date/Time: 20070226 15:18:10 GMT-5:00

*DoD Component: ARMY *Military Service Component: Select One MOS/AOC:

Rank: Select One

Pay Plan: Select One

Series: Select One

Pay Grade: Select One Employer: Select One

Foreign Country: Select One Foreign Military

OK Cancel

Figure 6–22: Update Personnel Dialog (Army View)

Update Personnel - DICKINSON, EMILY

Help

*Person Type: UNITED STATES MARINE

*SSN/GUID: 100000000 *Birth Date: 19800226 *Sex: FEMALE

*Last Name: DICKINSON *First Name: EMILY Middle Name:

DASUIC: TESTCE TEST COLLEEN ROSS *Arrival Date/Time: 20070226 15:18:10 GMT-5:00

Initial Arrival Date/Time: 20070226 15:18:10 GMT-5:00

*DoD Component: MARINE CORPS *Military Service Component: REGULAR PMOS:

Rank: Select One

Pay Plan: Select One

Series: Select One

Pay Grade: Select One Employer: Select One

Foreign Country: Select One Foreign Military

OK Cancel

Figure 6–23: Update Personnel Dialog (Marine View)

3. Change the information that you need directly in each field. For example, to change the person type, select from the Person Type picklist or to change the spelling of the last name, type in your correction.
4. After you have completed your changes, click OK to save the changes. DTAS returns you to the People tab screen. Click Cancel to exit the transaction without saving any changes.

Updating the Person Type, Initial Arrival Date, DoD Component, or Service Component fields generates a message to the Theater system to update the data. If you update the Person Type, DoD Component, or Service Component fields, DTAS prevents data from being sent from the Theater system via the mini-record to overlay the data on the Mobile system.

6.5.1 Enabled Fields for Update Personnel

Some fields are unavailable for update depending on the Person Type selected. The following lists the fields available for update by Person Type:

- **Foreign National/Military Person Type**—The following business rules for Update Personnel apply to the Foreign National/Military Person Type:
 - The record retains the Mini Record Indicator of **-P** status; after adding the record to the system, the indicator does not change to **-U** or **-D**.
 - The enabled fields on load are: SSN/GUID, Birth Date, Sex, Last Name, First Name, Middle Name, Initial Arrival Date/Time, Foreign Country and Foreign Military.
 - **Note:** The Person Type cannot be changed.
- **All Other Person Types With Mini Record Indicator of **-P** or **-U****—The following business rules for Update Personnel apply to all Person Types with a Mini Record Indicator of **-P** or **-U**—except Foreign National/Military:
 - All fields that are appropriate to the Person Type are enabled.
 - If Person Type is changed, then fields are enabled or disabled as needed.
 - **Note:** The Foreign National/Military will not be a value in the Person Type pick list.
- **All Other Person Types With Mini Record Indicator of **-D****—The following business rules for Update Personnel apply to all Person Types with a Mini Record Indicator of **-D**:
 - The Person Type, DoD Component, and Initial Arrival Date/Time fields are always enabled.
 - For all Military Person Types (Army, Marine, etc.), the Military Service Component is always enabled.
 - If the Person Type is changed, then the fields are enabled or disabled as needed. This includes fields that had been previously disabled on the initial screen load.
 - **Note:** Foreign National/Military is not listed as a value in the Person Type picklist.

6.6 View Mini-Record

The View Mini-Record function provides an abbreviated personnel record for the selected individual. For ease of use, the record is divided into five tabs: Deployment, Basic, Service, Personal, and Patient Tracking.

The data displayed in the mini-record is downloaded to the Mobile database from the Enterprise System, which receives the data from eMILPO and ODSE for Army and Marine Corps personnel, respectively. If a person is not on either eMILPO or ODSE, then the data is obtained from DMDC. Please contact the Theater Manager if these records do not download properly (remain in P status).

To view the mini record, perform the following steps:

1. Highlight the name of the person for whom you wish to review the record.
2. Click the View Mini-Record button. DTAS displays the DTAS Mini-Record Screen with the Deployment tab as the default view.
3. To view another tab, click on that tab.
4. Click Close to return to the People tab.

6.6.1 Deployment Tab

The Deployment tab displays information about an individual's deployment, such as Deployed Operation Name, Tour Status information, and location information.

6.6.1.1 LIMITED EXTERNAL DATA BLOCK FIELD

The Limited External Data Block field displays a blocking indicator with three possible values:

- X—Indicates that the mini-record has not been received from Enterprise. The Limited External Data Block displays this value, after you use the Assign Personnel or Mass Assign Personnel function to add a non-existing person to your Mobile System.
- N—Indicates that the mini-record has been received from Enterprise and that you will continue to accept values from the Enterprise external data source (when the mini-record is refreshed or updated) for the following fields: DoD Service Component and Service Component.
- Y—Indicates that the mini-record has been received from Enterprise and that you will not continue to accept values from the Enterprise external data source (when the mini-record is refreshed or updated) for the following fields: DoD Service Component and Service Component.

If you use the Update Personnel function to update one of the following fields, the Limited External Data Block value will change to Y:

- Person Type
- DoD Service Component
- Service Component

Further mini-record updates from the external data source at Enterprise will not override your changes for the DoD Service Component and Service Component fields.

DTAS Mini Record - COL ARNOLD, MATTHEW

Help

Deployment | Service | Basic | Personal | Patient Tracking

Deployment Information

Personnel Type: US ARMY SOLDIER Limited External Data Block: N

DASUIC: TESTCE DASUIC Unit Name: TEST COLLEEN ROSS

DATUIC: DATUIC Unit Name:

Current DASUIC Arrival Date: 20070718 Current DATUIC Arrival Date: Initial Deployment Arrival Date: 20070718

Individuals Physical Location: SPECIFIC - 12W CB 958616

Unit Location: IZ, CAMP BUCCA Deployed Country: IRAQ

Deployed Operation Name: ALL MY GARSH MAN

Deployed Duty Status: PDY Reason:

Tour Status Type: Temporary Change of Station Tour Status Subtype: Unit - Active

Tour Status Start Date: 20070718 Tour Status # Days: 365 Tour Status End Date: 20080717

Close

Figure 6–24: Deployment Tab (Army View)

DTAS Mini Record - COL ARNOLD, MATTHEW

Help

Deployment | Service | Basic | Personal | Patient Tracking

Deployment Information

Personnel Type: US ARMY SOLDIER Limited External Data Block: N

DASUIC: TESTCE DASUIC Unit Name: TEST COLLEEN ROSS

DATUIC: DATUIC Unit Name:

Current DASUIC Arrival Date: 20070718 Current DATUIC Arrival Date: Initial Deployment Arrival Date: 20070718

Individuals Physical Location: SPECIFIC - 12W CB 958616

Unit Location: IZ, CAMP BUCCA Deployed Country: IRAQ

Deployed Operation Name: ALL MY GARSH MAN

Deployed Duty Status: PDY Reason:

Tour Status Type: Temporary Change of Station Tour Status Subtype: Unit - Active

Tour Status Start Date: 20070718 Tour Status # Days: 365 Tour Status End Date: 20080717

Close

Figure 6–25: Deployment Tab (Marine View)

6.6.2 Service Tab

The Service tab displays military service-related information, including the service component, home UIC, and BASD.

DTAS Mini Record - COL ARNOLD, MATTHEW

Help

Deployment | Service | Basic | Personal | Patient Tracking

Service Information

DoD Service Component: ARMY Service Component: REGULAR

Home UIC: Home Unit Name:

MPC: Military Education Level:

Date of Rank: DEROS:

ETS: BASD:

PEBD:

Close

Figure 6–26: Mini-Record—Service Tab (Army View)

DTAS Mini Record - COL ARNOLD, MATTHEW

Help

Deployment | Service | Basic | Personal | Patient Tracking

Service Information

DoD Service Component: ARMY Service Component: REGULAR

Present RUC: Pres RUC Unit Name:

Officer/Enlisted: Military Education Level:

Date of Rank: DEROS:

EAS: AFADBD:

PEBD:

Close

Figure 6–27: Mini-Record—Service Tab (Marine View)

6.6.3 Basic Tab

The Basic tab displays information, such as the individual’s name, Social Security Number, Rank, etc.

The screenshot shows a software window titled "DTAS Mini Record - COL ARNOLD, MATTHEW". It features a "Help" button and a tabbed interface with "Basic" selected. The "Basic Information" section contains the following fields:

- Last Name: ARNOLD
- First Name: MATTHEW
- Middle Name: [Empty]
- SSN/GUID: [Empty]
- Rank: COL
- Pay Plan: [Empty]
- Series: [Empty]
- Pay Grade: [Empty]
- Employer Name: [Empty]
- Security Clearance: [Empty]
- Security Clearance Date: [Empty]
- MOS: [Empty]
- SMOS: [Empty]
- Skill Level: [Empty]
- AMOS: [Empty]
- 1st AMOS: [Empty]
- MAGTF: [Empty]
- OPID: [Empty]
- SQT: [Empty]
- ASI: [Empty]
- Language: [Empty]

A "Close" button is located at the bottom center of the window.

Figure 6–28: Mini-Record—Basic Tab (Army View)

The screenshot shows a software window titled "DTAS Mini Record - COL ARNOLD, MATTHEW". It features a "Help" button and a tabbed interface with "Basic" selected. The "Basic Information" section contains the following fields:

- Last Name: ARNOLD
- First Name: MATTHEW
- Middle Name: [Empty]
- SSN/GUID: [Empty]
- Rank: COL
- Pay Plan: [Empty]
- Series: [Empty]
- Pay Grade: [Empty]
- Employer Name: [Empty]
- Security Clearance: [Empty]
- Security Clearance Date: [Empty]
- PMOS: [Empty]
- SMOS: [Empty]
- Skill Level: [Empty]
- AMOS: [Empty]
- 1st AMOS: [Empty]
- MAGTF: [Empty]
- OPID: [Empty]
- Language: [Empty]

A "Close" button is located at the bottom center of the window.

Figure 6–29: Mini-Record—Basic Tab (Marine View)

6.6.4 Personal Tab

The Personal tab displays information such as birth date, race, and blood type.

The screenshot shows a software window titled "DTAS Mini Record - COL ARNOLD, MATTHEW". The window has a "Help" button in the top left and a "Close" button in the bottom right. A menu bar at the top contains "Deployment", "Service", "Basic", "Personal", and "Patient Tracking", with "Personal" currently selected. The main area is titled "Personal Information" and contains several input fields: "Birth Date" (19800718), "Marital Status" (checkbox), "Religious Denom." (text), "Country of Citizenship" (text), "Race" (text), "Sex" (M), "Citizenship Origin" (text), "Ethnic Group" (text), "HQR State" (text), "HQR City" (text), and "Blood Type" (text).


Figure 6–30: Mini-Record—Personal Tab (Army View)

This screenshot is identical to Figure 6–30, showing the "DTAS Mini Record - COL ARNOLD, MATTHEW" window with the "Personal" tab selected. The "Personal Information" section contains the same set of input fields: "Birth Date" (19800718), "Marital Status" (checkbox), "Religious Denom." (text), "Country of Citizenship" (text), "Race" (text), "Sex" (M), "Citizenship Origin" (text), "Ethnic Group" (text), "HQR State" (text), "HQR City" (text), and "Blood Type" (text).

Figure 6–31: Mini-Record—Personal Tab (Marine View)


6.6.5 Patient Tracking Tab

The Patient Tracking tab allows you to view hospitalization and condition information for a selected person.



The screenshot shows a mobile application window titled "DTAS Mini Record - COL ARNOLD, MATTHEW". The window has a blue header bar with a "Help" button and a "Close" button. Below the header is a navigation bar with tabs: "Deployment", "Service", "Basic", "Personal", and "Patient Tracking". The "Patient Tracking" tab is selected. The main content area is titled "Patient Tracking Information" and contains several text input fields: "Admission Date:", "Discharge Date:", "Hospital Description:", "Destination Description:", "Condition Description:", "Status Description:", and "Patient Disposition:". Below these fields is a "Remarks:" label followed by a large text area with a vertical scrollbar. A "Close" button is located at the bottom center of the window.

Figure 6–32: Mini-Record—Patient Tracking (Army View)



The screenshot shows a mobile application window titled "DTAS Mini Record - COL ARNOLD, MATTHEW". The window has a blue header bar with a "Help" button and a "Close" button. Below the header is a navigation bar with tabs: "Deployment", "Service", "Basic", "Personal", and "Patient Tracking". The "Patient Tracking" tab is selected. The main content area is titled "Patient Tracking Information" and contains several text input fields: "Admission Date:", "Discharge Date:", "Hospital Description:", "Destination Description:", "Condition Description:", "Status Description:", and "Patient Disposition:". Below these fields is a "Remarks:" label followed by a large text area with a vertical scrollbar. A "Close" button is located at the bottom center of the window.

Figure 6–33: Mini-Record—Patient Tracking (Marine View)

6.7 Release Personnel

The Release Personnel function allows you to release a person from an attachment. You may release a person's Individual Attachment or Unit Attachment. If the person has both an individual and a unit attachment, both attachments are released. To release a person from attachment, perform the following steps:

1. Click Release Personnel from the People tab.
2. DTAS displays the Select Personnel for Release Personnel dialog.

Last Name	First Name	SSN	DASUIC	DATUIC	Duty Status	Reason	Person Type
ARNOLD	MATTHEW		PK00I	TESTCE	PDY		US ARMY SOLDIER
BARNES	CHRISTOP		PK00I	TESTCE	PDY		NON-DOD FEDERAL CIVILIAN
BELL	MICHAEL		PK00I	TESTCE	PDY		NON-DOD FEDERAL CIVILIAN
CAMERON	THOMAS		PK00I	TESTCE	PDY		OTHER CIVILIAN
DICKINSON	EMILY		PK00I	TESTCE	PDY		UNITED STATES MARINE
TESTER	FRED		PK00I	TESTCE	TRA	LOR	US ARMY SOLDIER
TESTER	GREG		PK00I	TESTCE	TRA	LOR	US ARMY SOLDIER
TESTER	HARRY		PK00M	TESTCE	TRA	LOR	US ARMY SOLDIER
TESTER	IRENE		PK00M	TESTCE	TRA	LOR	US ARMY SOLDIER

Figure 6–34: Select Personnel for Release Personnel Dialog

3. You can search for a person to release from attachment by using the Search By fields. You can search by last name or Social Security number. To search by last name, enter a partial name and click Search. To search by SSN, select either the Begin SSN or End SSN radio button to indicate whether the numbers you enter are the beginning or end of the person's SSN. Click Search. DTAS takes you to the first row that matches your search criteria. If the row displayed is not for the correct person, you can continue to search by clicking Search.
4. Highlight the name of the individual you wish to release from attachment. You can select all the individuals listed by clicking Select All; to deselect all individuals selected, click Deselect All. **Note:** You may select multiple individuals by clicking additional records. In addition, you may select all records by pressing **Ctrl+A**.
5. You can release persons from attachment individually or as a group if the release date/time are the same. If you release a person individually and want to continue processing other individuals, check the Continue to Release People checkbox.

6. Click OK to release the selected person from attachment.
7. DTAS displays the Release Personnel dialog.




Figure 6–35: Release Personnel Dialog

8. Enter the release date and time. The Release Date/Time picklist defaults to the current system date and time. You can manually enter the date and time in the picklist, or you can select the date from the pop-up calendar or you can highlight the components of the date and time to change those manually (for example, clicking on the 2007 in 20070226 allows you to enter the year). This is a required field.
9. Click OK to save your changes and release the individual from attachment. DTAS returns you the People tab. **Note:** If the released person has a deployed duty status of Present for Duty, the Release Personnel action also updates the person's duty status to In-Transit – Local Reassignment. Upon the return of the person to the assigned unit, the Mobile System manager of the assigned unit must update the person's deployed duty status to Present for Duty.
10. If you checked the Continue to Release People checkbox, DTAS returns you to the Release Personnel From Individual Attachment dialog. When you have finished releasing all the individuals you want from attachment, uncheck the Continue to Release People checkbox.
11. Click Cancel to return to the People tab without saving your changes.

6.8 Update Location

The Update Location function allows you to update the assigned and physical locations for a selected person. To update the location for the selected individual, perform the following steps:

1. Click Update Location from the People tab.
2. DTAS displays the Select Personnel for Update Location dialog.

	Last Name	First Name	SSN	DASUIC	DATUIC	Duty Status	Reason	Person Type
▶	ADAMS	JOHN		WAP2A0		TRA	LOR	US ARMY SOLDIER
	ANTIONETTE	MARIE		WAB0HD		PDY		US ARMY SOLDIER
	ARNOLD	MATTHEW		PK00I	TESTCE	PDY		US ARMY SOLDIER
	BAKER	GWENDOL		TESTCE		PDY		RED CROSS WORKER
	BARNES	CHRISTOP		PK00I	TESTCE	PDY		NON-DOD FEDERAL CIVILIAN
	BELL	MICHAEL		PK00I	TESTCE	PDY		NON-DOD FEDERAL CIVILIAN
	CAMERON	THOMAS		PK00I	TESTCE	PDY		OTHER CIVILIAN
	DICKINSON	EMILY		PK00I	TESTCE	PDY		UNITED STATES MARINE
	DOUCETTE	AARON		TESTCE		PDY		US ARMY SOLDIER
	FLEMMINGS	HARVEY		TESTCE		PDY		DOD FEDERAL CIVILIAN
	FROSLEE	ELIZABETH		TESTCE		PDY		US NAVY
	FROST	WILLIAM		TESTCE		PDY		UNITED STATES MARINE
	GAINSBORO	THOMAS		TESTCE		PDY		US ARMY SOLDIER
	GALBREATH	ROBERT		TESTCE		PDY		DOD CONTRACTOR
	GLASS	MELISSA		TESTCE		PDY		NAF EMPLOYEE(AAFES)

Figure 6–36: Select Personnel for Update Location Dialog

3. You can search for a person for whom to update the location by using the Search By fields. You can search by last name or Social Security number. To search by last name, enter a partial name and click Search. To search by SSN, select either the Begin SSN or End SSN radio button to indicate whether the numbers you enter are the beginning or end of the person's SSN. Click Search. DTAS takes you to the first row that matches your search criteria. If the row displayed is not for the correct person, you can continue to search by clicking Search.
4. Highlight the name of the individual for whom you want to update the location. You can select all the individuals listed by clicking Select All; to deselect all individuals selected, click Deselect All.
 - **Note:** You may select multiple individuals by clicking additional records. In addition, you may select all records by pressing **Ctrl+A**.
 - **Note:** You cannot select multiple people if any of those individuals have a duty status of Convalescent Leave, Duty Status Where Abouts Unknown, Missing, Rest and Recuperation, or Redeployed.
 - **Note:** If you select more than one person, then the Update Location form defaults the Location pick list to Select One for the Assigned location, to Specific for the Physical location, and to the current date and time for the Date/Time fields; the Grid Zone Designator, Grid Square Identifier, and Grid Coordinates fields are blank.

5. You can update location for people or as a group if the location is the same. If you update the location for a person individually and want to continue processing other individuals, check the Continue to Update Location checkbox.
6. DTAS displays the Update Location dialog.

The screenshot shows a dialog box titled "Update Location - COOK, ANNE". It has a "Help" link in the top left and a close button in the top right. The dialog is divided into two main sections: "Assigned" and "Physical".

Assigned Section:

- *Location: AA HAMMER, KU (dropdown menu)
- *Date/Time: 20070321 14:42:27 GMT-5:00 (dropdown menu)

Physical Section:

- *Type: SPECIFIC (dropdown menu)
- Location: Physical Locations (dropdown menu)
- *Grid Zone Designator: (empty text box)
- *Grid Square Identifier: 04 (text box)
- *Grid Coordinates: 992772 (text box)
- *Date/Time: 20070321 14:42:27 GMT-5:00 (dropdown menu)

At the bottom of the dialog are two buttons: "OK" and "Cancel".

Figure 6–37: Update Location Dialog

7. Within the Assigned data entry section, select a location from the Location picklist. DTAS populates the Grid Zone Designator, Grid Square Identifier, and Grid Coordinates fields based on the selected assigned location.
8. Select the date and time from the Date/Time picklist. You can select the date from the pop-up calendar or you can highlight the components of the date and time to change those manually (for example, clicking on the 2004 in 20040511 allows you to enter the year).
9. Within the Physical data entry section, you may select the location type from the Type picklist.
10. Select a location from the Location picklist. DTAS defaults this to the Assigned location you selected in the Assigned data entry area. The Assigned and Physical locations can be different.
11. You may edit the Grid Zone Designator (this must be two numbers and one letter), the Grid Square Identifier (this must be two letters), and the Grid Coordinates (this must consist of six or eight numbers). These fields are populated with the data for the Assigned location value if

the Assigned and Physical locations are the same. If the Assigned and Physical location differ, DTAS populates the Grid Square Identifier and Grid Zone Coordinates with the values associated with the Physical location.

12. Select the date and time from the Date/Time picklist. You can select the date from the pop-up calendar or you can highlight the components of the date and time to change those manually (for example, clicking on the 2004 in 20040511 allows you to enter the year).
13. Click OK to save the data. DTAS returns you to the People tab. Click Cancel to cancel the transaction without saving any data.

6.9 Update Tour Status

The Update Tour Status function allows you to update the Tour Status type, Tour Status subtype, date and time of the tour, and the length of the tour for a selected soldier or selected soldiers.

To update the status of an individual, perform the following steps:

1. Click Update Tour Status from the People tab.
2. DTAS displays the Select Personnel for Update Tour Status dialog.




Figure 6–38: Select Personnel for Update Tour Status Dialog

3. You can search for a person for whom to update the tour status by using the Search By fields. You can search by last name or Social Security number. To search by last name, enter a partial name and click Search. To search by SSN, select either the Begin SSN or End SSN radio button to indicate whether the numbers you enter are the beginning or end of the

person's SSN. Click Search. DTAS takes you to the first row that matches your search criteria. If the row displayed is not for the correct person, you can continue to search by clicking Search.

4. Highlight the name of the individual for whom you want to update the tour status. You can select all the individuals listed by clicking Select All; to deselect all individuals selected, click Deselect All. **Note:** You may select multiple individuals by clicking additional records. In addition, you may select all records by pressing **Ctrl+A**.
5. You can update tour status information for people or as a group if the status is the same. If you update the tour status for a person individually and want to continue processing other individuals, check the Continue to Update Tour Status checkbox.
6. Click OK. DTAS displays the Update Tour Status dialog. **Note:** The title bar of the dialog box will show the name of the function, Update Tour Status, and the name of the individual whose record you are updating.




Figure 6–39: Update Tour Status Dialog

7. Select a tour status from the Tour Status picklist. The available options are Permanent Party, Temporary Change of Station, or Temporary Duty.
8. Select a subtype from the Tour Status Subtype picklist. The available options are filtered depending on the Tour Status selected. Refer to Section 6.8.1, Tour Status/Tour Status Subtype Combinations, for a list of the subtypes available for the Tour Status selected.
9. Select the date and time from the Date/Time picklist. You can select the date from the pop-up calendar or you can highlight the components of the date and time to change those manually (for example, clicking on the 2004 in 20040511 allows you to enter the year). You can enter a date prior to the identified Theater Arrival Date/Time. If you do so, DTAS displays a message (shown below) stating you have entered a date the precedes the Theater Arrival Date/Time and that the Date/Time may be changed to match the Theater Arrival Date/Time on the Enterprise system. **Note:** You cannot enter a Date/Time that is in the future.



Figure 6–40: Update Tour Status Message

Note: The Update Tour Status message contains the Social Security number of the individual you are updating; however, it has been removed in this example for privacy reasons.

10. Enter a value for the length of the tour in the Number of Days field. **Note:** The value must be a number greater than zero.
11. Click OK to save your changes. DTAS returns you to the display grid. Click Cancel to exit the action without saving any changes.

6.9.1 Tour Status/Tour Status Subtype Combinations

The following Tour Status Subtypes are available when you select a Tour Status of Permanent Party:

- Individual – Augmentee
- Individual – Replacement
- Unit – Active

The following Tour Status Subtypes are available when you select a Tour Status of Temporary Change of Station:

- Individual – Augmentee
- Individual – Individual Ready Reserve (IRR)
- Individual – Replacement
- Individual – Retiree Recall
- Unit – Active
- Unit – Active Guard Reserve (AGR)
- Unit – Individual Mobilized Augmentee (IMA)
- Unit – Individual Ready Reserve (IRR)
- Unit – Retiree Recall
- Unit – Troop Program Unit (TPU)

The following Tour Status Subtypes are available when you select a Tour Status of Temporary Duty:

- Individual – Active Guard Reserve (AGR)
- Individual – Augmentee

- Individual – Troop Program Unit (TPU)
- Unit – Active
- Unit – Active Guard Reserve (AGR)
- Unit – Troop Program Unit (TPU)

6.10 Reassign Personnel

The Reassign Personnel function allows you to reassign a person to a new DASUIC. To reassign a person, perform the following steps:

1. Click Reassign Personnel from the People tab.
2. DTAS displays the Select Personnel for Reassign Personnel dialog.

	Last Name	First Name	SSN	DASUIC	DATUIC	Duty Status	Reason	Person Type
▶	ADAMS	JOHN		WAP2A0		TRA	LOR	US ARMY SOLDIER
	ANTIONETTE	MARIE		WAB8HD	SEUTH1	TRA	LOR	US ARMY SOLDIER
	BAKER	GWENDOLY		WAB8HD	SEUTH1	TRA	LOR	RED CROSS WORKEF
	BARNES	CHRISTOPH		WAB8HD	TESTCE	PDY		NON-DOD FEDERAL CIVIL
	BELL	MICHAEL		WAB8HD	TESTCE	PDY		NON-DOD FEDERAL CIVIL
	BENNINGTON	CHESTER		TESTCE		PDY		US ARMY SOLDIER
	BRAZZLE	QUIANA		WAB8HD	SEUTH1	TRA	LOR	DOD CONTRACTOR
	BYRUM	MARVIN		WAB8HD	SEUTH1	TRA	LOR	RED CROSS WORKEF
	CAMERON	THOMAS		WAB8HD	TESTCE	PDY		OTHER CIVILIAN
	COOK	ANNE		WAB8HD	SEUTH1	TRA	LOR	OTHER CIVILIAN
	DOUCETTE	AARON		WAB8HD	SEUTH1	TRA	LOR	US ARMY SOLDIER
	FLEMMINGS	HARVEY		WAB8HD	SEUTH1	TRA	LOR	DOD FEDERAL CIVILIAN
	FROSLIEE	ELIZABETH		WAB8HD	SEUTH1	TRA	LOR	US NAVY
	FROST	WILLIAM		WAB8HD	SEUTH1	TRA	LOR	UNITED STATES MARIN
	GAINSBOROUGH	THOMAS		TESTCE	SEUTH1	TRA	LOR	US ARMY SOLDIER

Figure 6–41: Select Personnel for Reassign Personnel Dialog

3. You can search for a person to reassign by using the Search By fields. You can search by last name or Social Security number. To search by last name, enter a partial name and click Search. To search by SSN, select either the Begin SSN or End SSN radio button to indicate whether the numbers you enter are the beginning or end of the person's SSN. Click Search. DTAS takes you to the first row that matches your search criteria. If the row displayed is not for the correct person, you can continue to search by clicking Search.
4. Highlight the name of the individual you wish to reassign. You can select all the individuals listed by clicking Select All; to deselect all individuals selected, click Deselect All. **Note:** You may select multiple individuals by clicking additional records. In addition, you may select all records by pressing **Ctrl+A**.

5. You can reassign persons individually or as a group if the new DASUIC and the date/time are the same. If you reassign a person individually and want to continue processing other individuals, check the Continue to Reassign Personnel checkbox.
6. Click OK to reassign the selected person.
7. DTAS displays the Reassign Personnel dialog.




Figure 6–42: Reassign Personnel Dialog

8. Select the DASUIC from the Deployed Assign UIC picklist. This is a required field.
9. Enter the arrival date and time. The Arrival Date/Time picklist defaults to the current system date and time. You can manually enter the date and time in the picklist, or you can select the date from the pop-up calendar or you can highlight the components of the date and time to change those manually (for example, clicking on the 2007 in 20070226 allows you to enter the year). This is a required field.
10. Click OK to save your changes and reassign the individual. DTAS returns you the People tab.
11. If you checked the Continue to Reassign Personnel checkbox, DTAS returns you to the Select Personnel to Reassign Personnel dialog. When you have finished reassigning all the individuals you want, uncheck the Continue to Reassign Personnel checkbox.
12. Click Cancel to return to the People tab without saving your changes.

6.11 Update Duty Status

The Update Duty Status function allows you to change the duty status for the individual and to provide the reason and effective date for the change. To update the duty status for an individual, perform the following steps:

1. Click Update Duty Status from the People tab.
2. DTAS displays the Select Personnel for Update Duty Status dialog.




Figure 6–43: Select Personnel for Update Duty Status Dialog

3. Select either the Update Duty Status or Terminate Deployment radio buttons depending on the action you want to perform. The Terminate Deployment option is only used to change a person’s duty status to one of the following options: Death Other, Killed in Action, Redeployed – Dropped From Rolls, Redeployed – Erroneously Added, Redeployed – Hospitalized (Nonbattle Incurred), Redeployed – Hospitalized (Battle Incurred), or Redeployed – Mission Complete.
4. You can search for a person for whom to update the duty status by using the Search By fields. You can search by last name or Social Security number. To search by last name, enter a partial name and click Search. To search by SSN, select either the Begin SSN or End SSN radio button to indicate whether the numbers you enter are the beginning or end of the person’s SSN. Click Search. DTAS takes you to the first row that matches your search criteria. If the row displayed is not for the correct person, you can continue to search by clicking Search.
5. Highlight the name of the individual for whom you want to update the duty status. You can select all the individuals listed by clicking Select All; to deselect all individuals selected, click Deselect All. **Note:** You may select multiple individuals by clicking additional records. In addition, you may select all records by pressing **Ctrl+A**.
6. If you select more than one person, then the Update Deployed Duty Status form defaults the Duty Status picklist to Select One and the Date/Time field to the current date and time. At the Location form, if you selected more than one individual, the defaults are as follows:
 - The Location picklist defaults to Select One for Assigned and Physical Locations for Physical.

- Both the Assigned and Physical Date/Time fields are the current date and time.
 - The Type picklist defaults to Specific.
 - The Grid Zone Designator, Grid Square Identifier and Grid Coordinates fields are blank and editable.
7. You can update duty status information for people or as a group if the status is the same. If you update the duty status for a person individually and want to continue processing other individuals, check the Continue to Update Duty Status checkbox.
 8. Click OK. DTAS displays the Update Deployed Duty Status dialog. **Note:** The title bar of the dialog box will show the name of the function, Update Deployed Duty Status, and the name of the individual whose record you are updating.
 9. If the person you selected has previously been updated to one of the following duty statuses, you must first revoke the duty status before you can perform an update (see Section 6.11.1, Revoke Duty Status, for more information):
 - Redeployed-Mission Complete (RED-MIC)
 - Redeployed-Dropped from Rolls (RED-DFR)
 - Killed in Action (KIA)
 - DO (Death Other)




Figure 6–44: Update Duty Status Dialog

10. Select the applicable status code from the Duty Status picklist.
11. If required, select the reason for the status (for example, Emergency Leave) from the Reason picklist.
12. Enter the date and time in the Date/Time picklist. You can select the date from the pop-up calendar or you can highlight the components of the date and time to change those manually (for example, clicking on the 2004 in 20040511 allows you to enter the year).
13. Click Next. DTAS displays the Update Location dialog box. Click Cancel to cancel the update without saving any changes. **Note:** If the selected Duty Status is In-Transit and the

selected Reason is Local Reassignment, the Next button changes to an OK button. After you click OK, the Update Location dialog is not displayed. DTAS processes the duty status update without an accompanying location update.

The screenshot shows a dialog box titled "Update Location - Col DICKINSON, EMILY". It has a "Help" button in the top left and a close button in the top right. The dialog is split into two main sections: "Assigned" and "Physical".

Assigned Section:

- *Location: AA CAV, KU (dropdown menu)
- *Date/Time: 20070226 15:18:10 GMT-5:00 (dropdown menu)

Physical Section:

- *Type: SPECIFIC (dropdown menu)
- Location: Physical Locations (dropdown menu)
- *Grid Zone Designator: (empty text box)
- *Grid Square Identifier: D5 (text box)
- *Grid Coordinates: 248558 (text box)
- *Date/Time: 20070718 00:10:50 GMT-5:00 (dropdown menu)

At the bottom of the dialog are two buttons: "OK" and "Cancel".

Figure 6–45: Update Duty Status—Location Dialog

14. In the Assigned data entry area, select the individual's assigned location from the Location picklist.
15. Select the date and time from the Date/Time picklist. You can select the date from the pop-up calendar or you can highlight the components of the date and time to change those manually (for example, clicking on the 2004 in 20040511 allows you to enter the year).
16. In the Physical data entry area, select the type from the Type picklist.
17. Select a location from the Location picklist. DTAS defaults this to the Assigned location you selected in the Assigned data entry area. The Assigned and Physical locations can be different.
18. You may edit the Grid Zone Designator (this must be two numbers and one letter), the Grid Square Identifier (this must be two letters), and the Grid Coordinates (this must consist of six or eight numbers). These fields are populated with the data for the Assigned location value if the Assigned and Physical locations are the same. If the Assigned and Physical location differ, DTAS populates the Grid Square Identifier and Grid Zone Coordinates with the values associated with the Physical location.

19. Select the date and time from the Date/Time picklist. You can select the date from the pop-up calendar or you can highlight the components of the date and time to change those manually (for example, clicking on the 2004 in 20040511 allows you to enter the year).
20. Click OK to save the record. Click Cancel to cancel the update without saving any changes.

6.11.1 Revoke Duty Status

The Update Duty Status function also provides you with the ability to revoke certain duty statuses. The duty statuses for which you can perform a revocation are: Killed in Action, Death Other, Redeployed-Mission Complete, and Redeployed-Drop From Rolls. DTAS resets the duty status to Present for Duty with the current date and time. To revoke a duty status for an individual, perform the following steps:

1. Click the Update Duty Status button. **Note:** You may also right click the person's record from the personnel list of the People tab and select Terminate Deployment.

Last Name	First Name	SSN	DASUIC	DATUIC	PUIC	Rank	Duty Status	Reason	
ADAMS	JOHN		WAP2A0		TESTCE		TRA	LOR	
ANTIONETTE	MARIE		WAB8HD	SEUTH1	WAP2A0	GEN	TRA	LOR	
ARNOLD	MATTHEW		PK00I	TESTCE	PK00F	COL	TRA	MIC	
BAKER	GWENDOL		WAB8HD	SEUTH1	WAP2A0		TRA	LOR	
BASHAW	SUSAN		B2TMSG	C2TMSG2	Z2TMSG	CPT	RED	RNR	
BRAZZLE	QUIANA		WAB8HD	SEUTH1	WAP2A0		TRA	LOR	
BYRUM	MARVIN		WAB8HD	SEUTH1	WAP2A0		TRA	LOR	
CAYER	LAURA		N2TMSG	TESTCE	J2TMSG	PFC	TRA	LOR	
COOK	ANNE		WAB8HD	SEUTH1	WAP2A0		TRA	LOR	
DOUCETTE	AARON		WAB8HD	SEUTH1	WAP2A0	PV1	TRA	LOR	
FLEMMINGS	HARVEY		WAB8HD	SEUTH1	WAP2A0		TRA	LOR	
FREDETTE	DIANE		F2TMSG	TESTCE	C2TMSG2	CW3	TRA	LOR	
FROSLEE	ELIZABETH		WAB8HD	SEUTH1	WAP2A0	CDR	TRA	LOR	
FROST	WILLIAM		WAB8HD	SEUTH1	WAP2A0	SSgt	TRA	LOR	
GAINSBORO	THOMAS		TESTCE	SEUTH1	SEUTH1	LTC	TRA	LOR	

Figure 6–46: Display Grid Showing Individual With Revocable Duty Status

2. DTAS displays the Select Personnel for Update Duty Status dialog. The Duty Status Options selection defaults to Update Duty Status.




Figure 6–47: Select Personnel for Update Duty Status Dialog

3. Select the Terminate Deployment option for the Duty Status Options selection.
4. Highlight the row containing the individual with a revocable duty status (Killed in Action, Death Other, Redeployed – Mission Complete, or Redeployed – Drop From Rolls) for whom you wish to revoke the duty status.
5. Click OK.
6. DTAS displays the Update Deployed Duty Status dialog. The Duty Status, Reason, and Date/Time fields are read-only.

Update Deployed Duty Status - BRAZZLE, QUIANA

Help

*Duty Status: REDEPLOYED

*Reason: MISSION COMPLETE

*Date/Time: 20070301 16:45:29 GMT-5:00

Can only revoke KIA, DO, RED-MIC or RED-DFR Duty Status.

Revoking the Duty Status will set the Duty Status to Present For Duty and keep the current Date/Time.

Next > Cancel

Figure 6–48: Update Deployed Duty Status Dialog—Revoke Duty Status

- Click Next to continue. DTAS displays the Update Location dialog. The Assigned Location and Physical Location default to data stored in DTAS for the individual. If necessary, you can edit the Assigned Location and Physical Location information.

Update Location - BRAZZLE, QUIANA

Help

Assigned

*Location: CAMP NEW JERSEY, KU

*Date/Time: 20061013 15:46:39 GMT-5:00

Physical

*Type: SPECIFIC

Location: Physical Locations

*Grid Zone Designator: *Grid Square Identifier: CI *Grid Coordinates: 740086

*Date/Time: 20070717 02:24:02 GMT-5:00

OK Cancel

Figure 6–49: Update Location—Revoke Duty Status

8. In the Assigned data entry area, select the individual's assigned location from the Location picklist.
9. Select the date and time from the Date/Time picklist. You can select the date from the pop-up calendar or you can highlight the components of the date and time to change those manually (for example, clicking on the 2007 in 20070301 allows you to enter the year).
10. In the Physical data entry area, select the type from the Type picklist.
11. Select a location from the Location picklist. DTAS defaults this to the Assigned location you selected in the Assigned data entry area. The Assigned and Physical locations can be different.
12. You may edit the Grid Zone Designator (this must be two numbers and one letter), the Grid Square Identifier (this must be two letters), and the Grid Coordinates (this must consist of six or eight numbers). These fields are populated with the data for the Assigned location value if the Assigned and Physical locations are the same. If the Assigned and Physical location differ, DTAS populates the Grid Square Identifier and Grid Zone Coordinates with the values associated with the Physical location.
13. Select the date and time from the Date/Time picklist. You can select the date from the pop-up calendar or you can highlight the components of the date and time to change those manually (for example, clicking on the 2007 in 20070301 allows you to enter the year).
14. Click OK to save the revocation. Click Cancel to cancel the revocation and return to the People tab.

6.11.2 Business Rules: Update Duty Status Dialog

6.11.2.1 GENERAL BUSINESS RULES

The following business rules apply to the Update Duty Status dialog:

- The following duty statuses do not require a reason:
 - Confined by Military Authorities
 - Convalescent Leave
 - Death Other
 - Duty Status Where Abouts Unknown
 - Hospitalized (Battle Incurred)
 - Hospitalized (Nonbattle Incur)
 - Killed in Action
 - Present for Duty
 - Temporary Duty
 - Wounded in Action
- The following duty statuses require reasons (as listed):
 - **In-Transit**—Requires one of the following reasons: Convalescent Leave, Emergency Leave, Local Reassignment, Mission Complete, Rest and Recuperation, and Temporary Duty
 - **Missing**—Requires one of the following reasons: Absent Without Leave, Beleaguered, Besieged, Captured, Detained, Interned, Missing, and Missing in Action
 - **Redeployed**—Requires one of the following reasons: Absent Without Leave; Convalescent Leave; Dropped From Rolls; Emergency Leave; Erroneously Added;

Hospitalized (Nonbattle Incur); Hospitalized (Battle Incurred); Mission Complete; Rest and Recuperation; and Temporary Duty.

- **Rest and Recuperation (R&R)**—Requires you to select one of the following reasons: Leave or Pass.
 - The Date/Time entered cannot be a future date or time.
 - When a Date/Time is entered that is prior to the current date/time, a history record is sent to the Theater and Enterprise systems, and the current status remains on the Mobile system.
 - When entering a Duty Status of Killed in Action, Death Other, Redeployed-Drop From Rolls, Redeployed-Erroneously Added, Redeployed-Hospitalized (Nonbattle Incur), Redeployed-Hospitalized (Battle Incurred), or Redeployed-Mission Complete, the effective date entered must be more recent than the current Duty Status effective date.
 - A message is sent to the Theater system.
 - If you erroneously added a person to the mobile database, you may tag this person's record for deletion using the Update Duty Status function. Select a Duty Status of Redeployed and then select Erroneously Added to indicate the person was added incorrectly. DTAS deletes the record after 24 hours.
 - No other DTAS update is allowed after a person has been updated to one of the following duty statuses. These duty statuses must be revoked before another DTAS update is allowed. Once a person has been updated to one of these duty statuses they will no longer appear in the Select Personnel for Update Duty Status dialog.
 - Redeployed-Mission Complete (RED-MIC)
 - Redeployed-Dropped from Rolls (RED-DFR)
 - Killed in Action (KIA)
 - DO (Death Other)

6.11.2.2 SYSTEM MESSAGES

DTAS generates several system messages depending on the duty status selected, as follows:

- DTAS displays the following message with these duty statuses: Death Other, Killed in Action, and Wounded in Action.



Figure 6–50: System Message—Casualty Status Warning

- The Convalescent Leave duty status should only be used for in-theater convalescence. When you select this duty status, DTAS displays a message reminding you that this code

is for in-theater convalescent leave only and that you should use the Redeployed – Convalescent Leave for convalescence outside the theater.



Figure 6–51: System Message—Redeployed-Convalescent Leave

- DTAS generates the message shown below if you select a duty status of Hospitalized (Battle Incurred).



Figure 6–52: System Message—Hospitalized (Battle Incurred)

- DTAS generates the message shown below if you select a duty status of Rest and Recuperation (R&R).




Figure 6–53: System Message—Redeployed-Rest and Recuperation

- DTAS generates the message shown below if you select a duty status of Temporary Duty.




Figure 6–54: System Message—Redeployed-Temporary Duty

- Selecting a duty status of Redeployed with a reason of Hospitalized (Battle Incurred) generates the following message:




Figure 6–55: System Message—Redeployed-Hospitalized (Battle Incurred)

- Selecting a duty status of Redeployed with a reason of Dropped from Rolls generates the following error message if the 31-day threshold has not been met:



Figure 6–56: System Message—Redeployed-Dropped From Rolls

- Selecting a duty status of Redeployed with a reason of Temporary Duty generates the following error message:




Figure 6–57: System Message—Temporary Duty

- Selecting a duty status of Redeployed with a reason of Erroneously Added generates the following error message:




Figure 6–58: System Message—Erroneously Added

- Selecting a Duty Status of Killed in Action, Death Other, Redeployed-Drop From Rolls, Redeployed-Erroneously Added, Redeployed-Hospitalized (Nonbattle Incur), Redeployed-Hospitalized (Battle Incurred), or Redeployed-Mission Complete and entering a date later than the current Duty Status effective date generates the following message:



Figure 6–59: System Message—Cannot Enter Historical Data Message

- If you try to update the duty status for a person who has previously been updated to one of the following duty statuses, DTAS displays notification on the Update Deployed Duty Status dialog informing you that you must first revoke the status (see the Revoke Duty Status topic for more information):
 - Redeployed-Mission Complete (RED-MIC)

- Redeployed-Dropped from Rolls (RED-DFR)
- Killed in Action (KIA)
- DO (Death Other)

Update Deployed Duty Status - BRAZZLE, QUIANA

Help

*Duty Status: REDEPLOYED

*Reason: MISSION COMPLETE

*Date/Time: 20070301 16:45:29 GMT-5:00

Can only revoke KIA, DO, RED-MIC or RED-DFR Duty Status.

Revoking the Duty Status will set the Duty Status to Present For Duty and keep the current Date/Time.

Next > Cancel

Figure 6–60: Update Duty Status—Revoke Duty Status Message

6.11.3 Business Rules: Update Duty Status, Update Location Dialog

- The Grid Zone Designator must be two numbers and one alphabetic character.
- The Grid Square Identifier must be two letters.
- The Grid Coordinates must be six or eight numbers.
- The Assigned Date/Time cannot be a future date and time.
- The Physical Date/Time cannot be a future date/time.
- When a Date/Time is entered that is prior to the current date/time, a history record is sent to the Theater and Enterprise systems, and the current status remains on the Mobile system.
- If you perform an update on multiple people (by using multi-select), the Assigned Location section can be left blank. If an Assigned location is not entered, only the Physical location will be updated for each person selected.
- The following duty statuses will have Unknown as the default Type in the Physical data entry area: Missing (all reasons) and Duty Status Where Abouts Unknown.
- The following duty statuses will have In-Theater as the Type selection in the Physical data entry area: Convalescent Leave and Rest and Recuperation (R&R).
- The following duty statuses will have Specific as the default Type in the Physical data entry area:
 - Confined by Military Authorities
 - Hospitalized (Battle Incurred)*
 - Hospitalized (Nonbattle Incur)

- In-Transit (with the following reasons: Convalescent Leave, Emergency Leave, Mission Complete, Rest and Recuperation, and Temporary Duty)
- Killed in Action
- Present for Duty
- Redeployed (Drop from Rolls)
- Temporary Duty
- Wounded in Action

***Note:** The individual must first be in Wounded in Action status.

- If you select In Transit with a reason of Local Reassignment, the Next button is an OK button. Click OK and DTAS updates the status and returns you to the People tab.
- The Physical location information for the Redeployed duty status varies by reason code, as follows:
 - The Absent Without Leave and Dropped from Rolls reason codes will have a location of Unknown.
 - The Convalescent Leave, Emergency Leave, Hospitalized (Nonbattle Incur), Hospitalized (Battle Incurred), Mission Complete, Rest and Recuperation, and Temporary Duty reason codes will have location selections of OCONUS and CONUS.
- A message is sent to the Theater system.

6.12 Update Operation

The Update Operation function allows you to change the operation information for selected individuals. To update operation information for a person, perform the following steps:

1. Click Update Operation from the People tab.
2. DTAS displays the Select Personnel for Update Operation dialog.




Figure 6–61: Select Personnel for Update Operation Dialog

- You can search for a person for whom to update the operation by using the Search By fields. You can search by last name or Social Security number. To search by last name, enter a partial name and click Search. To search by SSN, select either the Begin SSN or End SSN radio button to indicate whether the numbers you enter are the beginning or end of the person's SSN. Click Search. DTAS takes you to the first row that matches your search criteria. If the row displayed is not for the correct person, you can continue to search by clicking Search.
- Highlight the name of the individual for whom you want to update the operation. You can select all the individuals listed by clicking Select All; to deselect all individuals selected, click Deselect All. **Note:** You may select multiple individuals by clicking additional records. In addition, you may select all records by pressing **Ctrl+A**.
- You can update operation information for people or as a group if the operation is the same. If you update the operation for a person individually and want to continue processing other individuals, check the Continue to Update Operation checkbox.
- DTAS displays the Update Operation dialog box. **Note:** The title bar of the dialog box will show the name of the function, Update Operation, and the name of the individual whose record you are updating.




Figure 6–62: Update Operation Dialog

7. The person's current operation is displayed as read-only in the Current Operation field.
Note: If you selected more than one individual to update, the Current Operation field is not displayed.
8. Select the new Operation from the New Operation picklist.
9. Click OK to save the change. DTAS returns you to the People tab screen. Click Cancel to exit the action without saving any changes.

6.13 Delete Person

The Delete Person function allows you to delete a DTAS personnel record for a person who was incorrectly added to the system and whose record has not been sent to the Theater system. The Delete Person function should not be used for an individual who is leaving the theater, who should be assigned a duty status of Redeployed–Mission Complete using the Update Duty Status function. To delete the record for an individual, perform the following steps:

1. Click Delete Person from the People tab.
2. DTAS displays the Select Personnel for Delete Person dialog.




Figure 6–63: Select Personnel for Delete Person Dialog

- You can search for a person to delete by using the Search By fields. You can search by last name or Social Security number. To search by last name, enter a partial name and click Search. To search by SSN, select either the Begin SSN or End SSN radio button to indicate whether the numbers you enter are the beginning or end of the person's SSN. Click Search. DTAS takes you to the first row that matches your search criteria. If the row displayed is not for the correct person, you can continue to search by clicking Search.
- Highlight the name of the individual you want to delete. You can select all the individuals listed by clicking Select All; to deselect all individuals selected, click Deselect All. **Note:** You may select multiple individuals by clicking additional records. In addition, you may select all records by pressing **Ctrl+A**.
- If you delete a person and want to continue processing other individuals, check the Continue to Delete Person checkbox.
- Click OK. DTAS displays the Delete Person confirmation.




Figure 6–64: Delete Person—Confirmation Message

7. Click OK to confirm the deletion. DTAS deletes the latest deployment record for the person and returns you to the People tab screen.
8. Click Cancel to cancel deletion of the record. DTAS returns you to the Select Personnel for Delete Person dialog, and the record remains in the database.

6.14 Delete Attachment

The Delete Attachment function allows you to delete an attachment for an individual. Only use the Delete Attachment function if the person was erroneously attached to your Mobile or one of its subordinate units. You may remove a person's Individual Attachment or Unit Attachment. If the person has both an individual and a unit attachment, both attachments are deleted. This function removes all history of the attachments from the Enterprise database. To delete an attachment, perform the following steps:

1. Click Delete Attachment from the People tab.
2. DTAS displays the Select Personnel for Delete Attachment dialog.

	Last Name	First Name	SSN	DASUIC	DATUIC	Duty Status	Reason	Person Type
▶	ARNOLD	MATTHEW		PK00I	TESTCE	PDY		US ARMY SOLDIER
	BARNES	CHRISTOPHER		PK00I	TESTCE	PDY		NON-DOD FEDERAL CIVILIAN
	BELL	MICHAEL		PK00I	TESTCE	PDY		NON-DOD FEDERAL CIVILIAN
	CAMERON	THOMAS		PK00I	TESTCE	PDY		OTHER CIVILIAN
	DICKINSON	EMILY		PK00I	TESTCE	PDY		UNITED STATES MARINE
	TESTER	FRED		PK00I	TESTCE	TRA	LOR	US ARMY SOLDIER
	TESTER	GREG		PK00I	TESTCE	TRA	LOR	US ARMY SOLDIER
	TESTER	HARRY		PK00M	TESTCE	TRA	LOR	US ARMY SOLDIER
	TESTER	IRENE		PK00M	TESTCE	TRA	LOR	US ARMY SOLDIER

Figure 6–65: Select Personnel for Delete Attachment Dialog

3. You can search for a person for whom to delete an attachment by using the Search By fields. You can search by last name or Social Security number. To search by last name, enter a partial name and click Search. To search by SSN, select either the Begin SSN or End SSN radio button to indicate whether the numbers you enter are the beginning or end of the person's SSN. Click Search. DTAS takes you to the first row that matches your search criteria. If the row displayed is not for the correct person, you can continue to search by clicking Search.

4. Highlight the name of the individual for whom you want to delete an attachment. You can select all the individuals listed by clicking Select All; to deselect all individuals selected, click Deselect All. **Note:** You may select multiple individuals by clicking additional records. In addition, you may select all records by pressing **Ctrl+A**.
5. You can delete an attachment for people individually or as a group. If you delete the attachment for a person individually and want to continue processing other individuals, check the Continue to Delete Attachment checkbox.
6. Click OK to delete the attachment for the person selected.
7. DTAS displays the Delete Attachment confirmation message.




Figure 6–66: Delete Attachment—Confirmation Message

8. Click OK to confirm the deletion. DTAS deletes the record for the person and returns you to the People tab screen.
9. Click Cancel to cancel deletion of the record. DTAS returns you to the Select Personnel for Delete Attachment dialog, and the record remains in the database.

6.15 Correct DASUIC

The Correct DASUIC function allows you to change the DASUIC for a selected individual. The Correct DASUIC function is used to correct an erroneously entered DASUIC. The corrected DASUIC entered **replaces** the previous DASUIC in the database—the old DASUIC is not retained for historical purposes.

Note: The Correct DASUIC function is available only for those individuals for whom you have direct control. (It is not available for those individuals one or more active levels below yours.)

To correct the DASUIC for an individual, perform the following steps:

1. Click Correct DASUIC from the People tab.
2. DTAS displays the Select Personnel for Correct DASUIC dialog.

	Last Name	First Name	SSN	DASUIC	DATUIC	Duty Status	Reason	Person Type
▶	ADAMS	JOHN		WAP2A0		TRA	LOR	US ARMY SOLDIER
	ANTIONETTE	MARIE		WAB8HD		PDY		US ARMY SOLDIER
	ARNOLD	MATTHEW		TESTCE		PDY		US ARMY SOLDIER
	BAKER	GWENDOL		TESTCE		PDY		RED CROSS WORKER
	BARNES	CHRISTOP		TESTCE		PDY		NON-DOD FEDERAL CIVILIAN
	BELL	MICHAEL		TESTCE		PDY		NON-DOD FEDERAL CIVILIAN
	CAMERON	THOMAS		WAB8S1	MARUIC	PDY		OTHER CIVILIAN
	DICKINSON	EMILY		TESTCE		PDY		UNITED STATES MARINE
	DOUCETTE	AARON		TESTCE		PDY		US ARMY SOLDIER
	FLEMMINGS	HARVEY		TESTCE		PDY		DOD FEDERAL CIVILIAN
	FROSLIEE	ELIZABETH		TESTCE		PDY		US NAVY
	FROST	WILLIAM		TESTCE		PDY		UNITED STATES MARINE
	GAINSBOROUG	THOMAS		TESTCE		PDY		US ARMY SOLDIER
	GALBREATH	ROBERT		TESTCE		PDY		DOD CONTRACTOR
	GLASS	MELISSA		TESTCE		PDY		MAE EMPLOYEE(AAFFS)

Figure 6–67: Select Personnel for Correct DASUIC Dialog

- You can search for a person for whom to correct the DASUIC by using the Search By fields. You can search by last name or Social Security number. To search by last name, enter a partial name and click Search. To search by SSN, select either the Begin SSN or End SSN radio button to indicate whether the numbers you enter are the beginning or end of the person's SSN. Click Search. DTAS takes you to the first row that matches your search criteria. If the row displayed is not for the correct person, you can continue to search by clicking Search.
- Highlight the name of the individual for whom you want to correct the DASUIC. You can select all the individuals listed by clicking Select All; to deselect all individuals selected, click Deselect All. **Note:** You may select multiple individuals by clicking additional records. In addition, you may select all records by pressing **Ctrl+A**.
- You can correct the DASUIC for people individually or as a group if the DASUIC is the same. If you correct the DASUIC for a person individually and want to continue processing other individuals, check the Continue to Correct DASUIC checkbox.
- DTAS displays the Correct DASUIC dialog box. **Note:** The title bar of the dialog box will show the name of the function, Correct DASUIC, and the name of the individual whose record you are updating.




Figure 6–68: Correct DASUIC Dialog

7. Select the new DASUIC from the New Deployed Assigned UIC picklist. **Note:** If you selected more than one individual to update, the Current Deployed Assigned UIC field is not displayed.
8. Click OK to save the change. DTAS returns you to the People tab screen. Click Cancel to exit the action without saving any changes.

7. LOCATIONS TAB

The Locations tab displays data related to locations within the deployment theater. Locations are managed—including adding and editing locations—by the Theater Manager.

Location Name	Country	City	Coordinate
ARUBA	ARUBA	ARUBA	1212121;
CAMP SPAZ	UNITED STATES	KEWANEE	1212121;
HOME	UNITED STATES	RALEIGH 2	111111
MING BASE	VIETNAM	YEOW MING	111133
TEST GRID ZONE DESIGNATOR	WESTERN SAMOA	TEST	111111
HERNDON	UNITED STATES	FAIRFAX	921213
CAMP BLEIFIELD	KUWAIT		109872
CAMP BLEIFIELD	DJIBOUTI		109873
CAMP BLEIFIELD	AFGHANISTAN		109874
TEST ETHIOPIA	ETHIOPIA		880112
KARBALA	AFGHANISTAN		743799
KARSHI-KHANABAD	UZBEKISTAN		462522
KIRKUK	IRAQ		453261
KONDUZ	AFGHANISTAN		690338
KUWAIT	KUWAIT		117223
KUWAIT CITY	KUWAIT		356743
LANDSTUHL	GERMANY		789219
LSA ADDER	IRAQ		129380
MANAMA	BAHRAIN		855834
AS ASAD	IRAQ		146252
CAMP BUERHING	KUWAIT		548892
HOOR CONUC	UNITED STATES		070110

Figure 7–1: Locations Tab

8. REPORTS TAB

The Reports tab displays the available reports that you may generate within the DTAS application. The Reports function allows you to generate several reports to assist in tracking deployed personnel. You can generate the following four reports:

- **Gains/Losses Report**—The report displays those personnel who have either arrived at the unit or become a non-asset to the organization during the 24-hour reporting period. The report presents data from the 24-hour period preceding the time you generate the report. The report consists of two parts—Gains and Losses—that are each presented on a separate worksheet in Microsoft Excel.
- **In Transit Report**—This report displays data on those personnel who are in transit from the unit.
- **PERSTAT Report**—This is the DTAS Personnel Status Report. The report consists of four parts: Personnel Daily Summary, Loss Summary, Gains Summary, and Remarks. The Remarks field is editable by the user; DTAS populates the other columns with data from the database.
- **Unit Roster**—The Unit Roster lists all deployed personnel assigned to the unit for which you generate the report.

DTAS displays all reports in Microsoft Excel. You can only produce reports for the UICs for which you have visibility. You have the capability to generate all available reports for your UICs. You can manipulate the reports in Excel. For directions on generating a report, refer to Section 8.1, Generating a Report.




Figure 8–1: Reports Tab

8.1 Generating a Report

To generate a report, perform the following steps:

1. Select a UIC from the Select UIC picklist.
2. Check the Include Sub Unit checkbox if you would like to include personnel data from “child” UICs; otherwise, the report will include only personnel data related to the selected UIC.
3. Click the radio button to the left of the report you wish to generate.
4. If you selected the Unit Roster report, the Sort by picklist is activated. Select a criterion by which you would like to sort the report data. You can only select one criterion.
5. Click View Report to generate the report. DTAS displays the report in Microsoft Excel.
6. You can print or save the report from within Excel. To print the report, select Print from the File menu and click OK. To save the report, select Save from the File menu, assign a file name, and click Save.

8.2 Gains/Losses Report

The Gains/Losses Report is divided into two worksheets: one for gains and one for losses. The Gains portion of the report lists personnel who have arrived in the current 24-hour reporting

period as a gain to the unit. This is determined by the person's arrival date and arrival time to the unit. The Losses portion of the report lists those personnel who are no longer an asset to this organization. These personnel became a non-asset during the current reporting period.

8.2.1 Data Definitions (Army View)

The following are the definitions for the data columns contained on both the Gains worksheet and the Losses worksheet of the Army report:

- **UIC**—This is the unit identification code of the unit.
- **Unit Name**—This is the corresponding unit name of the UIC.
- **DTG**—Date Time Group prepared. The DTG will be in the following format: 221805ZNOV04. The following is an explanation of this format:
 - 22 is the day of the month
 - 1805 is the military time
 - Z represents Zulu
 - NOV represents November
 - 04 represents the year
- **Name**—This is the name of the individual gain or loss during this reporting period.
- **SSN/GUID**—This is the Social Security number or global unique identifier (GUID) of the individual gain or loss during this reporting period.
- **Person Type**—This is the Person Type of the individual gain or loss during this reporting period. Person Types can be one of the following: DOD Contractor, DOD Federal Civilian, Foreign National/Military, NAF Employee(AAFES), Non-DOD Federal Civilian, Other Civilian, Red Cross Worker, or United States Marine, US Air Force, US Army Soldier, US Coast Guard, or US Navy.
- **DoD Component**—This may contain one of the Department of Defense Component codes.
- **Service Component**—This is the Service Component of the individual gain or loss during this reporting period. The Service Component may be one of the following: National Guard, Regular, Reserve, or Unknown.
- **Rank**—This is the rank of the individual gain or loss.
- **PMOS/AOC/Series**—This is the primary MOS/AOC/Series of the individual gain or loss during this reporting period.
- **SQI**—This is a list of all Skill Qualification Identifiers (SQIs) of the individual gain or loss during this reporting period.
- **ASI**—This is a list of all Additional Skill Identifiers (ASIs) of the individual gain or loss during this reporting period.
- **2nd MOS**—This is the secondary MOS of the individual gain or loss during this reporting period.
- **LANG**—This is list of all language identifiers of the individual gain or loss during this reporting period.
- **Sex**—This is the sex of the individual gain or loss during this reporting period.

- **DDS**—This is the deployed duty status of the individual gain or loss during this reporting period.
- **DDS Reason**—This is the deployed duty status reason code of the individual gain or loss during this reporting period.
- **DDS Date**—This is the deployed duty status date of the individual gain or loss during this reporting period.
- **Theater Arrival Date**—This is the initial arrival date to the theater for the current deployment.
- **DASUIC**—This is the Deployed Assigned Unit Identification Code for the individual.
- **DATUIC**—This is the Deployed Attached Unit Identification Code for the person. If the person is both individually attached and unit attached, the UIC displayed in the DATUIC column is the unit to which the person is individually attached.

8.2.2 Gains/Losses Report Sample (Army View)

DTAS displays the Gains/Losses Report for the Army view in an Excel spreadsheet template as shown in the samples below.

SECRET

DTAS GAINS / LOSSES REPORT

UIC TEST00E	UNIT NAME TEST00 LLEEN P000	DTG 241234ZJUL07															
*GAINS:																	
*Gains will be as of the 72-hour reporting period.																	
*Deployed Duty Status:																	
NAME	SSN / GUID	PERSON TYPE	POB COMPONENT	SERVICE COMPONENT	RANK	PROB/AD C/SERIES	SOI	AGI	EMB MOG	LANG	DEK	DDST	DDST REASON	DDST DATE	THEATER ARRIVAL DATE	DASUIC	DATUIC
TESTER, FRED		US ARMY SOLDIER	ARMY	REGULAR	1LT						M	TRA	LO R	2007JUL06	2007FEB21	P1001	TEST00E
TESTER, GREG		US ARMY SOLDIER	ARMY	REGULAR	2LT						M	TRA	LO R	2007JUL06	2007FEB21	P1001	TEST00E
TESTER, HARRY		US ARMY SOLDIER	ARMY	REGULAR	CW3						M	TRA	LO R	2007JUL06	2007FEB21	P1001	TEST00E
TESTER, IRENE		US ARMY SOLDIER	ARMY	REGULAR	CW5						F	TRA	LO R	2007JUL06	2007FEB21	P1001	TEST00E

SECRET

Figure 8–2: Gains Worksheet (Army View)

SECRET

DTAS GAINS / LOSSES REPORT

UIC TESTCIE		UNIT NAME TEST COLLEEN ROSS										DTG 241234ZJUL07					
*LOSSES: *Losses will be as of the 72 hour reporting period. **Deployed Duty Status:																	
NAME	SSN / GUID	PERSON TYPE	DOD COMPONENT	SERVICE COMPONENT	RANK	FMOS/AGOS/ SERIES	SOI	AGI	2ND MOS	LANG	SEX	DDG**	DDG* REASON	DDG** DATE	THEATER ARRIVAL DATE	DAGUC	DATUC
BRAZZLE, GUANNA		DOD CONTRACTOR	OSD								F	RED	MMC	2007JUL23	20060CT13	TESTCIE	
BYRUM, MARVIN		RED CONTRACTOR	NAVY								M	RED	MMC	2007JUL23	20060CT13	TESTCIE	

SECRET

Figure 8–3: Losses Worksheet (Army View)

8.2.3 Data Definitions (Marine View)

The following are the definitions for the data columns contained on the both the Gains worksheet and the Losses worksheet of the Marine view report:

- **UIC**—This is the unit identification code of the unit.
- **Unit Name**—This is the corresponding unit name of the UIC.
- **DTG**—Date Time Group prepared. The DTG will be in the following format: 221805ZNOV04. The following is an explanation of this format: 221805ZNOV04
 - 22 is the day of the month
 - 1805 is the military time
 - Z represents Zulu
 - NOV represents November
 - 04 represents the year
- **Name**—This is the name of the individual gain or loss during this reporting period.
- **SSN/GUID**—This is the Social Security number or global unique identifier (GUID) of the individual gain or loss during this reporting period.

- **Person Type**—This is the Person Type of the individual gain or loss during this reporting period. Person Types can be one of the following: DOD Contractor, DOD Federal Civilian, Foreign National/Military, NAF Employee(AAFES), Non-DOD Federal Civilian, Other Civilian, Red Cross Worker, or United States Marine, US Air Force, US Army Soldier, US Coast Guard, or US Navy.
- **DoD Component**—This may contain one of the Department of Defense Component codes.
- **Service Component**—This is the Service Component of the individual gain or loss during this reporting period. The Service Component may be one of the following: National Guard, Regular, Reserve, or Unknown.
- **Rank**—This is the rank of the individual gain or loss.
- **PMOS**—This is the Primary Military Occupational Specialty of the individual gain or loss during this reporting period.
- **AMOS**—This is the Alternate Military Occupational Specialty of the individual gain or loss during this reporting period.
- **1st AMOS**—This is the First Alternate Military Occupational Specialty of the individual gain or loss during this reporting period.
- **LANG**—This is list of all language identifiers of the individual gain or loss during this reporting period.
- **Sex**—This is the sex of the individual gain or loss during this reporting period.
- **DDS**—This is the deployed duty status of the individual gain or loss during this reporting period.
- **DDS Reason**—This is the deployed duty status reason code of the individual gain or loss during this reporting period.
- **DDS Date**—This is the deployed duty status date of the individual gain or loss during this reporting period.
- **Theater Arrival Date**—This is the initial arrival date to the theater for the current deployment.
- **DASUIC**—This is the Deployed Assigned Unit Identification Code for the individual.
- **DATUIC**—This is the Deployed Attached Unit Identification Code for the person. If the person is both individually attached and unit attached, the UIC displayed in the DATUIC column is the unit to which the person is individually attached.

8.2.4 Gains/Losses Report Sample (Marine View)

DTAS displays the Gains/Losses Report for the Marine view in an Excel spreadsheet template as shown in the samples below.

SECRET

DTAS GAINS / LOSSES REPORT

UIC	UNIT NAME	DTG														
TESTCE	TESTCOLLEEN ROSS	241237ZJUL07														
*GAINS:																
*Gains will be as of the 72 hour reporting period.																
**Deployed Duty Status																
NAME	SSN /G UID	PERSON TYPE	DoD COMPONENT	SERVICE COMPONENT	RANK	PMOS	AMOS	1st AMOS	LANG	SEX	DDS**	DDS* REASON	DDS* DATE	THEATER ARRIVAL DATE	DASUIC	DATUIC
TESTER, FRED		US ARMY SOLDIER	ARMY	REGULAR	1LT					M	TRA	LOR	2007JUL06	2007FEB21	PH001	TESTCE
TESTER, GREG		US ARMY SOLDIER	ARMY	REGULAR	2LT					M	TRA	LOR	2007JUL06	2007FEB21	PH001	TESTCE
TESTER, HARRY		US ARMY SOLDIER	ARMY	REGULAR	CW3					M	TRA	LOR	2007JUL06	2007FEB21	PH00M	TESTCE
TESTER, IRENE		US ARMY SOLDIER	ARMY	REGULAR	CW5					F	TRA	LOR	2007JUL06	2007FEB21	PH00M	TESTCE

SECRET

Figure 8–4: Gains Worksheet (Marine View)

SECRET

DTAS GAINS / LOSSES REPORT

UIC TESTCE	UNIT NAME TEST COLLEEN ROSS	DTG 241237ZJUL07
---------------	--------------------------------	---------------------

*LOSSES:
 * Losses will be as of the 72 hour reporting period.
 ** Deployed Duty Status

NAME	SSN / GUID	PERSON TYPE	DoD COMPONENT	SERVICE COMPONENT	RANK	PMOS	AMOS	1st AMOS	LANG	SEX	DDS**	DDS* REASON	DDS** DATE	THEATER ARRIVAL DATE	DASUIC	DATUIC
BRAZZLE, QUIANA		DoD CONTRACTOR	OSD							F	RED	MXC	2007JUL23	20060CT13	TESTCE	
BYRUM, MARVIN		RED CROSS WORKER	NAVY							M	RED	MXC	2007JUL23	20060CT13	TESTCE	

SECRET

Figure 8–5: Losses Worksheet (Marine View)

8.3 In Transit Report

8.3.1 Data Definitions (Army View)

The following are the definitions for the data columns contained on the In Transit report for the Army view:

- **UIC**—This is the unit identification code of the unit.
- **Unit Name**—This is the corresponding unit name of the UIC.
- **DTG**—Date Time Group prepared. The DTG will be in the following format: 221805ZNOV04. The following is an explanation of this format:
 - 22 is the day of the month
 - 1805 is the military time
 - Z represents Zulu
 - NOV represents November
 - 04 represents the year
- **Name**—This is the name of the individual in transit.

- **SSN/GUID**—This is the Social Security number or global unique identifier (GUID) of the individual in transit.
- **Person Type**—This is the Person Type of the individual gain or loss during this reporting period. Person Types can be one of the following: DOD Contractor, DOD Federal Civilian, Foreign National/Military, NAF Employee(AAFES), Non-DOD Federal Civilian, Other Civilian, Red Cross Worker, or United States Marine, US Air Force, US Army Soldier, US Coast Guard, or US Navy.
- **DoD Component**—This may contain one of the Department of Defense Component codes.
- **Service Component**—This is the Service Component of the individual gain or loss during this reporting period. The Service Component may be one of the following: National Guard, Regular, Reserve, or Unknown.
- **Rank**—This is the rank of the individual in transit.
- **MOS/AOC/Series**—This is the MOS/AOC/Series of the individual in transit.
- **DDS**—This is the deployed duty status of the individual in transit.
- **DDS Date**—This is the deployed duty status date of the individual in transit.
- **DDS Reason**—This is the deployed duty status reason code of the individual in transit.
- **Theater Arrival Date**—This is the initial arrival date to the theater for the current deployment of the individual in transit.
- **Phys. Loc.**—This is the physical location of the individual in transit.
- **Location Arrival Date**—This is the arrival date to the current location of the individual in transit.
- **DASUIC**—This is the Deployed Assigned Unit Identification Code for the individual.
- **DATUIC**—This is the Deployed Attached Unit Identification Code for the person. If the person is both individually attached and unit attached, the UIC displayed in the DATUIC column is the unit to which the person is individually attached.

- **Name**—This is the name of the individual in transit.
- **SSN/GUID**—This is the Social Security number or global unique identifier (GUID) of the individual in transit.
- **Person Type**—This is the Person Type of the individual gain or loss during this reporting period. Person Types can be one of the following: DOD Contractor, DOD Federal Civilian, Foreign National/Military, NAF Employee(AAFES), Non-DOD Federal Civilian, Other Civilian, Red Cross Worker, or United States Marine, US Air Force, US Army Soldier, US Coast Guard, or US Navy.
- **DoD Component**—This may contain one of the Department of Defense Component codes.
- **Service Component**—This is the Service Component of the individual gain or loss during this reporting period. The Service Component may be one of the following: National Guard, Regular, Reserve, or Unknown.
- **Rank**—This is the rank of the individual in transit.
- **PMOS**—This is the Primary Military Occupational Specialty of the individual gain or loss during this reporting period.
- **DDS**—This is the deployed duty status of the individual in transit.
- **DDS Date**—This is the deployed duty status date of the individual in transit.
- **DDS Reason**—This is the deployed duty status reason code of the individual in transit.
- **Theater Arrival Date**—This is the initial arrival date to the theater for the current deployment of the individual in transit.
- **Individual Location**—This is the location of the individual in transit.
- **Location Arrival Date**—This is the arrival date to the current location of the individual in transit.
- **DASUIC**—This is the Deployed Assigned Unit Identification Code for the individual.
- **DATUIC**—This is the Deployed Attached Unit Identification Code for the person. If the person is both individually attached and unit attached, the UIC displayed in the DATUIC column is the unit to which the person is individually attached.

8.3.4 In-Transit Report Sample (Marine View)

DTAS displays the In-Transit Report in an Excel spreadsheet template as shown in the Marine view sample below.

SECRET														
DTAS IN-TRANSIT REPORT														
UIC	UNIT NAME										DTG			
TESTCE	TEST COLLEEN ROSS										191929ZMAR07			
*Deployed Duty Status														
NAME	SSN / GUID	PERSON TYPE	DGD COMPONENT	SERVICE COMPONENT	RANK	PMOS	DDS*	DDS* DATE	DDS* REASON	THEATER ARRIVAL DATE	INDIVIDUAL LOCATION	LOCATION ARRIVAL DATE	DASUIC	DATUIC
SECRET														

Figure 8–7: In-Transit Report Sample (Marine View)

8.4 PERSTAT Report

The PERSTAT Report is divided into four parts:

- **Part I: Personnel Daily Summary**—The report provides a snapshot of personnel status for your unit, including gains and losses.
- **Part II: Loss Summary**—The Loss Summary report provides information on the aggregate number of losses and types of loss on one worksheet and provides a detailed loss report on a second worksheet.
- **Part III: Gains Summary**—The Gains Summary report provides information on the aggregate number of losses and types of loss on one worksheet and provides a detailed loss report on a second worksheet.
- **Part IV: Remarks**—The Remarks section allows you to include comments and additional information with the report.

There are several business rules that govern the data that are reported on the PERSTAT Report. Please refer to Business Rules: PERSTAT Report for more information.

8.4.1 Part I: Personnel Daily Summary

8.4.1.1 DATA DEFINITIONS

The following are the definitions for the data columns contained on Part I of the PERSTAT report:

- **Report Number**—This sequential number is generated by the unit for management for all PERSTAT reports.
- **DTG Prepared**—Date Time Group prepared. The DTG will be in the following format: 221805ZNOV04. The following is an explanation of this format:
 - 22 is the day of the month
 - 1805 is the military time
 - Z represents Zulu
 - NOV represents November
 - 04 represents the year
- **UIC**—This is the unit identification code of the reporting unit.
- **Unit Name**—This is the corresponding unit name of the UIC.
- **Person Type**—The Person Type tracked includes Army—Regular Active, Army—Army Reserve, Army—National Guard, Army—Unknown, Navy, Air Force, Marines, Coast Guard, DoD Civilian, Non-DoD Civilian, Contractor, Other Civilian, NAF Employee (AAFES), Red Cross Worker, Foreign National Civilians, and Foreign National Military.
- **ASGD**.—Assigned consists of all personnel assigned to the reporting unit.
- **ATCH**—Attached consists of all personnel attached to the reporting unit.
- **Op. Strength**—This is the operational strength number for the unit.
- **Females**—This is a count of the number of female personnel in the unit.
- **KIA**—This is a DTAS deployed duty status that represents a casualty who is killed outright or who dies as a result of wounds received in action.
- **WIA**—This is a DTAS deployed duty status that represents a casualty who is wounded, sick, or injured as the result of a battle.
- **MIA**—This is a DTAS deployed duty status that represents a Soldier who is missing in action by reason of enemy action.
- **Other Losses**—This includes the following:
 - Confined by Military Authorities (CMA)
 - Convalescent Leave (CLV)
 - Death Other (DO)
 - Duty Status Where Abouts Unknown (DWU)
 - Hospitalized (Battle Incurred) (HOW)
 - Hospitalized (Nonbattle Incurred) (HOS)

- In-Transit (TRA)
- Missing–Absent Without Leave (MIS-AWL)
- Missing–Beleaguered (MIS-BGD)
- Missing–Besieged (MIS-BSG)
- Missing–Captured (MIS-CAP)
- Missing–Detained (MIS-DTN)
- Missing–Interned (MIS-INT)
- Missing–Missing (MIS-MIS)
- Redeployed (RED)
- Rest and Recuperation (RNR)
- The delete actions that originate from the Mobile and Theater systems.
- The loss for the losing unit that results from an Correct DASUIC action.
- The loss that results from an attachment that is ended or deleted.
- **Total Losses**—This is the sum of the previous four columns on this report: (1) KIA, (2) WIA, (3) MIA, and (4) Other Losses.
- **Gains**—This includes personnel who have arrived in the current 24-hour reporting period as a gain to the unit. This is determined by the person’s arrival date and arrival time to the unit.
- **Remarks**—This block is an editable field, allowing you to manually type in relevant, useful data.

8.4.1.2 PART I: PERSONNEL DAILY SUMMARY SAMPLE (ARMY VIEW)

A sample of the Personnel Daily Summary worksheet is shown below. The sample shown is for the Army view.

SECRET											
DTAS PERSONNEL STATUS REPORT											
REPORT NUMBER	DTG PREPARED 241300ZJUL07				DTC TESTCE			UNIT NAME TEST COLLEEN ROSS			
PART I - PERSONNEL DAILY SUMMARY											
PERSON TYPE	ASGD	ATCH	Op. Strength	Females	KIA	WIA	MIA	OTHER LOSSES	TOTAL LOSSES	GAINS	REMARKS
Army - Regular Active	13	4	12	2	0	0	0	0	0	4	
Army - US Army Reserve	0	0	0	0	0	0	0	0	0	0	
Army - National Guard	1	0	1	0	0	0	0	0	0	0	
Army - Unknown	0	0	0	0	0	0	0	0	0	0	
Navy	5	0	5	2	0	0	0	0	0	0	
Air Force	0	0	0	0	0	0	0	0	0	0	
Marine	6	0	6	2	0	0	0	0	0	0	
Coast Guard	0	0	0	0	0	0	0	0	0	0	
DoD Civilian	5	0	5	0	0	0	0	0	0	0	
Non DoD Civilian	5	0	5	1	0	0	0	0	0	0	
Contractor	5	0	4	3	0	0	0	1	1	0	
Other Civilian (AF, Employee (A/AFES))	4	0	4	0	0	0	0	0	0	0	
Red Cross Worker	5	0	4	1	0	0	0	1	1	0	
Foreign National Civilians	0	0	0	0	0	0	0	0	0	0	
Foreign National Military	0	0	0	0	0	0	0	0	0	0	
Total	54	4	51	12	0	0	0	2	2	4	
SECRET											

Figure 8–8: Part I: Personnel Daily Summary Sample (Army View)

8.4.1.3 PART I: PERSONNEL DAILY SUMMARY SAMPLE (MARINE VIEW)

A sample of the Personnel Daily Summary worksheet is shown below. The sample shown is for the Marine view.

SECRET											
DTAS PERSONNEL STATUS REPORT											
REPORT NUMBER	DTG PREPARED 241251ZJUL07	UIC TESTCE	UNIT NAME TEST COLLEEN ROSS								
PART I - PERSONNEL DAILY SUMMARY											
PERSON TYPE	ASGD	ATCH	Op. Strength	Female	KIA	WIA	MIA	OTHER LOSSES	TOTAL LOSSES	GAINS	REMARKS
Army - Regular Active	13	4	12	2	0	0	0	0	0	4	
Army - US Army Reserve	0	0	0	0	0	0	0	0	0	0	
Army - National Guard	1	0	1	0	0	0	0	0	0	0	
Army - Unknown	0	0	0	0	0	0	0	0	0	0	
Navy	5	0	5	2	0	0	0	0	0	0	
Air Force	0	0	0	0	0	0	0	0	0	0	
Marines	6	0	6	2	0	0	0	0	0	0	
Coast Guard	0	0	0	0	0	0	0	0	0	0	
DoD Civilian	5	0	5	0	0	0	0	0	0	0	
Non DoD Civilian	5	0	5	1	0	0	0	0	0	0	
Contractor	5	0	4	3	0	0	0	1	1	0	
Other Civilian	4	0	4	0	0	0	0	0	0	0	
DAP Employee (AAPEE)	5	0	5	1	0	0	0	0	0	0	
Red Cross Worker	5	0	4	1	0	0	0	1	1	0	
Foreign National Civilian	0	0	0	0	0	0	0	0	0	0	
Foreign National Military	0	0	0	0	0	0	0	0	0	0	
Total	54	4	51	12	0	0	0	2	2	4	
SECRET											

Figure 8–9: Part I: Personnel Daily Summary Sample (Marine View)

8.4.2 Part II: Loss Summary

8.4.2.1 DATA DEFINITIONS FOR LOSS SUMMARY SECTION (ARMY VIEW)

The following are the definitions for the data columns contained on the summary portion of Part II of the PERSTAT report:

- **UIC**—This is the unit identification code of the reporting unit.
- **Unit Name**—This is the corresponding unit name of the UIC.
- **DTG**—Date Time Group prepared. The DTG will be in the following format: 221805ZNOV04. The following is an explanation of this format:
 - 22 is the day of the month
 - 1805 is the military time

- Z represents Zulu
- NOV represents November
- 04 represents the year
- **Person Type**—The Person Type is derived from the following data elements: DoD Contractor, DoD Federal Civilian, Foreign National/Military, NAF Employee (AAFES), Non-DoD Federal Civilian, Other Civilian, Other US Service Member, Red Cross Worker, or US Army Soldier.
- **PMOS/AOC/Series**—This is the primary MOS/AOC/Series of the individual loss during this reporting period.
- **Grade/Skill Level**—This represents the grade or skill level for the individual loss during this reporting period.
- **DASUIC**—This is the Deployed Assigned Unit Identification Code for the individual.
- **DATUIC**—This is the Deployed Attached Unit Identification Code for the person. If the person is both individually attached and unit attached, the UIC displayed in the DATUIC column is the unit to which the person is individually attached.
- **Loss Type**—The Loss Type column of the Loss Summary page identifies the action or event that caused the person to become a loss. The following is a listing of the possible loss types and their meanings:
 - **DEL**—This loss type is displayed when:
 - **The person’s record is deleted.** The following events cause the deletion of a person’s record:
 - A Mobile system user submits the Delete Person action to delete a person’s record.
 - A reassignment action causes the Mobile system to lose visibility of the person’s record.
 - **The person is reassigned.** If a Mobile system user submits an Correct DASUIC action for a person’s record, DEL is displayed as the loss type for the losing unit.
 - **ATCH**—This loss type is displayed for the following attachment-related losses:
 - **Assigned unit.** When a person is attached out, ATCH is displayed as the loss type for the assigned unit.
 - **Attached unit.** When a person’s attachment is released or deleted, ATCH is displayed as the loss type for the attached unit.
 - The loss type for duty status-related losses is the duty status itself. For example, if a person’s duty status is changed to RNR, then the loss type will be RNR.
- **Total**—This is the total number for each line of information
- **Remarks**—This block is an editable field, allowing you to manually type in relevant, useful data.

8.4.2.2 PART II: LOSS SUMMARY SAMPLE (ARMY VIEW)

A sample of the Loss Summary worksheet is shown below.

SECRET							
PART II - LOSS SUMMARY							
UIC		UNIT NAME					DTG
TESTCE		TEST COLLEEN ROSS					241300ZJUL07
PERSON TYPE	PMOS / AOC / SERIES	GRADE / SKILL LEVEL	DASUIC	DATUIC	LOSS TYPE	TOTAL	REMARKS
Contractor			TESTCE		RED-MIC	1	
Red Cross Worker			TESTCE		RED-MIC	1	
Total Losses						2	

SECRET

Figure 8–10: Part II: Loss Summary Sample (Army View)

8.4.2.3 DATA DEFINITIONS FOR LOSS SUMMARY SECTION (MARINE VIEW)

The following are the definitions for the data columns contained on the summary portion of Part II of the PERSTAT report:

- **UIC**—This is the unit identification code of the reporting unit.
- **Unit Name**—This is the corresponding unit name of the UIC.
- **DTG**—Date Time Group prepared. The DTG will be in the following format: 221805ZNOV04. The following is an explanation of this format:
 - 22 is the day of the month
 - 1805 is the military time
 - Z represents Zulu

- NOV represents November
- 04 represents the year
- **Person Type**—Person Types can be one of the following: DOD Contractor, DOD Federal Civilian, Foreign National/Military, NAF Employee(AAFES), Non-DOD Federal Civilian, Other Civilian, Red Cross Worker, or United States Marine, US Air Force, US Army Soldier, US Coast Guard, or US Navy.
- **PMOS**—This is the Primary Military Occupational Specialty of the individual gain or loss during this reporting period.
- **Grade/Skill Level**—This represents the grade or skill level for the individual loss during this reporting period.
- **DASUIC**—This is the Deployed Assigned Unit Identification Code for the individual.
- **DATUIC**—This is the Deployed Attached Unit Identification Code for the person. If the person is both individually attached and unit attached, the UIC displayed in the DATUIC column is the unit to which the person is individually attached.
- **Loss Type**—The Loss Type column of the Loss Summary page identifies the action or event that caused the person to become a loss. The following is a listing of the possible loss types and their meanings:
 - **DEL**—This loss type is displayed when:
 - **The person’s record is deleted.** The following events cause the deletion of a person’s record:
 - A Mobile system user submits the Delete Person action to delete a person’s record.
 - A reassignment action causes the Mobile system to lose visibility of the person’s record.
 - **The person is reassigned.** If a Mobile system user submits an Correct DASUIC action for a person’s record, DEL is displayed as the loss type for the losing unit.
 - **ATCH**—This loss type is displayed for the following attachment-related losses:
 - **Assigned unit.** When a person is attached out, ATCH is displayed as the loss type for the assigned unit.
 - **Attached unit.** When a person’s attachment is released or deleted, ATCH is displayed as the loss type for the attached unit.
 - The loss type for duty status-related losses is the duty status itself. For example, if a person’s duty status is changed to RNR, then the loss type will be RNR.
- **Total**—This is the total number for each line of information
- **Remarks**—This block is an editable field, allowing you to manually type in relevant, useful data.

8.4.2.4 PART II: LOSS SUMMARY SAMPLE (MARINE VIEW)

A sample of the Loss Summary worksheet is shown below.

SECRET								
PART II - LOSS SUMMARY								
UIC	UNIT NAME					DTG		
TESTCE	TEST COLLEEN ROSS					241251ZJUL07		
PERSON TYPE	PMOS	GRADE / SKILL LEVEL	DASUIC	DATUIC	LOSS TYPE	TOTAL	REMARKS	
Contractor			TESTCE		RED-MIC	1		
Red Cross Worker			TESTCE		RED-MIC	1		
Total Losses						2		

SECRET

Figure 8–11: Part II: Loss Summary Sample (Marine View)

8.4.2.5 DATA DEFINITIONS FOR LOSS DETAIL SECTION (ARMY VIEW)

The following are the definitions for the data columns contained on the detail portion of Part II of the PERSTAT report:

- **UIC**—This is the unit identification code of the reporting unit.
- **Unit Name**—This is the corresponding unit name of the UIC.
- **DTG**—Date Time Group prepared. The DTG will be in the following format: 221805ZNOV04. The following is an explanation of this format:
 - 22 is the day of the month
 - 1805 is the military time
 - Z represents Zulu
 - NOV represents November
 - 04 represents the year

- **Name**—This is the name of the individual gain or loss during this reporting period.
- **SSN/GUID**—This is the Social Security number or global unique identifier (GUID) of the individual gain or loss during this reporting period.
- **Person Type**—This is the Person Type of the individual gain or loss during this reporting period. Person Types can be one of the following: DOD Contractor, DOD Federal Civilian, Foreign National/Military, NAF Employee(AAFES), Non-DOD Federal Civilian, Other Civilian, Red Cross Worker, or United States Marine, US Air Force, US Army Soldier, US Coast Guard, or US Navy.
- **DoD Component**—This may contain one of the Department of Defense Component codes.
- **Service Component**—This is the Service Component of the individual gain or loss during this reporting period. The Service Component may be one of the following: National Guard, Regular, Reserve, or Unknown.
- **Rank**—This is the rank of the individual gain or loss.
- **PMOS/AOC/Series**—This is the primary MOS/AOC/Series of the individual gain or loss during this reporting period.
- **SQI**—This is a list of all Skill Qualification Identifiers (SQIs) of the individual gain or loss during this reporting period.
- **ASI**—This is a list of all Additional Skill Identifiers (ASIs) of the individual gain or loss during this reporting period.
- **2nd MOS**—This is the secondary MOS of the individual gain or loss during this reporting period.
- **LANG**—This is list of all language identifiers of the individual gain or loss during this reporting period.
- **Sex**—This is the sex of the individual gain or loss during this reporting period.
- **DDS**—This is the deployed duty status of the individual gain or loss during this reporting period.
- **DDS Reason**—This is the deployed duty status reason code of the individual gain or loss during this reporting period.
- **DDS Date**—This is the deployed duty status date of the individual gain or loss during this reporting period.
- **Theater Arrival Date**—This is the initial arrival date to the theater for the current deployment.
- **DASUIC**—This is the Deployed Assigned Unit Identification Code for the individual.
- **DATUIC**—This is the Deployed Attached Unit Identification Code for the person. If the person is both individually attached and unit attached, the UIC displayed in the DATUIC column is the unit to which the person is individually attached.

8.4.2.6 LOSS DETAIL SAMPLE (ARMY VIEW)

A sample of the Loss detail worksheet is shown below.

SECRET

DTAS GAINS / LOSSES REPORT

UIC B2TMSG	UNIT NAME SUSANG B UNIT	DTG 272307ZNOV07															
*LOSSES:																	
* Losses will be as of the 24 hour reporting period.																	
** Deployed Duty Status																	
NAME	SSN / GUID	PERSON TYPE	DoD COMPONENT	SERVICE COMPONENT	RANK	PMOS/AOC/SERIES	SQI	ASI	2ND MOS	LANG	SEX	DDS**	DDS* REASON	DDS* DATE	THEATER ARRIVAL DATE	DASUC	DATUIC

SECRET

Figure 8–12: Part II: Loss Detail Sample (Army View)

8.4.2.7 DATA DEFINITIONS FOR LOSS DETAIL SECTION (MARINE VIEW)

The following are the definitions for the data columns contained on the detail portion of Part II of the PERSTAT report:

- **UIC**—This is the unit identification code of the reporting unit.
- **Unit Name**—This is the corresponding unit name of the UIC.
- **DTG**—Date Time Group prepared. The DTG will be in the following format: 221805ZNOV04. The following is an explanation of this format:
 - 22 is the day of the month
 - 1805 is the military time
 - Z represents Zulu
 - NOV represents November

- 04 represents the year
- **Name**—This is the name of the individual gain or loss during this reporting period.
- **SSN/GUID**—This is the Social Security number or global unique identifier (GUID) of the individual gain or loss during this reporting period.
- **Person Type**—This is the Person Type of the individual gain or loss during this reporting period. Person Types can be one of the following: DOD Contractor, DOD Federal Civilian, Foreign National/Military, NAF Employee(AAFES), Non-DOD Federal Civilian, Other Civilian, Red Cross Worker, or United States Marine, US Air Force, US Army Soldier, US Coast Guard, or US Navy.
- **DoD Component**—This may contain one of the Department of Defense Component codes.
- **Service Component**—This is the Service Component of the individual gain or loss during this reporting period. The Service Component may be one of the following: National Guard, Regular, Reserve, or Unknown.
- **Rank**—This is the rank of the individual gain or loss.
- **PMOS**—This is the Primary Military Occupational Specialty of the individual gain or loss during this reporting period.
- **AMOS**—This is the Alternate Military Occupational Specialty of the individual gain or loss during this reporting period.
- **1st AMOS**—This is the First Alternate Military Occupational Specialty of the individual gain or loss during this reporting period.
- **LANG**—This is list of all language identifiers of the individual gain or loss during this reporting period.
- **Sex**—This is the sex of the individual gain or loss during this reporting period.
- **DDS**—This is the deployed duty status of the individual gain or loss during this reporting period.
- **DDS Reason**—This is the deployed duty status reason code of the individual gain or loss during this reporting period.
- **DDS Date**—This is the deployed duty status date of the individual gain or loss during this reporting period.
- **Theater Arrival Date**—This is the initial arrival date to the theater for the current deployment.
- **DASUIC**—This is the Deployed Assigned Unit Identification Code for the individual.
- **DATUIC**—This is the Deployed Attached Unit Identification Code for the person. If the person is both individually attached and unit attached, the UIC displayed in the DATUIC column is the unit to which the person is individually attached.

8.4.2.8 LOSS DETAIL SAMPLE (MARINE VIEW)

A sample of the Loss detail worksheet is shown below.

SECRET

DTAS GAINS / LOSSES REPORT

UIC	UNIT NAME	DTG														
82TMSG	SUSAN G B UNIT	27 2308ZNOV07														
*LOSSES:																
*Losses will be as of the 24 hour reporting period.																
**Deployed Only Status																
NAME	SSN / GUID	PERSON TYPE	DoD COMPONENT	SERVICE COMPONENT	RANK	PMOS	AMOS	1stAMOS	LANG	SEX	DDS**	DDS* REASON	DDS** DATE	THEATER ARRIVAL DATE	DASUIC	DATUIC

SECRET

Figure 8–13: Part II: Loss Detail Sample (Marine View)

8.4.3 Part III: Gains Summary

8.4.3.1 DATA DEFINITIONS FOR GAINS SUMMARY SECTION (ARMY VIEW)

The following are the definitions for the data columns contained on the summary portion of Part III of the PERSTAT report:

- **UIC**—This is the unit identification code of the reporting unit.
- **Unit Name**—This is the corresponding unit name of the UIC.
- **DTG**—Date Time Group prepared. The DTG will be in the following format: 221805ZNOV04. The following is an explanation of this format:
 - 22 is the day of the month
 - 1805 is the military time
 - Z represents Zulu
 - NOV represents November
 - 04 represents the year
- **Person Type**—The Person Type is derived from the following data elements: DoD Contractor, DoD Federal Civilian, Foreign National/Military, NAF Employee (AAFES), Non-DoD Federal Civilian, Other Civilian, Other US Service Member, Red Cross Worker, or US Army Soldier.
- **PMOS/AOC/Series**—This is the primary MOS/AOC/Series of the individual during this reporting period.
- **Grade/Skill Level**—This represents the grade or skill level for the individual during this reporting period.
- **DASUIC**—This is the Deployed Assigned Unit Identification Code for the individual.
- **DATUIC**—This is the Deployed Attached Unit Identification Code for the person. If the person is both individually attached and unit attached, the UIC displayed in the DATUIC column is the unit to which the person is individually attached.
- **Gain Type**—This column indicates whether the individual gain was assigned (ASGN), attachment-related (ATCH), or assigned and attached (ASGN/ATCH) during the reporting period. **Note:** ATCH indicates an attachment gain to the attached unit. However, it also indicates a gain back to the assigned unit when the attachment ends.
- **Total**—This is the total number for each line of information
- **Remarks**—This block is an editable field, allowing you to manually type in relevant, useful data.

8.4.3.2 PART III: GAINS SUMMARY SAMPLE (ARMY VIEW)

A sample of the Gains Summary worksheet is shown below.

SECRET							
PART III - GAINS SUMMARY							
UIC TESTCE	UNIT NAME TEST COLLEEN ROSS					DTG 241300ZJUL07	
PERSON TYPE	PMOS / AOC / SERIES	GRADE / SKILL LEVEL	DASUIC	DATUIC	GAIN TYPE	TOTAL	REMARKS
Amy - Regular Active		01	PK001	TESTCE	ATCH	1	
Amy - Regular Active		02	PK001	TESTCE	ATCH	1	
Amy - Regular Active		W03	PK00M	TESTCE	ATCH	1	
Amy - Regular Active		W05	PK00M	TESTCE	ATCH	1	
Total Gains						4	

SECRET

Figure 8–14: Part III: Gains Summary Sample (Army View)

8.4.3.3 DATA DEFINITIONS FOR GAINS SUMMARY SECTION (MARINE VIEW)

The following are the definitions for the data columns contained on the summary portion of Part III of the PERSTAT report:

- **UIC**—This is the unit identification code of the reporting unit.
- **Unit Name**—This is the corresponding unit name of the UIC.
- **DTG**—Date Time Group prepared. The DTG will be in the following format: 221805ZNOV04. The following is an explanation of this format:
 - 22 is the day of the month
 - 1805 is the military time
 - Z represents Zulu
 - NOV represents November
 - 04 represents the year

- **Person Type**—The Person Type is derived from the following data elements: DoD Contractor, DoD Federal Civilian, Foreign National/Military, NAF Employee (AAFES), Non-DoD Federal Civilian, Other Civilian, Other US Service Member, Red Cross Worker, or US Army Soldier.
- **PMOS**—This is the Primary Military Occupational Specialty of the individual gain or loss during this reporting period.
- **Grade/Skill Level**—This represents the grade or skill level for the individual loss during this reporting period.
- **DASUIC**—This is the Deployed Assigned Unit Identification Code for the individual.
- **DATUIC**—This is the Deployed Attached Unit Identification Code for the person. If the person is both individually attached and unit attached, the UIC displayed in the DATUIC column is the unit to which the person is individually attached.
- **Gain Type**—This column indicates whether the individual gain was assigned (ASGN), attachment-related (ATCH), or assigned and attached (ASGN/ATCH) during the reporting period. **Note:** ATCH indicates an attachment gain to the attached unit. However, it also indicates a gain back to the assigned unit when the attachment ends.
- **Total**—This is the total number for each line of information
- **Remarks**—This block is an editable field, allowing you to manually type in relevant, useful data.

8.4.3.4 PART III: GAINS SUMMARY SAMPLE (MARINE VIEW)

A sample of the Gains Summary worksheet is shown below.

SECRET

PART III - GAINS SUMMARY

UIC TESTCE		UNIT NAME TEST COLLEEN ROSS					DTG 24125 1Z JUL07	
PERSON TYPE	PMOS	GRADE / SKILL LEVEL	DASUIC	DATUIC	GAIN TYPE	TOTAL	REMARKS	
Army - Regular Active		O1	PK001	TESTCE	ATCH	1		
Army - Regular Active		O2	PK001	TESTCE	ATCH	1		
Army - Regular Active		W3	PK00M	TESTCE	ATCH	1		
Army - Regular Active		W5	PK00M	TESTCE	ATCH	1		
Total Gains						4		

SECRET

Figure 8–15: Part III: Gains Summary Sample (Marine View)

8.4.3.5 DATA DEFINITIONS FOR GAINS DETAIL SECTION (ARMY VIEW)

The following are the definitions for the data columns contained on the detail portion of Part III of the PERSTAT report:

- **UIC**—This is the unit identification code of the reporting unit.
- **Unit Name**—This is the corresponding unit name of the UIC.
- **DTG**—Date Time Group prepared. The DTG will be in the following format: 221805ZNOV04. The following is an explanation of this format: 221805ZNOV04
 - 22 is the day of the month
 - 1805 is the military time
 - Z represents Zulu
 - NOV represents November
 - 04 represents the year
- **Name**—This is the name of the individual gain or loss during this reporting period.
- **SSN/GUID**—This is the Social Security number or global unique identifier (GUID) of the individual gain or loss during this reporting period.
- **Person Type**—This is the Person Type of the individual gain or loss during this reporting period. Person Types can be one of the following: DOD Contractor, DOD Federal Civilian, Foreign National/Military, NAF Employee(AAFES), Non-DOD Federal Civilian, Other Civilian, Red Cross Worker, or United States Marine, US Air Force, US Army Soldier, US Coast Guard, or US Navy.
- **DoD Component**—This may contain one of the Department of Defense Component codes.
- **Service Component**—This is the Service Component of the individual gain or loss during this reporting period. The Service Component may be one of the following: National Guard, Regular, Reserve, or Unknown.
- **Rank**—This is the rank of the individual gain or loss.
- **PMOS/AOC/Series**—This is the primary MOS/AOC/Series of the individual gain or loss during this reporting period.
- **SQI**—This is a list of all Skill Qualification Identifiers (SQIs) of the individual gain or loss during this reporting period.
- **ASI**—This is a list of all Additional Skill Identifiers (ASIs) of the individual gain or loss during this reporting period.
- **2nd MOS**—This is the secondary MOS of the individual gain or loss during this reporting period.
- **LANG**—This is list of all language identifiers of the individual gain or loss during this reporting period.
- **Sex**—This is the sex of the individual gain or loss during this reporting period.
- **DDS**—This is the deployed duty status of the individual gain or loss during this reporting period.
- **DDS Reason**—This is the deployed duty status reason code of the individual.

- **DDS Date**—This is the deployed duty status date of the individual gain or loss during this reporting period.
- **Theater Arrival Date**—This is the initial arrival date to the theater for the current deployment.
- **DASUIC**—This is the Deployed Assigned Unit Identification Code for the individual.
- **DATUIC**—This is the Deployed Attached Unit Identification Code for the person. If the person is both individually attached and unit attached, the UIC displayed in the DATUIC column is the unit to which the person is individually attached.

8.4.3.6 GAINS DETAIL SAMPLE (ARMY VIEW)

A sample of the Gains detail worksheet is shown below.

SECRET																	
DTAS GAINS / LOSSES REPORT																	
UIC		UNIT NAME												DTG			
B2TMSG		SUSAN G B UNIT												272307ZNOV07			
*GAINS:																	
*Gains will be as of the 24 hour reporting period.																	
**Deployed Duty Status																	
NAME	SSN / GUID	PERSON TYPE	DoD COMPONENT	SERVICE COMPONENT	RANK	PMOS/AOC/SERIES	SOI	ASI	2ND MOS	LANG	SEX	DDS**	DDS* REASON	DDS* DATE	THEATER ARRIVAL DATE	DASUIC	DATUIC
SECRET																	

Figure 8–16: Part III: Gains Detail Sample (Army View)

8.4.3.7 DATA DEFINITIONS FOR GAINS DETAIL SECTION (MARINE VIEW)

The following are the definitions for the data columns contained on the detail portion of Part III of the PERSTAT report:

- **UIC**—This is the unit identification code of the reporting unit.
- **Unit Name**—This is the corresponding unit name of the UIC.
- **DTG**—Date Time Group prepared. The DTG will be in the following format: 221805ZNOV04. The following is an explanation of this format:
 - 22 is the day of the month
 - 1805 is the military time
 - Z represents Zulu
 - NOV represents November
 - 04 represents the year
- **Name**—This is the name of the individual gain or loss during this reporting period.
- **SSN/GUID**—This is the Social Security number or global unique identifier (GUID) of the individual gain or loss during this reporting period.
- **Person Type**—This is the Person Type of the individual gain or loss during this reporting period. Person Types can be one of the following: DOD Contractor, DOD Federal Civilian, Foreign National/Military, NAF Employee(AAFES), Non-DOD Federal Civilian, Other Civilian, Red Cross Worker, or United States Marine, US Air Force, US Army Soldier, US Coast Guard, or US Navy.
- **DoD Component**—This may contain one of the Department of Defense Component codes.
- **Service Component**—This is the Service Component of the individual gain or loss during this reporting period. The Service Component may be one of the following: National Guard, Regular, Reserve, or Unknown.
- **Rank**—This is the rank of the individual gain or loss.
- **PMOS**—This is the Primary Military Occupational Specialty of the individual gain or loss during this reporting period.
- **AMOS**—This is the Alternate Military Occupational Specialty of the individual gain or loss during this reporting period.
- **1st AMOS**—This is the First Alternate Military Occupational Specialty of the individual gain or loss during this reporting period.
- **LANG**—This is list of all language identifiers of the individual gain or loss during this reporting period.
- **Sex**—This is the sex of the individual gain or loss during this reporting period.
- **DDS**—This is the deployed duty status of the individual gain or loss during this reporting period.
- **DDS Reason**—This is the deployed duty status reason code of the individual.
- **DDS Date**—This is the deployed duty status date of the individual gain or loss during this reporting period.

- **Theater Arrival Date**—This is the initial arrival date to the theater for the current deployment.
- **DASUIC**—This is the Deployed Assigned Unit Identification Code for the individual.
- **DATUIC**—This is the Deployed Attached Unit Identification Code for the person. If the person is both individually attached and unit attached, the UIC displayed in the DATUIC column is the unit to which the person is individually attached.

8.4.3.8 GAINS DETAIL SAMPLE (MARINE VIEW)

A sample of the Gains detail worksheet for the Marine view is shown below.

SECRET

DTAS GAINS / LOSSES REPORT

UIC	UNIT NAME	DTG
82TMSG	SUSANG 8 UNIT	272308ZNOV07

*GAINS:
 *Gains will be as of the 24 hour reporting period.
 **Deployed Duty Status

NAME	SSN / GUID	PERSON TYPE	DoD COMPONENT	SERVICE COMPONENT	RANK	PMOS	AMOS	1st AMOS	LANG	SEX	DDS**	DDS* REASON	DDS* DATE	THEATER ARRIVAL DATE	DASUIC	DATUIC

SECRET

Figure 8–17: Part III: Gains Detail Sample (Marine View)

8.4.4 Part IV: Remarks

This block is an editable field, allowing you to manually type in relevant, useful data.

- Hospitalized (Battle Incurred) (HOW)
- Hospitalized (Nonbattle Incurred) (HOS)
- In-Transit (TRA)
- Missing–Absent Without Leave (MIS-AWL)
- Missing–Beleaguered (MIS-BGD)
- Missing–Besieged (MIS-BSG)
- Missing–Captured (MIS-CAP)
- Missing–Detained (MIS-DTN)
- Missing–Interned (MIS-INT)
- Missing–Missing (MIS-MIS)
- Redeployed (RED)
- Rest and Recuperation (RNR)
- The delete actions that originate from the Mobile and Theater systems.
- The loss for the losing unit that results from an Correct DASUIC action.
- The loss that results from an attachment that is ended or deleted.
- After 24 hours, the following permanent losses are not counted against assigned strength and Female columns:
 - Death Other (DO)
 - Killed in Action (KIA)
 - Redeployed–Dropped from Rolls (RED-DFR)
 - Redeployed–Hospitalized (Battle Incurred) (RED-HOW)
 - Redeployed–Hospitalized (Nonbattle Incurred) (RED-HOS)
 - Redeployed–Mission Complete (RED-MIC)

Part II: Loss Summary

- Losses reported on both the Loss Summary worksheet and the Losses worksheet include all duty status changes except Present for Duty (PDY) and Temporary Duty (TDY).
- Losses include delete actions that originate from the Mobile and Theater systems.
- The Correct DASUIC function reports a loss for the losing unit.
- The data reported on the Loss Summary is only for the preceding 24-hour period.
- Any action that ends or deletes an attachment is reported as a loss for the losing unit.

Part III: Gains Summary

- The data reported on the Gains Summary is only for the preceding 24-hour period.
- The Correct DASUIC function reports a gain for the gaining unit.
- Any action that assigns or attaches a person is reported as a gain for the gaining unit.
- Any action that ends or deletes a person’s individual attachment is reported as a gain to the person’s assigned unit.

- A unit release action that ends a person's unit attachment is reported as a gain to the assigned higher headquarters unit that was not part of the unit attachment.

8.5 Unit Roster

The Unit Roster Report comprises the overall Unit Roster. The data displayed varies depending on whether the Army or Marines view is selected.

8.5.1 Army View

8.5.1.1 UNIT ROSTER (ARMY VIEW)

The following are the definitions for the data columns contained on the Unit Roster worksheet:

- **Name**—This is the name of the individual.
- **SSN/GUID**—This is the Social Security number or global unique identifier (GUID) of the individual.
- **Person Type**—This is the Person Type of the individual. Person Types can be one of the following: DOD Contractor, DOD Federal Civilian, Foreign National/Military, NAF Employee(AAFES), Non-DOD Federal Civilian, Other Civilian, Red Cross Worker, or United States Marine, US Air Force, US Army Soldier, US Coast Guard, or US Navy.
- **DoD Component**—This may contain one of the Department of Defense Component codes.
- **Service Component**—This is the Service Component of the individual. The Service Component may be one of the following: National Guard, Regular, Reserve, or Unknown.
- **Rank**—This is the rank of the individual.
- **MOS/AOC/Series**—This is the MOS/AOC/Series of the individual.
- **SQI**—This is a list of all Skill Qualification Identifiers (SQIs) of the individual.
- **ASI**—This is a list of all Additional Skill Identifiers (ASIs) of the individual.
- **2nd MOS/AOC**—This is a list of the secondary MOS/AOC for the individual.
- **LANG**—This is list of all language identifiers of the individual.
- **ASGN/ATCH**—This indicates whether the individual is attached or assigned to the reporting unit.
- **DASUIC**—This is the Deployed Assigned Unit Identification Code for the individual.
- **Deployed Assigned Unit Name (DASUIC)**—This is the name of the person's deployed assigned unit.
- **DATUIC**—This is the Deployed Attached Unit Identification Code for the person. If the person is both individually attached and unit attached, the UIC displayed in the DATUIC column is the unit to which the person is individually attached.
- **Deployed Attached Unit Name (DATUIC)**—This is the name of the person's deployed attached unit.
- **DATUIC Arrival Date**—This is the arrival date to the unit for the current attachment.
- **HUIC**—This is the UIC of the unit the person is assigned to at his or her home station.

- **Assigned Unit Name (HUIC)**—This is the assigned unit name of the unit for the individual at his or her home station.
- **MPC**—This is the Military Personnel Class code for the soldier and other service member.
- **DDS**—This is the deployed duty status of the individual.
- **DDS Reason**—This is the deployed duty status reason code of the individual.
- **DDS Date**—This is the deployed duty status date of the individual.
- **Theater Arrival Date**—This is the initial arrival date to the theater for the current deployment.
- **Phys. Loc.**—This is the physical location of the individual.
- **Phys. Base Camp**—This is the location of the individual’s base camp.
- **Phys. Country**—This is the country associated with the individual’s physical location.
- **Phys. Location Arrival Date**—This is the arrival date to the current location of the individual.
- **ASGN Loc**—This is the individual’s assigned location.
- **ASGN Base Camp**—This is the assigned base camp for the individual.
- **ASGN Country**—This is the assigned country for the individual.
- **ASGN Location**—This lists the individual’s assigned location.
- **ASGN Location Arrival Date**—This is the arrival date to the assigned location of the individual.
- **Sex**—This is the sex of the individual.
- **HOR City**—This is the home of record (HOR) city for the individual.
- **HOR State**—This is the home of record (HOR) State for the individual.
- **Marital Status**—This is the marital status of the individual.
- **Military Education Level**—This is the military education level of the individual.
- **Religious Denomination**—This is the religious denomination of the individual.
- **Race**—This is the race population code for the individual.
- **Ethnic Group**—This is the code for the individual’s ethnic group.
- **Blood Type**—This is the blood type of the individual.
- **Date of Birth**—This is the date of birth for the individual.
- **DEROS Date**—This is the Date Eligible to Return from Overseas (DEROS) for the individual.
- **Security Clearance Level**—This is the security clearance level for the individual.
- **Security Clearance Level Code**—This code indicates the level of security clearance the individual has been granted.
- **Security Clearance Date**—This is the date the individual’s security clearance was granted.
- **TAPDB Record Status Code**—This code indicates the record status of individual.

- **Operation**—The title of the operation to which the individual is assigned.
- **Admission Date**—This is the date the individual was admitted to a medical treatment facility.
- **Discharge Date**—This is the date on which the individual was discharged from a medical treatment facility.
- **Hospital Description**—This lists the hospital name.
- **Status Description**—This indicates whether the individual is in-patient or out-patient.
- **Destination Description**—This provides information on where the patient will be sent for treatment.
- **Condition Description**—This provides a brief description as to the individual's condition.
- **Patient Disposition**
- **Remarks**—This field lists any remarks regarding the individual's medical treatment.
- **Tour Status**—This indicates the individual's status relative to completion of a tour of duty in a location outside the boundaries of the continental United States.
- **Sub Tour Status**—This designates a subtype of tour status.
- **Tour Days**—This provides a count, in days, of the length of the individual's tour.
- **Tour Effective Date**—This is the calendar date on which the individual's tour of duty began.

8.5.1.1.1 UNIT ROSTER REPORT SAMPLE (ARMY VIEW)

DTAS displays the Unit Roster Report in an Excel spreadsheet template. Because of the width of the report, you may want to print the report as multiple pages, as shown in the sample below, in order to produce a legible report.

SECRET

***Deployed Duty Status**

NAME	SSN / GUID	PERSON TYPE	DIG COMPONENT	SERVICE COMPONENT	RANK	WGS / ACC / SERIES	SOI	ASB	2nd MOS/AOC
ATKINSON, MICHAEL		US ARMY SOLDIER	ARMY	REGULAR	SFC	92F	O, P, S	00	52D
BASHAW, SUSAN		US ARMY SOLDIER	ARMY	RESERVE	CPT	66H			
DOLD, ANNA		US ARMY SOLDIER	ARMY	RESERVE	SPC	91VV	O		
GENDRON, MARK		US ARMY SOLDIER	ARMY	REGULAR	MSG	21Z	4, 8, M, O	00	
LESMERISES, JOHN		US ARMY SOLDIER	ARMY	REGULAR	SGT	63B	O		
MCLAINE, MARY		US ARMY SOLDIER	ARMY	REGULAR	CPT	15A		6P, A4	48X
SIRIGNANO, FRANK		US ARMY SOLDIER	ARMY	REGULAR	PV1	25F			
TREMALLO, CHRISTOPHER		US ARMY SOLDIER	ARMY	REGULAR	SGT	91E	O	N5	

SECRET

Figure 8–19: Unit Roster—Page 1 (Army View)

SECRET

LANG	ASGN / ATCH	DASUBC	DEPLOYED ASSIGNED UNIT NAME (DASUBC)	DASUBC ARRIVAL DATE	DATUIC	DEPLOYED ATTACHED UNIT NAME (DATUIC)	DATUIC ARRIVAL DATE	HUIC	ASSIGNED UNIT NAME (HUIC)	MPC
	ATCH	G2TMSG	SUSAN G CHILD OF G	2007SEP01	B2TMSG	SUSAN G B UNIT	2007OCT26	WH3FAA	0019CSMAINT MGMT	E
	ASGN	B2TMSG	SUSAN G B UNIT	2007SEP01	C2TMSG2	UPDATED NAME C UNIT	2007NOV26	WRV8YB		O
	ATCH	D2TMSG	SUSAN G D UNIT	2007SEP01	B2TMSG	SUSAN G B UNIT	2007OCT25	W8EQYC	DET 12 7215 MSU	E
	ATCH	G2TMSG	SUSAN G CHILD OF G	2007SEP01	B2TMSG	SUSAN G B UNIT	2007NOV02	W6GCAA		E
	ATCH	K2TMSG	SUSAN G K UNIT	2007SEP01	B2TMSG	SUSAN G B UNIT	2007OCT25	W1D4A8	NCO ACADEMY	E
GM	ASGN	B2TMSG	SUSAN G B UNIT	2007OCT20	C2TMSG2	UPDATED NAME C UNIT	2007NOV26	W30U1T	USA STU DET ILLINOIS	O
	ATCH	D2TMSG	SUSAN G D UNIT	2007SEP20	B2TMSG	SUSAN G B UNIT	2007NOV02	W2L5H2	ITB 30 AG BN CO A	E
	ATCH	E2TMSG	SUSAN G E UNIT	2007NOV20	B2TMSG	SUSAN G B UNIT	2007NOV20	W3ZR20	USA DENTAC FT SAM HOUS	E

SECRET

Figure 8–20: Unit Roster—Page 2 (Army View)

SECRET

DTAS UNIT ROSTER

DDS*	DDS* REASON	DDS* DATE	THEATER ARRIVAL DATE	PHYS LOC	PHYS BASE CAMP	PHYS COUNTRY	PHYS LOCATION ARRIVAL DATE	ASGN LOC
PDY		2007NOV09	2007SEP01	03A OO 268084 - AA SABER, KU	AA SABER	KUWAIT	2007NOV09	03A OO 268084 - AA SABER, KU
RED	RNR	2007NOV26	2007SEP01	99Z ZZ CONUS			2007NOV26	01D DD 248558 - AA CAV, KU
PDY		2007NOV09	2007SEP01	03A OO 268084 - AA SABER, KU	AA SABER	KUWAIT	2007NOV09	03A OO 268084 - AA SABER, KU
PDY		2007NOV09	2007SEP01	03A OO 268084 - AA SABER, KU	AA SABER	KUWAIT	2007NOV09	03A OO 268084 - AA SABER, KU
PDY		2007NOV09	2007SEP01	03A OO 268084 - AA SABER, KU	AA SABER	KUWAIT	2007NOV09	03A OO 268084 - AA SABER, KU
TRA	LOR	2007NOV26	2007OCT20	01D DD 248558 - AA CAV, KU	AACAV	KUWAIT	2007NOV20	01D DD 248558 - AA CAV, KU
RED	RNR	2007NOV26	2007SEP20	99Z ZZ CONUS			2007NOV26	01D DD 248558 - AA CAV, KU
TRA	LOR	2007NOV26	2007NOV01	01D DD 248558 - AA CAV, KU	AACAV	KUWAIT	2007NOV20	01H HH 384980 - AFGHANISTAN, AF

SECRET

Figure 8–21: Unit Roster—Page 3 (Army View)

SECRET

ASSG BASE CAMP	ASSG COUNTRY	ASSG LOCATION ARRIVAL DATE	SEX	HQR CITY	HQR STATE	MARITAL STATUS	MILITARY EDUCATION LEVEL	RELIGIOUS DENOMINATION	RACE	ETHNIC GROUP	BLOOD TYPE
AA SABER	KUWAIT	2007NOV08	M			M	ANCOC	BAPT CH OTHER	CAUCASIAN	OTHER	
AA CAV	KUWAIT	2007NOV26	F			D		PROT OTHER	CAUCASIAN	NONE	
AA SABER	KUWAIT	2007NOV08	F	STRATHAM		M		CHR NO DENOM	CAUCASIAN	OTHER	
AA SABER	KUWAIT	2007NOV08	M	GORHAM	NH	M	ANCOC	NO REL PREF	CAUCASIAN	OTHER A+	
AA SABER	KUWAIT	2007NOV08	M	ALBURN	NH	M	WARRIOR LDR	NO PREF RECD	CAUCASIAN	NONE	
AA CAV	KUWAIT	2007NOV20	F			M	CAS3	ROMAN CATH	CAUCASIAN	OTHER	
AA CAV	KUWAIT	2007NOV26	M								
AFGHANISTAN	AFGHANISTAN	2007NOV20	M	WESTMINSTER	MA	M	WARRIOR LDR	NO REL PREF	CAUCASIAN	OTHER O+	

SECRET

Figure 8-22: Unit Roster—Page 4 (Army View)

SECRET

DATE OF BIRTH	DEPOS DATE	SECURITY CLEARANCE LEVEL	SECURITY CLEARANCE LEVEL CODE	SECURITY CLEARANCE DATE	TAFDS RECORD STATUS CODE	OPERATION	ADMISSION DATE	DISCHARGE DATE	HOSPITAL DESCRIPTION	STATUS DESCRIPTION	CONDITION DESCRIPTION
1971JUL15	2007JAN31	NONE	Y	2006APR19	G	OPERATION ENDURING FREEDOM					
1964MAR06		NONE	Y	2002NOV05	1900JAN07	OPERATION ENDURING FREEDOM					
1980SEP27					1900JAN08	OPERATION ENDURING FREEDOM					
1969MAR12		SECRET	F	2004JUN30	G	OPERATION ENDURING FREEDOM					
1978SEP22					G	OPERATION ENDURING FREEDOM					
1974NOV27		SECRET	F	2005NOV30	G	OPERATION ENDURING FREEDOM					
					G	OPERATION ENDURING FREEDOM					
1973OCT10					G	OPERATION ENDURING FREEDOM					

SECRET

Figure 8–23: Unit Roster—Page 5 (Army View)

SECRET

DESTINATION DESCRIPTION	PATIENT DISPOSITION	REMARKS	TOUR STATUS	SUB TOUR STATUS	TOUR DAYS	TOUR EFFECTIVE DATE
			Temporary Change of Station	Unit - Active	365	2007SEP01
			Temporary Change of Station	Unit - Active	365	2007SEP20
			Temporary Change of Station	Unit - Active	365	2007SEP01
			Temporary Change of Station	Unit - Active	365	2007SEP01
			Temporary Change of Station	Unit - Active	365	2007SEP01
			Temporary Change of Station	Unit - Active	365	2007SEP01
			Temporary Change of Station	Unit - Active	365	2007NOV20
			Temporary Change of Station	Unit - Active	365	2007OCT20

SECRET

Figure 8–24: Unit Roster—Page 6 (Army View)

8.5.1.2 COMPONENT TAB (ARMY VIEW)

The Component tab provides you with a pivot table that lists personnel assigned to your unit by assigned location and service component. The report displays the following data:

- **Deployed Duty Status**—This picklist defaults to Present for Duty.
- **Location/Component Section**—This section displays the following (to display the selected values, double click the column heading and then select and double click on the value from the pop-up list:
 - ASGN Country—This picklist allows you to select an assigned country for which to display data.
 - ASGN Base Camp—This picklist allows you to select an assigned base camp for which to display data.
- **Component Section**—Using the Component picklist, you can select the components for which you would like to display data. The report displays columns only for those components you have selected.
- **Grand Total**—This column provides a tally of all personnel who meet your search criteria.

U.S. MILITARY AND CIVILIAN PERSONNEL (MALE AND FEMALE)					
Deployed Duty Status		PDY			
LOCATION / COMPONENT		COMPONENT			
ASSG COUNTRY	ASSG BASE CAMP	US ARMY SOLDIER	DOD FEDERAL CIVILIAN	Grand Total	
KUWAIT	AA CAV		1	0	1
KUWAIT Total			1	0	1
IRAQ	BAGHDAD		4	5	9
	CAMP CEDAR		1	0	1
IRAQ Total			5	5	10
Grand Total			6	5	11

Figure 8–25: Component Tab (Army View)

8.5.1.3 RESERVE TAB (ARMY VIEW)

The Reserve tab provides you with a pivot table that lists Reserve soldiers assigned to your unit. The report displays the following data:

- **Deployed Duty Status**—This picklist defaults to Present for Duty.
- **Tour Status**—This picklist allows you to filter the data by tour status. The picklist defaults to All.
- **Location/Component Section**—This section displays the following (to display the selected values, double click the column heading and then select and double click on the value from the pop-up list:
 - ASGN Country—This picklist allows you to select an assigned country for which to display data.
 - ASGN Base Camp—This picklist allows you to select an assigned base camp for which to display data.
 - Sub Tour Status—This allows you to select a Sub Tour Status for which to display data.
- **DOD Component**—Using the DOD Component picklist, you can select the Department of Defense components for which you would like to display data. The picklist defaults to Show All.
- **Service Component**—Using the Service Component picklist, you can select the service component (such as, Active, Reserve, or Guard) for which you would like to display data. The picklist defaults to Reserve.
- **Grand Total**—This column provides a tally of all personnel who meet your search criteria.

SELECTED RESERVES (MALE AND FEMALE)					
Deployed Duty Status	PDY				
TOUR STATUS	(All)				
LOCATION / COMPONENT			DoD COMPONENT	SERVICE COMPONENT	
ASSG COUNTRY	ASSG BASE CAMP	SUB TOUR STATUS	NAVY	NAVY Total	Grand Total
IRAQ	BAGHDAD	(blank)	RESERVE	1	1
	BAGHDAD Total			1	1
IRAQ Total				1	1
Grand Total				1	1

Figure 8–26: Reserve Tab (Army View)

8.5.1.4 GUARD TAB (ARMY VIEW)

The Guard tab provides you with a pivot table that lists National Guard soldiers assigned to your unit. The report displays the following data:

- **Deployed Duty Status**—This picklist defaults to Present for Duty.
- **Location/Component Section**—This section displays the following (to display the selected values, double click the column heading and then select and double click on the value from the pop-up list:
 - ASGN Country—This picklist allows you to select an assigned country for which to display data.
 - ASGN Base Camp—This picklist allows you to select an assigned base camp for which to display data.
- **DOD Component**—Using the DOD Component picklist, you can select the Department of Defense components for which you would like to display data. The picklist defaults to Show All.
- **Service Component**—Using the Service Component picklist, you can select the service component (such as, Active, Reserve, or Guard) for which you would like to display data. The picklist defaults to National Guard.
- **Grand Total**—This column provides a tally of all personnel who meet your search criteria.

NATIONAL GUARD (MALE AND FEMALE)					
Deployed Duty Status	PDY				
LOCATION / COMPONENT			DoD COMPONENT	SERVICE COMPONENT	
ASSG COUNTRY	ASSG BASE CAMP	NATIONAL GUARD OF THE UNITED STATES	ARMY	ARMY Total	Grand Total
IRAQ	BAGHDAD			1	1
IRAQ Total				1	1
Grand Total				1	1

Figure 8–27: Guard Tab (Army View)

8.5.1.5 FEMALE TAB (ARMY VIEW)

The Female tab provides you with a pivot table that lists female personnel assigned to your unit by assigned location and service component. The report displays the following data:

- **Deployed Duty Status**—This picklist defaults to Present for Duty.
- **Location/Component Section**—This section displays the following (to display the selected values, double click the column heading and then select and double click on the value from the pop-up list:
 - ASGN Country—This picklist allows you to select an assigned country for which to display data.
 - ASGN Base Camp—This picklist allows you to select an assigned base camp for which to display data.
- **Component Section**—Using the Component picklist, you can select the components for which you would like to display data. The report displays columns only for those components you have selected. The report displays a component column and a component total column for each component selected.
- **Sex**—This picklist allows you to select the gender for which you would like to display data. This defaults to Female. The sex selected is displayed at the top of each component column.
- **Grand Total**—This column provides a tally of all personnel who meet your search criteria.

FEMALES (ALL - ACTIVE/RESERVE/NG/CIW)				
Deployed Duty Status		PDY		
LOCATION / COMPONENT		COMPONENT	SEX	
		RED CROSS WORKER	RED CROSS WORKER Total	Grand Total
ASSG COUNTRY	ASSG BASE CAMP	F		
IRAQ	BAGHDAD	1	1	1
IRAQ Total		1	1	1
DJIBOUTI	LEMONIER	1	1	1
DJIBOUTI Total		1	1	1
Grand Total		2	2	2

Figure 8–28: Female Tab (Army View)

8.5.1.6 OPERATION TAB (ARMY VIEW)

The Operation tab provides you with a pivot table that lists personnel assigned to your unit by assigned location and operation. The report displays the following data:

- **Deployed Duty Status**—This picklist defaults to Present for Duty.
- **Location/Component Section**—This section displays the following (to display the selected values, double click the column heading and then select and double click on the value from the pop-up list:
 - ASGN Country—This picklist allows you to select an assigned country for which to display data.

- ASGN Base Camp—This picklist allows you to select an assigned base camp for which to display data.
- **Operation**—Using the Operation picklist, you can select the operations for which you would like to display data. The report displays columns only for those operations you have selected.
- **Grand Total**—This column provides a tally of all personnel who meet your search criteria.

OPERATION (ALL - ACTIVE /RESERVE /NG /CIV)				
Deployed Duty Status		PDY		
LOCATION / OPERATION		OPERATION		
ASSG COUNTRY	ASSG BASE CAMP	HORN OF AFRICA	OPERATION IRAQI FREEDOM	Grand Total
IRAQ	BAGHDAD		0	39
	CAMP CEDAR		0	1
IRAQ Total			0	40
DJIBOUTI	LEMONIER		1	0
DJIBOUTI Total			1	0
Grand Total			1	40

Figure 8–29: Operation Tab (Army View)

8.5.1.7 PERMANENT PARTY TAB (ARMY VIEW)

The Permanent Party tab provides you with a pivot table that lists personnel assigned to your unit by assigned location and tour status. The report displays the following data:

- **Deployed Duty Status**—This picklist defaults to Present for Duty.
- **Location/Component Section**—This section displays the following (to display the selected values, double click the column heading and then select and double click on the value from the pop-up list:
 - ASGN Country—This picklist allows you to select an assigned country for which to display data.
 - ASGN Base Camp—This picklist allows you to select an assigned base camp for which to display data.
- **Component**—Using the Component picklist, you can select the components for which you would like to display data. The report displays columns only for those components you have selected. The report displays a component column and a component total column for each component selected.
- **Tour Status**—This picklist allows you to select the tour status for which you want to display data. The picklist defaults to Permanent Party.
- **Grand Total**—This column provides a tally of all personnel who meet your search criteria.

PERMANENT PARTY (ALL - ACTIVE/RESERVE/NG/CIV)				
Deployed Duty Status		PDY		
LOCATION / COMPONENT		COMPONENT	TOUR STATUS	
ASSG COUNTRY	ASSG BASE CAMP	US ARMY SOLDIER	US ARMY SOLDIER Total	Grand Total
KUWAIT	AA CAV	Permanent Party		
			1	1
KUWAIT Total			1	1
Grand Total			1	1

Figure 8–30: Permanent Party Tab (Army View)

8.5.1.8 BLANK TAB (ARMY VIEW)

This worksheet provides you with a customizable pivot table. To select the criteria for your report, drag and drop the data items from the Pivot Table Field List window to the appropriate section of the report. Alternatively, you can select the data item from the list, select the display area, and click the Add To button. The system populates the data fields as you drop them on to the table.

Figure 8–31: Blank Tab (Army View)

8.5.2 Marine View

8.5.2.1 UNIT ROSTER (MARINE VIEW)

The following are the definitions for the data columns contained on the Unit Roster:

- **Name**—This is the name of the individual.
- **SSN/GUID**—This is the Social Security number or global unique identifier (GUID) of the individual.
- **Person Type**—This is the Person Type of the individual. Person Types can be one of the following: DOD Contractor, DOD Federal Civilian, Foreign National/Military, NAF Employee(AAFES), Non-DOD Federal Civilian, Other Civilian, Red Cross Worker, or United States Marine, US Air Force, US Army Soldier, US Coast Guard, or US Navy.
- **DoD Component**—This may contain one of the Department of Defense Component codes.
- **Service Component**—This is the Service Component of the individual. The Service Component may be one of the following: National Guard, Regular, Reserve, or Unknown.
- **Rank**—This is the rank of the individual.
- **MOS/AOC/Series**—This is the MOS/AOC/Series of the individual.
- **AMOS**—This is the Alternate Military Occupational Specialty of the individual gain or loss during this reporting period.
- **1st AMOS**—This is the First Alternate Military Occupational Specialty of the individual gain or loss during this reporting period.
- **LANG**—This is list of all language identifiers of the individual.
- **ASGN/ATCH**—This indicates whether the individual is attached or assigned to the reporting unit.
- **DASUIC**—This is the Deployed Assigned Unit Identification Code for the individual.
- **Deployed Assigned Unit Name (DASUIC)**—This is the name of the person’s deployed assigned unit.
- **DATUIC**—This is the Deployed Attached Unit Identification Code for the person. If the person is both individually attached and unit attached, the UIC displayed in the DATUIC column is the unit to which the person is individually attached.
- **Deployed Attached Unit Name (DATUIC)**—This is the name of the person’s deployed attached unit.
- **DATUIC Arrival Date**—This is the arrival date to the unit for the current attachment.
- **PRUC**—This is the Primary Reporting Unit Code.
- **PRUC Unit Name (PRUC)**—This is the name associated with the Primary Reporting Unit Code.
- **MPC**—This is the Military Personnel Class code for the soldier and other service member.
- **DDS**—This is the deployed duty status of the individual.
- **DDS Reason**—This is the deployed duty status reason code of the individual.

- **DDS Date**—This is the deployed duty status date of the individual.
- **Theater Arrival Date**—This is the initial arrival date to the theater for the current deployment.
- **Individual Location**—This is the location of the individual.
- **INDV Base Camp**—This is the location of the individual’s base camp.
- **INDV Country**—This is the country associated with the individual’s location.
- **INDV Location Arrival Date**—This is the arrival date to the location of the individual.
- **ASGN Loc**—This is the individual’s assigned location.
- **ASGN Base Camp**—This is the assigned base camp for the individual.
- **ASGN Country**—This is the assigned country for the individual.
- **ASGN Location Arrival Date**—This is the arrival date to the assigned location of the individual.
- **Sex**—This is the sex of the individual.
- **HOR City**—This is the home of record (HOR) city for the individual.
- **HOR State**—This is the home of record (HOR) State for the individual.
- **Marital Status**—This is the marital status of the individual.
- **Military Education Level**—This is the military education level of the individual.
- **Religious Denomination**—This is the religious denomination of the individual.
- **Race**—This is the race population code for the individual.
- **Ethnic Group**—This is the code for the individual’s ethnic group.
- **Blood Type**—This is the blood type of the individual.
- **Date of Birth**—This is the date of birth for the individual.
- **OPID**—This is the Operational Identifier for the individual.
- **MAGTF**—This is the Marine Air-Ground Task Force to which the individual is assigned.
- **Operation**—The title of the operation to which the individual is assigned.
- **Tour Status**—This indicates the individual’s status relative to completion of a tour of duty in a location outside the boundaries of the continental United States.
- **Sub Tour Status**—This designates a subtype of tour status.
- **Tour Days**—This provides a count, in days, of the length of the individual’s tour.
- **Tour Effective Date**—This is the calendar date on which the individual’s tour of duty began.

8.5.2.1.1 UNIT ROSTER REPORT SAMPLE (MARINE VIEW)

DTAS displays the Unit Roster Report in an Excel spreadsheet template. Because of the width of the report, you may want to print the report as two pages, as shown in the sample below, in order to produce a legible report.

SECRET

*Deployed Duty Status

NAME	SSN / GUID	PERSON TYPE	Dhd COMPONENT	SERVICE COMPONENT	RANK	MOS / AOC / SERIES	AMOS	15T AMOS	LANG
ATKINSON, MICHAEL		US ARMY SOLDIER	ARMY	REGULAR	SFC	92F			
BASHAW, SUSAN		US ARMY SOLDIER	ARMY	RESERVE	CPT	66H			
DOLD, ANNA		US ARMY SOLDIER	ARMY	RESERVE	SPC	91W			
GENDRON, MARK		US ARMY SOLDIER	ARMY	REGULAR	MSG	21Z			
LESMERISES, JOHN		US ARMY SOLDIER	ARMY	REGULAR	SGT	63B			
MCLAIN, MARY		US ARMY SOLDIER	ARMY	REGULAR	CPT	15A			GM
SIRIGNANO, FRANK		US ARMY SOLDIER	ARMY	REGULAR	PVI	25F			
TREMALLO, CHRISTOPHER		US ARMY SOLDIER	ARMY	REGULAR	SGT	91E			

SECRET

Figure 8–32: Unit Roster—Page 1 (Marine View)

SECRET

ASGN / ARCH	DASUIC	DEPLOYED ASSIGNED UNIT NAME (DASUIC)	DASUIC ARRIVAL DATE	DATUIC	DEPLOYED ATTACHED UNIT NAME (DATUIC)	DATUIC ARRIVAL DATE	PRJC	PRJC UNIT NAME (PRJC)	MFC	DDS*
ATCH	G2TMSG	SUSAN G CHILD OF G	2007SEP01	B2TMSG	SUSAN G B UNIT	2007OCT26	WH3FAA	0019CSMAINT MGMT	E	PDY
ASGN	B2TMSG	SUSAN G B UNIT	2007SEP01	C2TMSG2	UPDATED NAME C UNIT	2007NOV26	WRV8YB		O	RED
ATCH	D2TMSG	SUSAN G D UNIT	2007SEP01	B2TMSG	SUSAN G B UNIT	2007OCT25	W8EGYC	DET 12 7215 MSU	E	PDY
ATCH	G2TMSG	SUSAN G CHILD OF G	2007SEP01	B2TMSG	SUSAN G B UNIT	2007NOV02	W6GCAA		E	PDY
ATCH	K2TMSG	SUSAN G K UNIT	2007SEP01	B2TMSG	SUSAN G B UNIT	2007OCT25	W1D4A8	NCO ACADEMY	E	PDY
ASGN	B2TMSG	SUSAN G B UNIT	2007OCT20	C2TMSG2	UPDATED NAME C UNIT	2007NOV26	W30J1T	USA STU DET ILLINOIS	O	TRA
ATCH	D2TMSG	SUSAN G D UNIT	2007SEP20	B2TMSG	SUSAN G B UNIT	2007NOV02	W2L5H2	ITB 30 AG BN CO A	E	RED
ATCH	E2TMSG	SUSAN G E UNIT	2007NOV20	B2TMSG	SUSAN G B UNIT	2007NOV20	W3ZR20	USA DENT AC FT SAM HOUS	E	TRA

SECRET

Figure 8–33: Unit Roster—Page 2 (Marine View)

SECRET

DTAS UNIT ROSTER

DD'S REASON	DD'S DATE	THEATER ARRIVAL DATE	INDIVIDUAL LOC	INDV BASE CAMP	INDV COUNTRY	INDV LOCATION ARRIVAL DATE	ASGN LOC	ASSG BASE CAMP
RNR	2007NOV09	2007SEP01	03A OO 268084 - AA SABER, KU	AA SABER	KUWAIT	2007NOV09	03A OO 268084 - AA SABER, KU	AA SABER
	2007NOV26	2007SEP01	99Z ZZ CONUS			2007NOV26	01D DD 248558 - AA CAV, KU	AA CAV
	2007NOV09	2007SEP01	03A OO 268084 - AA SABER, KU	AA SABER	KUWAIT	2007NOV09	03A OO 268084 - AA SABER, KU	AA SABER
	2007NOV09	2007SEP01	03A OO 268084 - AA SABER, KU	AA SABER	KUWAIT	2007NOV09	03A OO 268084 - AA SABER, KU	AA SABER
LOR	2007NOV09	2007SEP01	03A OO 268084 - AA SABER, KU	AA SABER	KUWAIT	2007NOV09	03A OO 268084 - AA SABER, KU	AA SABER
RNR	2007NOV26	2007OCT20	01D DD 248558 - AA CAV, KU	AA CAV	KUWAIT	2007NOV20	01D DD 248558 - AA CAV, KU	AA CAV
	2007NOV26	2007SEP20	99Z ZZ CONUS			2007NOV26	01D DD 248558 - AA CAV, KU	AA CAV
LOR	2007NOV26	2007NOV01	01D DD 248558 - AA CAV, KU	AA CAV	KUWAIT	2007NOV20	01H HH 384900 - AFGHANISTAN, AF	AFGHANISTAN

SECRET

Figure 8-34: Unit Roster—Page 3 (Marine View)

SECRET

ASSG COUNTRY	ASSGN LOCATION ARRIVAL DATE	SEX	HOR CITY	HOR STATE	MARITAL STATUS	MILITARY EDUCATION LEVEL	RELIGIOUS DENOMINATION	RACE	ETHNIC GROUP	BLOOD TYPE	DATE OF BIRTH	OPID
KUWAIT	2007NOV09	M			M	ANCOC	BAPT CH OTHER	CAUCASIAN	OTHER		1971JUL15	
KUWAIT	2007NOV26	F			D		PROT OTHER	CAUCASIAN	NONE		1964MAR06	
KUWAIT	2007NOV09	F	STRATHAM		M		CHR NO DENOM	CAUCASIAN	OTHER		1980SEP27	
KUWAIT	2007NOV09	M	GORHAM	NH	M	ANCOC	NO REL PREF	CAUCASIAN	OTHER	A+	1969MAR12	
KUWAIT	2007NOV09	M	AJBURN	NH	M	WARRIOR LDR	NO PREF RECD	CAUCASIAN	NONE		1978SEP22	
KUWAIT	2007NOV20	F			M	CASS	ROMAN CATH	CAUCASIAN	OTHER		1974NOV27	
KUWAIT	2007NOV26	M										
AFGHANISTAN	2007NOV20	M	WESTMINSTER	MA	M	WARRIOR LDR	NO REL PREF	CAUCASIAN	OTHER	O+	1973OCT10	

SECRET

Figure 8–35: Unit Roster—Page 4 (Marine View)

SECRET

MGTF	SECURITY CLEARANCE LEVEL	SECURITY CLEARANCE LEVEL CODE	SECURITY CLEARANCE DATE	TAPOS RECORD STATUS CODE	OPERATION	REMARKS	TOUR STATUS	SUB TOUR STATUS	TOUR DAYS	TOUR EFFECTIVE DATE
	NONE	Y	2006APR19	G	OPERATION ENDURING FREEDOM		Temporary Change of Station	Unit - Active	365	2007SEP01
	NONE	Y	2002NOV05	8	OPERATION ENDURING FREEDOM		Temporary Change of Station	Unit - Active	365	2007SEP20
				9	OPERATION ENDURING FREEDOM		Temporary Change of Station	Unit - Active	365	2007SEP01
	SECRET	F	2004JUN30	G	OPERATION ENDURING FREEDOM		Temporary Change of Station	Unit - Active	365	2007SEP01
				G	OPERATION ENDURING FREEDOM		Temporary Change of Station	Unit - Active	365	2007SEP01
	SECRET	F	2005NOV30	G	OPERATION ENDURING FREEDOM		Temporary Change of Station	Unit - Active	365	2007SEP01
				G	OPERATION ENDURING FREEDOM		Temporary Change of Station	Unit - Active	365	2007NOV20
				G	OPERATION ENDURING FREEDOM		Temporary Change of Station	Unit - Active	365	2007OCT20

SECRET

Figure 8–36: Unit Roster—Page 5 (Marine View)

Figure 8–37: Unit Roster—Page 6 (Marine View)

8.5.2.2 COMPONENT TAB (MARINE VIEW)

The Component tab provides you with a pivot table that lists personnel assigned to your unit by assigned location and service component. The report displays the following data:

- **Deployed Duty Status**—This picklist defaults to Present for Duty.
- **Location/Component Section**—This section displays the following (to display the selected values, double click the column heading and then select and double click on the value from the pop-up list:
 - ASGN Country—This picklist allows you to select an assigned country for which to display data.
 - ASGN Base Camp—This picklist allows you to select an assigned base camp for which to display data.

- **Component Section**—Using the Component picklist, you can select the components for which you would like to display data. The report displays columns only for those components you have selected.

U.S. MILITARY AND CIVILIAN PERSONNEL (MALE AND FEMALE)			
Deployed Duty Status		PDY	
LOCATION / COMPONENT		COMPONENT	
ASSG COUNTRY	ASSG BASE CAMP	US NAVY	Grand Total
IRAQ	BAGHDAD	5	5
IRAQ Total		5	5
Grand Total		5	5

Figure 8–38: Component Tab (Marine View)

8.5.2.3 RESERVE TAB (MARINE VIEW)

The Reserve tab provides you with a pivot table that lists Reserve soldiers assigned to your unit. The report displays the following data:

- **Deployed Duty Status**—This picklist defaults to Present for Duty.
- **Tour Status**—This picklist allows you to filter the data by tour status. The picklist defaults to All.
- **Location/Component Section**—This section displays the following (to display the selected values, double click the column heading and then select and double click on the value from the pop-up list:
 - **ASGN Country**—This picklist allows you to select an assigned country for which to display data.
 - **ASGN Base Camp**—This picklist allows you to select an assigned base camp for which to display data.
 - **Sub Tour Status**—This allows you to select a Sub Tour Status for which to display data.
- **DOD Component**—Using the DOD Component picklist, you can select the Department of Defense components for which you would like to display data. The picklist defaults to Show All.
- **Service Component**—Using the Service Component picklist, you can select the service component (such as, Active, Reserve, or Guard) for which you would like to display data. The picklist defaults to Reserve.
- **Grand Total**—This column provides a tally of all personnel who meet your search criteria.

SELECTED RESERVES (MALE AND FEMALE)				
Deployed Duty Status		PDY		
TOUR STATUS		(All)		
LOCATION / COMPONENT			DoD COMPONENT	SERVICE COMPONENT
			NAVY	Grand Total
ASSG COUNTRY	ASSG BASE CAMP	SUB TOUR STATUS	RESERVE	NAVY Total
IRAQ	BAGHDAD	(blank)	1	1
	BAGHDAD Total		1	1
IRAQ Total			1	1
Grand Total			1	1

Figure 8–39: Reserve Tab (Marine View)

8.5.2.4 GUARD TAB (MARINE VIEW)

The Guard tab provides you with a pivot table that lists National Guard soldiers assigned to your unit. The report displays the following data:

- **Deployed Duty Status**—This picklist defaults to Present for Duty.
- **Location/Component Section**—This section displays the following (to display the selected values, double click the column heading and then select and double click on the value from the pop-up list:
 - ASGN Country—This picklist allows you to select an assigned country for which to display data.
 - ASGN Base Camp—This picklist allows you to select an assigned base camp for which to display data.
- **DOD Component**—Using the DOD Component picklist, you can select the Department of Defense components for which you would like to display data. The picklist defaults to Show All.
- **Service Component**—Using the Service Component picklist, you can select the service component (such as, Active, Reserve, or Guard) for which you would like to display data. The picklist defaults to National Guard.
- **Grand Total**—This column provides a tally of all personnel who meet your search criteria.

NATIONAL GUARD (MALE AND FEMALE)				
Deployed Duty Status		PDY		
LOCATION / COMPONENT			DoD COMPONENT	SERVICE COMPONENT
			ARMY	Grand Total
ASSG COUNTRY	ASSG BASE CAMP		NATIONAL GUARD OF THE UNITED STATES	ARMY Total
IRAQ	BAGHDAD		1	1
IRAQ Total			1	1
Grand Total			1	1

Figure 8–40: Guard Tab (Marine View)

8.5.2.5 FEMALE TAB (MARINE VIEW)

The Female tab provides you with a pivot table that lists female personnel assigned to your unit by assigned location and service component. The report displays the following data:

- **Deployed Duty Status**—This picklist defaults to Present for Duty.
- **Location/Component Section**—This section displays the following (to display the selected values, double click the column heading and then select and double click on the value from the pop-up list:
 - ASGN Country—This picklist allows you to select an assigned country for which to display data.
 - ASGN Base Camp—This picklist allows you to select an assigned base camp for which to display data.
- **Component Section**—Using the Component picklist, you can select the components for which you would like to display data. The report displays columns only for those components you have selected. The report displays a component column and a component total column for each component selected.
- **Sex**—This picklist allows you to select the gender for which you would like to display data. This defaults to Female. The sex selected is displayed at the top of each component column.
- **Grand Total**—This column provides a tally of all personnel who meet your search criteria.

FEMALES (ALL - ACTIVE /RESERVE /NG /CIV)				
Deployed Duty Status		PDY		
LOCATION / COMPONENT		COMPONENT	SEX	
		RED CROSS WORKER	RED CROSS WORKER Total	Grand Total
ASSG COUNTRY	ASSG BASE CAMP	F		
IRAQ	BAGHDAD	1	1	1
IRAQ Total		1	1	1
DJIBOUTI	LEMONIER	1	1	1
DJIBOUTI Total		1	1	1
Grand Total		2	2	2

Figure 8–41: Female Tab (Marine View)

8.5.2.6 OPERATION TAB (MARINE VIEW)

The Operation tab provides you with a pivot table that lists personnel assigned to your unit by assigned location and operation. The report displays the following data:

- **Deployed Duty Status**—This picklist defaults to Present for Duty.
- **Location/Component Section**—This section displays the following (to display the selected values, double click the column heading and then select and double click on the value from the pop-up list:
 - ASGN Country—This picklist allows you to select an assigned country for which to display data.

- ASGN Base Camp—This picklist allows you to select an assigned base camp for which to display data.
- **Operation**—Using the Operation picklist, you can select the operations for which you would like to display data. The report displays columns only for those operations you have selected.
- **Grand Total**—This column provides a tally of all personnel who meet your search criteria.

OPERATION (ALL - ACTIVE/RESERVE/NG/CIV)			
Deployed Duty Status		PDY	
LOCATION / OPERATION		OPERATION	
ASSG COUNTRY	ASSG BASE CAMP	OPERATION IRAQI FREEDOM	Grand Total
IRAQ	BAGHDAD	39	39
	ERBIL	1	1
	CAMP CEDAR	1	1
IRAQ Total		41	41
Grand Total		41	41

Figure 8–42: Operation Tab (Marine View)

8.5.2.7 PERMANENT PARTY TAB (MARINE VIEW)

The Permanent Party tab provides you with a pivot table that lists personnel assigned to your unit by assigned location and tour status. The report displays the following data:

- **Deployed Duty Status**—This picklist defaults to Present for Duty.
- **Location/Component Section**—This section displays the following (to display the selected values, double click the column heading and then select and double click on the value from the pop-up list:
 - ASGN Country—This picklist allows you to select an assigned country for which to display data.
 - ASGN Base Camp—This picklist allows you to select an assigned base camp for which to display data.
- **Component**—Using the Component picklist, you can select the components for which you would like to display data. The report displays columns only for those components you have selected. The report displays a component column and a component total column for each component selected.
- **Tour Status**—This picklist allows you to select the tour status for which you want to display data. The picklist defaults to Permanent Party.
- **Grand Total**—This column provides a tally of all personnel who meet your search criteria.

PERMANENT PARTY (ALL - ACTIVE/RESERVE/NG/CIV)			
Deployed Duty Status		PDY	
LOCATION / COMPONENT		COMPONENT	TOUR STATUS
ASSG COUNTRY	ASSG BASE CAMP	US ARMY SOLDIER	US ARMY SOLDIER Total
KUWAIT	AA CAV	Permanent Party	Grand Total
KUWAIT Total		1	1
Grand Total		1	1

Figure 8–43: Permanent Party Tab (Marine View)

8.5.2.8 BLANK TAB (MARINE VIEW)

This worksheet provides you with a customizable pivot table. To select the criteria for your report, drag and drop the data items from the Pivot Table Field List window to the appropriate section of the report. Alternatively, you can select the data item from the list, select the display area, and click the Add To button. The system populates the data fields as you drop them on to the table.

	A	B	C	D	E	F	G	H	I	J	K	L
1	ADD LABEL HERE											
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												

Figure 8–44: Blank Tab (Marine View)

9. MANAGEMENT TAB

The Management tab allows you to manage personal equipment issued to an individual, such as night vision goggles (NVGs) and weapons. To update information for an individual, perform the following steps:

1. Place the cursor in the column you wish to update for the applicable individual and click the left mouse button. For example, to update a serial number for night vision goggles, place the cursor in the NVG Serial # column.




Figure 9–1: Management Tab

2. Enter the data you wish to update.
3. When you have finished entering the data, click Save to save the changes.
4. DTAS displays a confirmation message if the update is successful.




Figure 9–2: Save Confirmation Message

Note: If the system detects that there have been no updates, DTAS displays the “There are no updates to perform” message when you click the Update button.




Figure 9–3: No Updates Message

10. DCIPS-FORWARD EXPORT

The DTAS Mobile application provides a refresh of data used in the Defense Casualty Information Processing System Forward (DCIPS-Forward). DCIPS-Forward is a casualty reporting system that is designed to work in situations where e-mail or Internet access is unavailable. The system allows users to create casualty reports locally and, when e-mail access is restored, send the information to the casualty office for upload to the main DCIPS database.

The DTAS DCIPS-Forward refresh process runs every 4 hours and is transparent. DTAS exports the data to the df_personnel.mdb MS Access database file. DTAS exports data for all personnel contained on your local DTAS database. The data elements exported include the following:

- SSN
- Last Name
- First Name
- Middle Name
- Rank
- Unit
- UIC
- PMOS
- PEBD
- BASD
- Grade

Once the export process is complete, you must then copy the df_personnel.mdb file to the directory in which DCIPS-Forward is located on your PC. You can turn the process off by changing the job enabled setting in the DCIPS_Export.ini file from JOB_ENABLED=true to JOB_ENABLED=false. **Note:** The JOB_ENABLED keyword is case-sensitive. If the refresh process fails, DTAS creates a log file.

Refer to the USMC DCIPS Forward Support Page for additional information and directions on how to install DCIPS-Forward. The site is located at https://143.84.96.35/dcips/usmc/dcipsforward/usmc_dcipsforward.htm.

Information on DCIPS-Forward for Army personnel can be found at <http://usassi-www.army.mil/agobc/AG%20Lessons/DCIPS/DCIPS.htm>.

APPENDIX A—GLOSSARY

Glossary

The following abbreviations and acronyms are used in this document:

Abbreviation/Acronym	Definition
1SG/CO	First Sergeant/Company
1 st AMOS	First Alternate Military Occupational Specialty
AAFES	Army and Air Force Exchange Service
AFADBD	Armed Forces Active Duty Base Date
AOC	Area of Concentration
AMOS	Alternate Military Occupational Specialty
APOD	Air Port of Debarkation
APOE	Air Port of Embarkation
ASI	Additional Skills Identifier
BASD	Basic Active Service Date
CDS	Cross Domain Solution
CONUS	Continental United States
CSV	Comma Separated Values
DCIPS-Forward	Defense Casualty Information Processing System Forward
DDS	Deployed Duty Status
DMDC	Defense Manpower Data Center
DoD	Department of Defense
DTAS	Deployed Theater Accountability Software
DTG	Date Time Group
DASUIC	Deployed Assigned Unit Identification Code
DATUIC	Deployed Attached Unit Identification Code
DASUIC	Deployed Assigned Unit Identification Code
DATUIC	Deployed Attached Unit Identification Code
EAS	End of Active Service
eMILPO	Electronic Military Personnel Office
HOR	Home of Record
HUIC	Home UIC
JPERSTAT	Joint Personnel Status
KIA	Killed in Action
LANG	Language
MAGTF	Marine Air-Ground Task Force
MI	Middle Initial
MIA	Missing in Action
MOS	Military Occupational Specialty
MOS/AOC	Military Occupational Specialty/Area of Concentration
MPC	Military Personnel Class
MS	Microsoft
NAF	Non-Appropriated Fund
NVG	Night Vision Goggle
OCONUS	Outside the Continental United States
ODSE	Operational Data Store Enterprise
OPID	Operational Identifier
PC	Personal Computer

Abbreviation/Acronym	Definition
PEBD	Pay Entry Base Date
PERSTAT	Personnel Status
PMOS	Primary Military Occupational Specialty
POC	Point of Contact
PRUC	Primary Reporting Unit Code
PUIC	Parent Unit Identification Code
R&R	Rest And Recuperation
RUC	Reporting Unit Code
SQI	Skill Qualification Indicator
SSN	Social Security Number
SSN/GUID	Social Security Number/Global Unique Identifier
TPS	Tactical Personnel System
TRN	Transfer File
TRUC	Temporary Reporting Unit Code
UIC	Unit Identification Code
ULN	Unit Line Number
US	United States
USMC	U.S. Marine Corps
WIA	Wounded in Action
XML	Extensible Markup Language